No. I

LIBRARY

# Scotland

BIRTHS, DEATHS AND

**MARRIAGES** 

Registered in sixteen of the Principal Towns
Week ended Saturday, 5th January 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 5th January 1946 the births of 898 living children and of 34 still-born children, 903 marriages and 742 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 18.0 per thousand of the population, the marriage-rate 18.1 and the death-rate 16.8. The number of still-births corresponds to a rate of 36 per thousand total births

registered (including still-born).

The birth-rate of the week is 2.3 more than in the previous week but 0.4 below the five years' average. The marriage rate is 1.8 more than in the previous week but 8.5 below the pre-war average. The death-rate is 1.2 more than in the previous week and

0.1 above the average.

The weekly death-rates in the individual towns ranged from 22.0 in Kirkcaldy and 20.3 in Dunfermline to 11.9 in Perth and 8.2 in Clydebank. Relatively high death-rates occurred in Hamilton 19.6, in Greenock 19.2, in Glasgow 17.7 and in Edinburgh 17.0.

Deaths from the principal epidemic diseases numbered 22 and are 8 more than in the previous week. They include 1 from cerebro-spinal fever, 4 from diphtheria and 17 from influenza. Compared with the number in the previous week deaths from cerebro-spinal fever are 1 more, from diphtheria 2 fewer and from influenza 12 more. In the previous week 1 death was registered from whooping-cough and 2 from measles.

Deaths from all forms of tuberculosis numbered 48, of which 43 were from tuberculosis of the respiratory system. The former are 4 fewer than in the previous week but the

latter 4 more.

Deaths from respiratory diseases (other than tubercular) numbered 110 and equalled an annual death-rate from these causes of 2.5 per thousand. This death-rate is 1.0

more than in the previous week and 0.4 above the average.

Deaths of children aged less than one year numbered 49, being 2 fewer than in the previous week. Of these 31 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 383 and are 46 more than in the previous week.

Deaths attributed to violent causes numbered 22 and are 1 more than in the

previous week.

The mean temperature for the towns from which returns were received was 36.0°, being 5.6° below that for the previous week and 3.2° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.74 inch and the mean sunshine 5.6 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved
EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H. M. STATIONERY OFFI CE at the following addresses
13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;
39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;
80 Chichester Street, Belfast;
or through any bookseller

1	1	No.	(31)	ci	63	4.	5.	6.	7.	00	9.	10.	11.	12.	13.	14.	15.	16.		90	3	
н	ours of	Bright Sunshine.	(30)	7.01	2.8	3.5	2.0	1.3					8.6	-			6.9	8.8	89.9	8.28	1	
100	Rainfa	ll in Inches.	(29)	10	80.0	0.03	.31	.92	7	-	:	:	10	:	:	1	0.27	0.16	.748	\$98.1	48 0.418	
6		Temperature (aver-	(28)	1.1	6	2	3.4	2.5	:	:	:	: :	36.2	:	:	:	200	34.0	36.08 0.748	41.68 1.368	37.48	18.
ratur		all observations).	(27)	26 37	1		25 36	29 3	7:0		:	1	23	:	:		24 3	19 3	161	281 4	24‡  3	Deatl
Temperature.		The same of the sa	48	1-11		-	-	52	:	:	:	1	09	:	:	:	20	21	52‡	275	211	srvice
-	A.D	Violence.	(25) (2	2	F 100	63	17.3				-			:	:	-	T.	H .	22 5	21 5	24 5	Including Service Deaths
1	Diarrh	cea (under 2 years	(24) (2	67	:	:	:	1	•	: 1	-	:		•	1	:,		:	9	00	70	nelud
133	Resi	of age).	(23) (2	24	4	00	4	2	4	2		60	:	_	1	-	2	67	110	64	91	+1
		than Tubercular).		00	60		2 ,2	က	-		-	1			100	7		:	43 1	39 (6	36	ind.
1359	Tuber-	Respiratory System.	(22)					1		1		-			1	01	-	1	- 100	100	A TO	usual residence if in Scotland
шо	Tr	All Forms.	(21)	10	4	-		30								2			48	52	43	if in
Deaths from	an an	Measles.	(20)		:	:	:	:	-:		:	-	1	:	:	1	:	30		2	-	dence
Deal	Principal Epidemic Diseases.	Influenza.	(19)	2	7	-	:	:		-	67	:	1	:	1	200	1:0		17	5	2	al resi
Light	nie Di	Diphtheria.	(18)	- ;			:	1		:	:	:	1	1	11:1	*	:	-	4	9		t usus
	piden	Whooping-cough.	0 (17)	1751	-	:	:	-		4				:	3	:			-	7	2	lace o
	ipal E	Scarlet Fever.	(16)	•									:	-	1	•		11:17	1	55.5	2	r to p
198	Princi	Cerebro-spinal Fever.	(15)	*	1 22		1		HARET N	To the	-	110	200	1		10	01	:		6:	3	ansfe
-	1	Typhoid and Paratyphoid Fevers.	(14)		7	-	1	:		07				∞		60	6			-	-	by tr
io	The same of the same	ons aged 65 Years and over.	(13)	20	25	32	15	14	=	23	10	4		~		6.5	0.	7	383	337	354	ected
Deaths	nts One	Under One Month.	(12)	co	-	-	1	3	1	:	7	22	***	1	:	:	:	3	31	22	33	y cori
a	Infants under One Vear of Age.	Total.	(11)	0	1	1	63	60		:	2	2	-	7	1	91	9.5	2 2	49	19	72	ionall
	Rate ted C	per 1000 of Estima- livilian Population.	(10)	17.0	15.4	16.3	14.4	19.2	12.3	Ç. ∞	22.0	16.0	15.0	19.6	9.91	12.3	20.3	11.9	16.8	9.91	15.8	eath rates) have been provisionally corrected by transfer to place of
.08	Net	Number (Civilian).	(9)	137	94	20	24	27	15	0	18	13	11	14	12	8	16	∞	742	989	269	ave bee
Deaths	7	Fransferred In.	(8)	31	2		23	2	23	:	-	-	. :	-	1	:	-	-	22	43	45	tes) h
	Tr	ansferred Out.	35	22	6	6	2	2	1	:	:	-	63	2	67	2	6	C1	93	115	102	ath ra
	Nu	mber Registered.	(6)	157	53	59	27	27	13	2	17	13	14	15	14	10	24	6	813	758	754	
	M	arriages.	(5)	160	91	28	34	23	19	13	25	19	12	25	10	18	23	19	903	813	813	neludi
Births.*	47	Still Born.	€1			Н	4	1	4	101			:	1	1	301			34	36	25	ths (in
Birt		Live Born.	(3)	156	61	54	41	28	26	15	17	15	20	21	6	12	15	12	868	787	929	d Dea
	Estimated	Civilian Copulation 1944. (Provisional.)	(2)	421,300	155,300	160,100	86,900	73,400	63,400	31,700	42,700	42,300	38,200	37,300	40,100	33,900	41,200	35,100	250 No. 4	100000000000000000000000000000000000000	2,296,600	* Numbers of Births and Deaths (including d
		TOWNS.	(1) 1. GLASGOW	2, EDINBURGH,	3. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK, .	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY, .	10. COATBRIDGE, .	11. KILMARNOCK, .	12. HAMILTON,	13. AYR,	14. FALKIRK,	15 DUNFERMLINE,.	16. PERTH,	Total. (Jan. 5, 1946	1S Dec.	week Jan. 6, 1945 ending	* Number

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2 9. 8/1/46, J.S.&Co. Ltd., Group 171 (1940).

Scotland

# BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 12th January 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 12th January 1946 the births of 882 living children and of 39 still-born children, 548 marriages and 882 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 17.6 per thousand of the population, the marriage-rate 11.0 and the death-rate 20.0. The number of still-births corresponds to a rate of 42 per thousand total births registered (including still-born).

The birth-rate of the week is 0.4 less than in the previous week and 0.4 below the five years' average. The marriage rate is 7.1 less than in the previous week but 3.2 above the pre-war average. The death-rate is 3.2 more than in the previous week and

2.3 above the average.

The weekly death-rates in the individual towns ranged from 29.3 in Kirkcaldy and 28.0 in Motherwell and Wishaw to 12.3 in Coatbridge and in Kilmarnock and 11.9 in Perth. Relatively high death-rates occurred in Ayr 23.4, in Aberdeen 22.1 and in Falkirk 21.5. In Glasgow the rate was 21.3 and in Edinburgh 18.6.

Deaths from the principal epidemic diseases numbered 26 and are 4 more than in the previous week. They include 1 from cerebro-spinal fever, 1 from whooping-cough, 2 from diphtheria, 21 from influenza and 1 from measles. Compared with the number in the previous week deaths from cerebro-spinal fever number the same, from whooping-cough 1 more, from diphtheria 2 fewer, from influenza 4 more and from measles 1 more.

Deaths from all forms of tuberculosis numbered 46, of which 41 were from tuberculosis of the respiratory system. The former are 2 fewer than in the previous week and the

latter 2 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 144 and equalled an annual death-rate from these causes of 3.3 per thousand. This death-rate is 0.8 more than in the previous week and 0.5 above the average.

Deaths of children aged less than one year numbered 62, being 13 more than in the previous week. Of these 27 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 488 and are 105 more than in the previous week.

Deaths attributed to violent causes numbered 29 and are 7 more than in the

previous week.

The mean temperature for the towns from which returns were received was 42.8°, being 6.8° above that for the previous week and 3.8° above the average for the corresponding week in the period 1901-30. The mean rainfall was 0.93 inch and the mean sunshine 9.0 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved

EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFI CE at the following addresses

13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;

39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;

30 Chichester Street, Belfast;

or through any bookseller

Price Id. net
Annual Subscription 8s. 8d. post free.

No. 2

priected by transfer to plac	§ Weekly means.
d rates) have been provisionally corrected	† Weekly extremes
eaths (including deat	
ers of Births and I	

1		ò	(31)	2,	8	4.	5.	9	7	oó	6	10.	11	12.	13.	14.	15.	16.	N. A.			1
E	lours of	Bright Sunshine.	(30)	9.1	14.0	6.9	4.0	3.9		-		1	9.4	1	1	:	2.6	8.6	80.6	89.9	:	
	Rainfa	ll in Inches.	(62)	0.43	0.55	0.23	16.	.97	:	:	:	-	.02	:	:	.:	1.34	.94		748	-238	
100		Temperature (aver-	(28) (	13.5 0	20	9	9 1	5.5 1	:	-:	:	:	4.6 1	:	:	:	15.1	42.0	42.88 0.938	36.08 0.748	34.08 0.238	200
operatur.		solute Lowest.	(27) ( 34 45	38 45	29 39	34 42	87 43	39 45	:	:	:	:	37 4	:	:	:	34 45	31 45	314 4	191 3	6+ 3	Including Service Deaths
Temperature.	-	-/ 3:	26) (9	48	48	48		19	:	:	:	:	64	:	:	:	49	64	2 119	524 1	14#	rvice
	A.0	Violence.	(25) (2	5	4	1 4	4	G1		-	-	2	4.	1	1		1 6	7	29 5	22 5	26 4	ing Se
	Diarri	cea (under 2 years	24) (2	7	:	67		:	:	:	:	:	:	:	:	:	:	:	00	6 2		neludi
	Res	of age).	23) (2	22	00	6	5	4	9	:	-	:	7	50	-	eo .	2	2	4	0	0	1=
		than Tubercular).		22	1	60	1	7.	-		-		•	1		7;	1	-	1 144	43 110	3 109	nd.
100	Tuber- culosis.	Respiratory System.	(22)	2/					100		:	•	:		•			1	41	-	43	Scotla
om	Tr	All Forms.	(21)	00	-	63	1		23		:			27	:	1:	-	11	46	48	20	if in 8
Deaths from	i de	Measles.	(30)	:	:	:	:	:	:	:	:	:	:	:	:	-	:	1	-	:	7	Jence
Deal	sease	Influenza.	(19)	3	:	:	:	:	63	-	:	7	1	:	1	1	:	1	21	17	2	l resid
	nie Di	Diphtheria.	(18)	7	-;	:	:	:	:	:	:	:	1	-	:	:	:	1	2	4	60	nan
	Cerebro-spinal Fever.   Cerebro-spinal Fever.   Cerebro-spinal Fever.   Typhoid and Paratyphoid Fevers.   Cerebro-spinal Fever.   Typhoid and Paratyphoid Fevers.   Cerebro-spinal Fever.   Cerebro-															_	:	61	ace of			
19	Scarlet Fever.   Scar															:	:	1	to pl			
	Cerebro-spinal   Fever.   Corebro-spinal														-	7	63	nsfer				
A STATE OF	Typhoid and Paral typhoid Fevers.														:	:	63	y tra				
10	Typhoid and Fevers.															488	383	374	eted 1			
Deaths	One Age.		(12)	1	2	:	2	1	27	1	:				:	:	1	60	27	31	24	corre
ā	Infai under ear of	Total.	(11)	H	00	623	2	1	ಣ	2	:	1	:	2	-	:	-	00	62	49	68	onally
	Rate	per 1000 of Estima-	(10)	18.6	16.8	22.1	18.6	17.8	28.0	16.5	29.3	12.3	12.3	21.0	23.4		13.9		0.07	8.91	6.91	death rates) have been provisionally corrected by transfer to place of usual residence if in Scotland.
	1		(6)	150	20	89	31	25	34	10	24	10	6	15	18	14	11	∞	882	742	745	re been
Deaths.	Corporation														2	:	44	22	99	s) har		
10	Tr	ansferred Out.	(7)	.31	00	11	20	1	:	:	-	:	-	:	4	00	9	00	112	93	113	th rate
	Nu	nber Registered.	(6)	181	99	78	32	25	28	00	23	00	10	13	19	14	15	16	950	813	805	
	Ma	rriages.	(5)	89	29	29	15	11	10	1	20	1	11	9	00	2	10	6	548	903	406	eludii
hs.*	The same	Still Born.	17 E	00	4	2		63	-		П	- :	:	:	1	63	:	CI	39	34	38	hs (in
Birt		Live Born.	(3)	147	55	46	24	18	29	11	19	22	12	19	11	12	17	H	882	868	884	Deat
	Estimated	Population 1944. (Provisional.)	(2)	421,300	155,300	160,100	86,900	. 73,400	63,400	31,700	42,700	42,300	38,200	37,300	40,100	33,900	41,200	35,100	- B	1	2,296,600	Numbers of Births and Deaths (including
		TOWNS	(1) (LASGOW,	2. EDINBURGH,	3. DUNDEE,	4. ABERDEEN, .	5. PAISLEY,	6. GREENOCK, .	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY, .	10. COATBRIDGE,	11. KILMARNOCK, .	12. HAMILTON, .	13. AYR,	14. FALKIRK.	15 DUNFERMLINE, .	16 PERTH,	Total, (Jan. 12, 1946	6 Towns Jan. 5, 1946	ending (Jan. 13, 1945)	* Number
-	25-25	Printed under t	he auth	owit		TI	10.3	1111	TR COTTO	TIO.	OUT I		-			FFI		-	1	=		1

nder the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2 J.S.&Co. Lto., Group 171 (1840).

Wt.70013/9.

## Scotland

# BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 19th January 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 19th January 1946 the births of 802 living children and of 25 still-born children, 380 marriages and 827 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 16.0 per thousand of the population, the marriage-rate 7.6 and the death-rate The number of still-births corresponds to a rate of 30 per thousand total births registered (including still-born).

The birth-rate of the week is 1.6 less than in the previous week and 1.1 below the five years' average. The marriage rate is 3.4 less than in the previous week but 3.0 above the pre-war average. The death-rate is 1.2 less than in the previous week but

1.1 above the average.

The weekly death-rates in the individual towns ranged from 27.7 in Greenock and 20.6 in Motherwell and Wishaw to 10.9 in Kilmarnock and 9.8 in Hamilton. Relatively high death-rates occurred in Dundee 20.5 and in Paisley 19.8. In Glasgow the rate was

19.4 and in Edinburgh 17.6.

Deaths from the principal epidemic diseases numbered 41 and are 15 more than in the previous week. They include 4 from cerebro-spinal fever, 4 from whooping-cough, 3 from diphtheria and 30 from influenza. Compared with the number in the previous week deaths from cerebro-spinal fever are 3 more, from whooping-cough 3 more, from diphtheria 1 more and from influenza 9 more. In the previous week 1 death was registered from measles.

Deaths from all forms of tuberculosis numbered 39, of which 33 were from tuberculosis of the respiratory system. The former are 7 fewer than in the previous week and the

latter 8 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 139 and equalled an annual death-rate from these causes of 3.2 per thousand. This death-rate is 0.1

less than in the previous week but 0.3 above the average.

Deaths of children aged less than one year numbered 65, being 3 more than in the previous week. Of these 30 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 431 and are 57 fewer than in the previous week.

Deaths attributed to violent causes numbered 32 and are 3 more than in the

The mean temperature for the towns from which returns were received was 31.7°, being 11.1° below that for the previous week and 6.1° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.16 inch and the mean sunshine 11.5 hours.

NOTE. -The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OFFI CE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1.5t Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net
Annual Subscription 8s. 8d. post free.

		No	(31)	2.	9	4.	5.	9	7.	00	9.	10	11.	12.	135	14.	15.	16.	-		1	-
н	ours of	Bright Sunshine.	(30)	19.5	10.0	12.9	4.4	2.5	1		-	****	15.3	***			19.0	5.8	11.58	80.6	1374	
	Rainta	ll in Inches.	(29)	10.0	91.0	12.0	91.0	71.0	7 11		:		0.04	:	:		0.54	0.27	\$91.0	0.938	1.228	
re.	Mean age o	Temperature (aver-	(28)	33.0	29.1	34.2	32.9	35.9	:	:	:		31.4	:	:	:	32.5	9.82	31.78 0.168 11.58	42.88 0.938	34-38 1-228	ha
Temperature.		osolute Lowest.	(27)	21 3	16 2	16 3	22   3	23 3	:	-:	:	:	16 3	:	::	:	18 3	12 2	127	311		Deat
Temi	Ab	solute Highest.	26)	43	41	43	43	38		:	:	:	40	-:	:	:	39	30	43+	51‡	46+	Including Service Deaths
		Violence.	(25) (	20	2	2	,-	1	CI	:	_	-	1	:	:		-:		32	53	23	ding 8
	Diarri	nea (under 2 years of age).	(24) (	7	;	:	:	:	2:	1	:		:	:	:	:	:	1	4	00	1	Inclue
	Resi	piratory Diseases than Tubercular).	(23)	97	1-	6	1	හ	5.		Н	60	T.	-	2	63	63	07	39	144	92	-
		Respiratory System.	(22)	4	2	:	-	CI	-	i	:	-	:	:	:	i	-:		33 1	41	43	land.
	Tuber.	All Forms.	27	4	2	:	67	2	1	:	:	-	:	:	:	2:	:	1.7	39	46	22	n Seot
from				:	1	:		1		:	1	:	:	:		:	:		:	-	-	ce if i
Deaths from	ases.	Influenza.		63	65	1	2	-	67	. :	1	:	:	1	. :	:	:	-	30	21	60	siden
SARTE S	. Dise	Diphtheria.	(18)		1	:	:	:		;	:	:	:		-	:	:	:	3	2	-	sual re
48	Scarlet Fever.															4	-	-	m jo a			
	Scarlet Fever.   10   10   10   10   10   10   10   1															-		C1	p plac			
1449	Scarlet Fever.														4	1		sfer to				
Ass	Persons aged 65 Years and over.   Starte   Persons aged 65 Years and over.   Persons aged 65 Ye														:	-	1	y tran				
15	Corebro-spinal Fever.   Corebro-spinal Fever.   Corebro-spinal Fever.   Typhoid and Paratyphoid Pevers.   Corebro-spinal Fever.   Corebro-spinal Fev														431	488	372	sted by				
Deaths of	Cerebro-spinal Fever.   Cere														30	27	27	corre				
Die	Scarlet Fever.   D														65	65	69	onally				
1 7 9 2	Cerebro-spinal Fever.   D														18.8	20.0	16.8	death rates) have been provisionally corrected by transfer to place of usual residence if in Scotland.				
do	Cerebro-spinal Fever.   Constitution   Constituti														827	882	738	e been				
Deaths.	Carepro-spiral Experimated Circles   Carepro-spiral Experimated   Carepro-spiral Expe														47   8	44	119	) have				
D	Carlinate   Carl														03	112	125	a rates				
100	Cerebro-spinal Fever.   Cerebro-spinal Fever.   Typhoid and Paratyphoid Fevers.   Cerebro-spinal Fever.   Typhoid and Paratyphoid Fevers.   Cerebro-spinal Fever.   Typhoid and Paratyphoid Fevers.   Cerebro-spinal Fever.   Cerebro-spinal Fever.   Cerebro-spinal Fever.   Typhoid and Paratyphoid Fevers.   Cerebro-spinal Fevers.   Cerebro-spinal Fever.   Cerebro-spi														883 1	-	2.	deati				
	Ma	rriages.		-	34	37	6	1	0.	3	7	4	4	CI	00	9	10	00	380 88	548 9	330 81	luding
*.		Still Born.		1 3		1	60	:		-:		1	:	H	2	:	4:		25   3	39 5	29 3	ıs (inc
Births.*	ISLES .	Live Born.	(3)	136	73	44	53	26	36	10	14	14	14	00	15	14	13	13	805	882	805	Deatl
in de d	Transferred In.  Transferred Out.†  (8) 88 25 1 1 2 2 2 8 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 2 2 8 1 1 2 2 2 2																2,296,600	Numbers of Births and Deaths (including				
	69 = 7														Total, (Jan. 19, 1946	6 Towns Jan. 12, 1946	week (Jan. 20, 1945)	* Numbers				
	25.0%	Printed under t	he auth	orit	y o	t H	IS I	MA.	JESTY	r's s	STA	_	ONE	-	-	_	-			-		1

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistic Street, Edinburgh 2

No. 4

## Scotland

# BIRTHS, DEATHS AND

**MARRIAGES** 

Registered in sixteen of the Principal Towns
Week ended Saturday, 26th January 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 26th January 1946 the births of 864 living children and of 28 still-born children, 380 marriages and 961 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 17.3 per thousand of the population, the marriage-rate 7.6 and the death-rate 21.8. The number of still-births corresponds to a rate of 31 per thousand total births registered (including still-born).

The birth-rate of the week is 1.3 more than in the previous week but 0.6 below the five years' average. The marriage rate is the same as in the previous week but 2.6 above the pre-war average. The death-rate is 3.0 more than in the previous week and

3.3 above the average.

The weekly death-rates in the individual towns ranged from 31.2 in Perth and 27.6 in Falkirk to 14.3 in Ayr and 11.4 in Greenock. Relatively high death-rates occurred in

Dundee 25.5 and in Edinburgh 24.3. In Glasgow the rate was 22.6.

Deaths from the principal epidemic diseases numbered 48 and are 7 more than in the previous week. They include 2 from cerebro-spinal fever, 3 from diphtheria and 43 from influenza. Compared with the number in the previous week deaths from cerebro-spinal fever are 2 fewer, from diphtheria they number the same and from influenza 13 more. In the previous week 4 deaths were registered from whooping-cough.

Deaths from all forms of tuberculosis numbered 65, of which 61 were from tuberculosis of the respiratory system. The former are 26 more than in the previous week and the

latter 28 more.

Deaths from respiratory diseases (other than tubercular) numbered 195 and equalled an annual death-rate from these causes of 4.4 per thousand. This death-rate is 1.2 more than in the previous week and 1.0 above the average.

Deaths of children aged less than one year numbered 72, being 7 more than in the previous week. Of these 32 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 503 and are 72 more than in the previous week.

aged sixty-five years and over numbered 503 and are 72 more than in the previous week.

Deaths attributed to violent causes numbered 24 and are 8 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 35.3°, being 3.6° above that for the previous week but 4.0° below the average for the corresponding week in the period 1901-30. The mean rainfall was 1.27 inch and the mean sunshine 3.9 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved

EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFI CE at the following addresses

13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;

39/41 King Street, Manchester 2; 1St Andrew's Crescent, Cardiff;

80 Chichester Street, Belfast;
or through any bookseller

Price 1d. net
Annual Subscription 8s. 8d. post free.

[TURN OVER

- 7		est
		ervice De
-	ľ	vice
		Ser
i		88
		dir
-		clu
		In
1	ľ	4-
	l	
	ì	nd.
	ŀ	tla
-		usual residence if in Scotland.
		in
_		11
		nee
-		ide
		res
E,		181
		nsn
		10
		ace
		ple
_		to
		fer
-	1877	ans
-		tr
-		by
		ted
-		rec
	ŀ	cor
-		I'A
		nal
	ļ	sio
	l	ovi
		pr
19	ļ	een
		e b
1		lav
	ľ	(S)
-	ŀ	ate
		h r
-		eat
		pa
	ļ	din
		elu
		(in
		hR
		eat
		d D
		mbers of Births and Deaths (including death rates
	L	hs
		Sirt
		of I
		STE
		nbe
	١	Nan
		*
2		

Rainfa	Bright Sunshine.	(30)	-10	~	-	_			_				12	133	14		16	cos	con	-
1			0.1	1.8	3.8	6.0	0.0		:		:	0.6	:	:	:	5.0	0.1	3.98	11.58	:
1	ll in Inches.	.65	1000	64.0	0.49	81.	68.	1	1	1	:	80.	:	:	:	.12	00.	278	0.1681	0.248
	Temperature (aver-	(28)	1 0	32.1 0	6	35.9 1	36.4 2	- 1	:	:	1,	.4 1	:	:	:	7 1	8.3	35.38 1.278	31.780	25.380
-	solute Lowest.	(27)		18 35	29 38	25 35	28 36	:		*	:	26 37	:	:	:	18 33.	21  32.	18 3	121 3	07 2
-			-	46	46	49	20		1:	:	:	20	1:	:	:	47	47	204 1	43‡ 1	13+
A.D.				4	4	4	;	11		1		11.3			1	1 4	:	<	-	25 4
Diarrh	œa (under 2 years		-	-		:	:	1		7:	:		:	-:	:		:	6 2	-	
Rest		-	20 03	4	2	5	eo .	4	co .	67	co .	:	2	:	2	2	co	20	6	4
(other	than Tubercular).					CI		ကေ		3	-	-		1	25		-			46 134
nber- losis.	System.			13	10			11 74			01				4				-	-
Tı	All Forms.	- 5		2		6.5	-	60	:	63	2			-	24	-	-	65	38	54
98.	Measles.		: :	:	;	:	:	:	:	:	:	-	:	:	:	:	1	:	:	:
isease	Influenza.	-	-	භ	2	20	22	-	:	1	_	:	:	Ca	:	:	-	43	30	3
Typhoid and Paratyphoid Fevers														3	-	7				
Influenza.   G. 10   G. 11   G. 11   G. 11   G. 11   G. 11   G. 11   G. 12   G. 12   G. 13   G. 14   G. 14   G. 15															4	2				
Intiuenza   Gi   Gi   Gi   Gi   Gi   Gi   Gi   G																:				
Typhoid and Paraty														2	4	က				
Typhoid and Paras														:	:	1				
Typhoid and Paras														503	431	421				
Typhoid and Paraty														32	30	35				
Typhoid and Paras														72	65	89				
Typhoid and Paramats   Typhoid and Paramats   Typhoid Pevers.														8.12	18.8	18.5				
Typhoid and Paramits   Typhoid and Paramits   Typhoid Evers.   Typhoid E														196	827	815				
Typhoid and Paramity   Typhoid and Paramity														48	47	20				
Influenza   Company   Co														115	03	140				
Rate per 1000 of Estimated Civilian Population.   0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0															21	12	30	028	-	905
Ma	rriages.	-	10		26	14	14	4	4	63	4	00	00	4.	හ	6	60		-	384
	Still Born.	-		0 07	co	2		1	4.	1	4:	1	-	7	П	1	-	28	25 3	27 3
	Live Born.	(8)	156	53	99	27	23	16	13	15	18	13	11	11	22	13	21	864	805	814
Estimated	Population 1944. Provisional.)	(2)	421.300	155,300	160,100	86,900	73,400	63,400	31,700	42,700	42,300	38,200	37,300	40,100	33,900	41,200	35,100		37.	2,296,600
	TOWNS	(1)	2. EDINBURGH.	3. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK, .	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY, .	10. COATBRIDGE, .	11. KILMARNOCK, .	12. HAMILTON,	13. AYR,	14. FALKIRK	15 DUNFERMLINE, .	16. PERTH,	Total, (Jan. 26, 1946	6 Towns Jan. 19, 1946	ending (Jan. 27, 1945)
	Diarrh Ress (other Ress (other Ress (other Ress (other Ress of Mee of Me	Measles.  Influenza.  Diphtheria.  Whooping-cough.  Scarlet Fever.  Cerebro-spinal Fever.  Typhoid and Paratyphoid Fevers.  Persons aged 65 Years and over.  group Under One Month.  Total.  Rate per 1000 of Estimated Civilian Population.  Net Number (Civilian).  Transferred In.  Transferred Out.†  Number Registered.  Marriages.  Still Born.  Live Born.  Pagginand SNAOOL	Violence.  Diarrhea (under 2 years of age).  Respiratory Diseases (other than Tubercular).  Respiratory System.  All Forms.  Measles.  Intiuenza.  Diphtheria.  Whooping-cough.  Scarlet Fever.  Cerebro-spinal Fevers.  Typhoid and Paratyphoid Fevers.  Persons aged 65 Years and over.  Supplied Under One Month.  Total.  Rate per 1000 of Estimated Civilian Population.  Net Number (Civilian).  Transferred In.  Transferred Out. †  Number Registered.  Marriages.  Still Born.  Live Born.  Page 1000 of Estimated Civilian Population.  Live Born.  Still Born.  Live Born.  Solution Population.  October 1000 of Estimated Civilian Population.  Live Born.  Still Born.  Live Born.  Solution Population.  October 1000 of Estimated Civilian Population.  Live Born.  Still Born.  Live Born.  October 1000 of Estimated Civilian Population.  Solution Population.  October 1000 of Estimated Civilian Population.  Solution Population.  October 1000 of Estimated Civilian Population.  Solution Population.  October 1000 of Estimated Civilian Population.	Violence.   Cap   Cap	Violence.   Car   Car	Violence.   Gillar   Gillar	Violence,   Captilism	Violence.   Carlinary   Carl	Violence   Convergence   Con	Violence.   Diarrheca (under 2 years of age).   Respiratory Diseases (Other than Tuberculary).   Respiratory Diphtheria.   Other Company   Other Comp	Company   Comp	Violence   Diarrhea (under 2 years of age)   Chemston   Chemston	Violence.   Diarrheea (under 2 years of age).   Respiratory Diseases (other than Tubercular).   Respiratory Proposed   Respiratory Rystem.   Respiratory System.   All Forms.   City Rystem.   All Forms.   City Rystem.   City Ryste	Violence   Diarrheed (under 2 years of age).   Respiratory Diseases (other than Tubercular).   City   Cit	Violence   Clarimated (under 2 years of age).   Clarimated (under 2 years of age).	Violence   Diarrheva (under 2 years of age)   Carlo   Carlo	Contention of Contention   Contention of Contention   C	Violence.   Diarrhea (under 2 years of age).   Respiratory Diseases (of age).   Respiratory System.   All Forms.   Diphtheria.   Di	Violence   Color   C	Violence   Company   Com

# Scotland

# BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns Week ended Saturday, 2nd February 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 2nd February 1946 the births of 865 living children and of 32 still-born children, 453 marriages and 931 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 17.4 per thousand of the population, the marriage-rate 9.1 and the death-rate 20.5. The number of still-births corresponds to a rate of 36 per thousand total births registered (including still-born).

The birth-rate of the week is the same as in the previous week but 0.2 below the five years' average. The marriage rate is 1.5 more than in the previous week and 2.4 above the pre-war average. The death-rate is 0.7 less than in the previous week but

1.5 above the average.

The weekly death-rates in the individual towns ranged from 30.3 in Clydebank and 27.3 in Dundee to 10.7 in Kirkcaldy and 9.7 in Hamilton. Relatively high death-rates occurred in Paisley 26.0, in Edinburgh and in Perth 24.5. In Glasgow the rate was 19.9.

Deaths from the principal epidemic diseases numbered 42 and are 6 fewer than in the previous week. They include 1 from cerebro-spinal fever, 1 from diphtheria and 40 from influenza. Compared with the number in the previous week deaths from cerebro-spinal fever are 1 fewer, from diphtheria 2 fewer and from influenza 3 fewer.

Deaths from all forms of tuberculosis numbered 58, of which 51 were from tuberculosis of the respiratory system. The former are 7 fewer than in the previous week and the

latter 10 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 156 and equalled an annual death-rate from these causes of 3.4 per thousand. This death-rate is 0.9 less than in the previous week but 0.2 above the average.

Deaths of children aged less than one year numbered 70, being 2 fewer than in the previous week. Of these 21 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 520 and are 17 more than in the previous week.

Deaths attributed to violent causes numbered 33 and are 9 more than in the

previous week.

The mean temperature for the towns from which returns were received was 39.4°, being 4.1° above that for the previous week and 0.5° above the average for the corresponding week in the period 1901-30. The mean rainfall was 1.08 inch and the mean sunshine 8.8 hours.

NOTE. —The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OF FI CE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net
Annual Subscription 8s. 8d. post free.

TURN OVER

\* Weekly extremes

Epidemic Diseases.  Tuber.  Cullosis.  Cuther.  Resisting the control of the cont	Bright Sunshine.  Il in Inches.  I'emperature (averall observations).  solute Lowest.  Violence.  Gea (under 2 years of age).  biratory Diseases than Tubercular).  Respiratory System.  All Forms.  Measles.  Influenza.  Diphtheria.	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	10 9 24 1 7 49 33 39.8 0.61 15.7	5 4 11 6 47 23 36.8 0.39 11.6	2 2 11 4 47 29 40.1 0.21 19.9	4 6 2 49 32 40.9 1.78 3.9	49 33 40.9 2.86 2.8	1	3 1		50 31 40.3 1.36 5.2		2		24 38.5 0.	4 33 50+ 23+ 39.4\$1.08\$ 8.8\$		8 30 47‡ 5‡ 33.58 2.698
Epidemic Diseases.  Tuber.  Cother.  Goldenses.	Pemperature (averall observations). solute Lowest.  solute Highest.  Violence.  eea (under 2 years of age). biratory Diseases than Tubercular).  Respiratory System.  All Forms.  Measles.  Influenza.	(19) (20) (21) (22) (23) (24) (25) (26) (27) (28) (31) (38) (13) 32 27 74 8 10 48 81 38·6 1	9 24 1 7 49 33 39.8 (	4 11 6 47 23 36.8	2 11 4 47 29 40·1 0	6 2 49 32 40.9 1	49 33 40.9 2		1	:	31 40-3 1.		2	38.0	48 24 38.5 0	4 33 504 234 39.48	6 24 50‡ 18‡	30 47‡ 5‡ 33.58
Epidemic Diseases.  Tuber. Cullosis.	all observations). solute Lowest.  Violence. cea (under 2 years of age). siratory Diseases than Tubercular). Respiratory System. All Forms. Measles. Induenza.	(19) (20) (21) (22) (23) (24) (25) (26) (27) (27) (18) (19) (19) (19) (19) (19) (19) (19) (19	9 24 1 7 49 33 39.8 (	4 11 6 47 23 36.8	2 11 4 47 29	6 2 49 32 40	49 33 40.9		1	: : : : : : : : : : : : : : : : : : : :	: 50		2	. 88	48 24 38.5	4 33 504 234 39.48	6 24 50‡ 18‡	30 47‡ 5‡ 33.58
Epidemic Diseases.  Tuber.  Gulcosis.  Gulcosis.	violence.  cea (under 2 years of age).  biratory Diseases than Tubercular).  Respiratory System.  All Forms.  Measles.  Influenza.	(19) (20) (21) (22) (23) (24) (25) (26) (27) (18 32 27 74 3 10 48 31	9 24 1 7 49 33	4 11 6 47 23	2 11 4 47 29	6 2 49 32	4 49 33		1	:	: 50		2	: 00	48 24	4 33 50‡ 23‡	6 24 50‡ 18‡	30 47‡ 5‡
Epidemic Diseases. Culosis. Culosis.	Violence.  cea (under 2 years of age).  biratory Diseases than Tubercular).  Respiratory System.  All Forms.  Measles.  Influenza.	(19) (20) (21) (22) (23) (24) (25) (18) (19) (19)	9 24 1 7	4 11 6	2 11 4	6 2		4 · · · · · · · · · · · · · · · · · · ·	3 1	:	: ::		2		: :	4 33	6 24	30
Epidemic Diseases. Culosis.	cea (under 2 years of age).  of age).  of age).  iratory Diseases than Tubercular).  Respiratory System.  All Forms.  Measles.  Induenza.	(19) (20) (21) (22) (23) (24) (11) (13) (14) (15)	6	5 4 11 6		4 6 2	4	4 1	3 1	:	: :		2	1	: :	4	9	
Epidemic Diseases. Culosis.	of age).  biratory Diseases than Tubercular).  Respiratory System.  All Forms.  Measles.  Influenza.	(19)         (20)         (21)         (22)         (23)           13          32         27         74	6	5 4 11		4 6	4	4	3	:	:		:	:	: :	-		00
Epidemic Diseases. Tuber. culosis.	ciratory Diseases than Tubercular).  Respiratory System.  All Forms.  Measles.  Induenza.	(19) (20) (21) (22) (13) (13) (13) (14)	6	5 4 11		4 6	4	4	3	-						-		
Epidemic Diseases.	System.  All Forms.  Measles.  Induenza.	(19) (20) (21) (13) (13) (14) (15) (15) (15) (15) (15) (15) (15) (15	10 9	5 4		4	-				27 -	2	7	4 4	4 4	156	195	179
Epidemic Diseases.	All Forms.  Measles.  Influenza.	(19) (20) (5)	10	20	57		CI	T		:	: -	:	-	:	: 1	51	61	45
Epidemic	Induenza.	(19)	7:			4	7	-	:	:	: -	:	7	:	: :	58	65	54
Epidemic	The state of the s			4	-	, in	1	:	·i	:	: :		:	:	1 1		111	-
Epidemic	Diphtheria.		14	4	I	හ	4	T	1000			-	1	-	: -	40	43	00
		(18)	:			i	1		:	N. Par	1111	:	:	11/2	in i	-	೦೦	2
	Whooping-cough.	(17)	:		:	1	*:		:		i III	:	1150				:	4
0	Scarlet Fever.	(16)	:	:	:	:	:	:	:	:	:		:	:	ŧ :	1 :		:
rincir	Cerebro-spinal Fever.	(16)		:			:	:		1 0)	1	1	31			-	2	:
Д	Typhoid and Paratyphoid Fevers.	(41)			:	:	4			0		10	-	14.	1090	:	1	
Perso	ons aged 65 Years and over.	(18)	124	29	31	20	14	6	1	10 0	-1 00	2	1	1 00	13	520	503	535
one Age.	Under One Month.	(12)	4	-	H	7	-	:	2	: 1	: -	:	14:	1:18	iyal	21	32	25
Infa under Fear of	Total.	(11)	12	හ	20	4	1	2	2	11	: -	2	:	1	: -	70	72	159
Rate		(10)	24.5	27.3	15.4	26.0	9.91	12.6	30.3	7.01	17.0	2.6	21.7	16.4	24.5	20.2	21.2	22.2
Netl	Number (Civilian).	(6)	207	85	20	44	22	16	19	6	14	1	17	11	17	931	196	626
T	ransferred In.	(8)	9	9	4	2	-	2	9	4	2 2	2	9	: 0	2	64	48	46
Tra	ansferred Out.†	(7)	28	11	11	ෙ	හ	-	1:4	60) 4	1 6	2 9:	2	2 6	4 10	123	115	138
Rate per 1000 of Estimated Civilian Population.														066	0.28	1071		
Transferred In.																333		
# 17 H	Still Born.	3 3	9	හ	T	2	2		Til.	2	1,7	:	:	1	: -	32	28	32
	Live Born.	(3)	153	54	52	18	34	29	12	16	27	15	16	14	13	865	864	828
Estimated Givilian Population 31st Dec. 1946.  196,000 10 10 10 10 10 10 10 10 10 10 10 10														2,369,100	2,369,100	2,296,600		
	TOWN'S.	(1) 1. GLASGOW,	2. EDINBURGH,	3. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK, .	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,				13. AYR,			Total, (Feb. 2, 1946	6 Towns Jan. 26, 1946	week ending (Feb. 3, 1945)
2000	strand Strand Net 1 Trans Num	Typhoid and Paratyphoid Fevers.  Persons aged 65 Years and over.  Persons aged 65 Years and over.  Persons aged 65 Years and over.  Under One Month.  Total.  Total.  Rate per 1000 of Estimated Civilian Population.  Net Number (Civilian).  Transferred In.  Transferred Out.†  Number Registered.  Marriages.  Still Born.  Live Born.  Live Born.  Valuation of the stimated of the stima	Typhoid and Paratyphoid fevers.  Persons aged 65 Years and over.  Persons aged 65 Years and over.  Persons aged 65 Years and over.  Posterior of the first state of t	Typhoid and Paraty   Typhoid and Paraty   Typhoid and Paraty   Typhoid and Paraty   Typhoid Reverses.   Persons aged 65 Years and over.   Gill Reverse   February   Total.   Gill Reverse   Gill Revers	Typhoid and Paration   Typhoid and Paration   Typhoid Revers.   1   1   1   1   1   1   1   1   1	Typhoid and Paration   Typhoid and Paration   Typhoid Research   Typhoid Reverse   Typhoid February   Typh	Typhoid and Paration	Typhoid and Paration   Olivelian	Table of the Continuation	Table of the Continuation	Table   Converse   C	Table   Civilian   C	Table   Converse	Common	Continue	Clarifian   Tabloid Before   Civilian   Ci	Converse	Carlinan   Carlinan

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2 Wt.70013/9.

# Scotland BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns
Week ended Saturday, 9th February 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the I931 Census had populations of over 30,000, there were registered during the week ended 9th February 1946 the births of 874 living children and of 33 still-born children, 370 marriages and 837 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 17.6 per thousand of the population, the marriage-rate 7.4 and the death-rate 18.4. The number of still-births corresponds to a rate of 36 per thousand total births registered (including still-born).

The birth-rate of the week is 0.2 more than in the previous week but 0.1 below the five years' average. The marriage rate is 1.7 less than in the previous week but 1.1 above the pre-war average. The death-rate is 2.1 less than in the previous week but

0.4 above the average.

The weekly death-rates in the individual towns ranged from 24.5 in Perth and 21.4 in Kirkcaldy to 15.8 in Coatbridge and 14.2 in Paisley. Relatively high death-rates occurred in Clydebank 20.7 and in Dundee 20.3. In Glasgow the rate was 17.9 and in Edinburgh 19.7.

Deaths from the principal epidemic diseases numbered 40 and are 2 fewer than in the previous week. They include 1 from cerebro-spinal fever, 1 from whooping-cough, 2 from diphtheria and 36 from influenza. Compared with the number in the previous week deaths from cerebro-spinal fever number the same, from whooping-cough 1 more, from diphtheria 1 more and from influenza 4 fewer.

Deaths from all forms of tuberculosis numbered 48, of which 42 were from tuberculosis of the respiratory system. The former are 10 fewer than in the previous week and the

latter 9 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 141 and equalled an annual death-rate from these causes of 3.1 per thousand. This death-rate is 0.3 less than in the previous week but 0.3 above the average.

Deaths of children aged less than one year numbered 67, being 3 fewer than in the previous week. Of these 24 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 476 and are 44 fewer than in the previous week.

Death's attributed to violent causes numbered 31 and are 2 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 43.0°, being 3.6° above that for the previous week and 4.3° above the average for the corresponding week in the period 1901–30. The mean rainfall was 1.42 inch and the mean sunshine 16.3 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved
EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFI CE at the following addresses

13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;

39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;

80 Chichester Street, Belfast;

or through any bookseller

Price Id. net

Annual Subscription 8s. 8d. post free.

LIBRAI

† Weekly extremes

1		o N	(31)	Li . c	3 60		5.	6.	7.	တိ	9,	.0.	<u>4</u>	27	33.	14.	15.	16.				1
H	ours of	Bright Sunshine.	3	10.7	0 :	8.7	တ္	8.5	;	:	4	:	1.3	:	:	:	8-6	9	\$6.91	80.00	:	
	Rainfa	all in Inches.		64 1		30	85 1	28	:	;	. ;	· :	25 1	969	• ;	•	.53	87 20	1.4281		.368	
	Mean	Temperature (aver-		4 x	3	.7 0	1	1 2	*	:	•	:	0.	:	:	:	13.6	.0	43.081	39.48 1.08\$	181	
Temperature.		f all observations).		35 42	-	33 41	37 44	38 44	:	;	:	:	33 44		:	:	33 42	29 42	29+ 45	23   39	24‡ 41	Including Service Deaths
lempe Fg				-		53		51	:		-:		19	:	:	:	52	53	53+ 2	50‡ 2	52+ 2	rvice ]
	A.C	Violence.		4 10	,	5	1 51	2 2	63	-	•	•	·	•	4	•	7.03	2 2	-			ng Se
	Diarri	nœa (under 2 years	(24) (25)	9 1	1 :	:	<u>.</u>	-	=	:		:	-: :			:	.:	.:	10 31	4 33	8 - 28	cludi
		of age).		) e	, o	0	7-1	4	ෙ	-		4	4	4	_		4		-	9		<del> </del>
	(other	than Tubercular).		0/.	1 10			-	:	_	_	_		23		-			2 141	156	9 148	nd.
	Tuber-	Respiratory System.		7					:			, ,	.,		-		:		42	51	53	cotla
om	Tr	All Forms.	(21)	22 62	. 10	4	_	7	:	Τ.	_	_	-	22	:	37	:	63	48	58	40	if in S
Deaths from	on one	Measles.	(20)	:	: :	:		:	:	:	:	:		:	:	:	:	:	:	:	9	usual residence if in Scotland.
Dea	Principal Epidemic Diseases	Induenza.		2 62	-	:	-	-	:	.03	7	prod	:	:	_	7	:	1	36	40	6	l resid
	nic Di	Diphtheria.			: :	:	:	, :	:	:	,:	:	:	:	:	:	•	:	03		:	
	pider	Whooping-cough.	(11)	:		:	:		:	:	:	:	:	:	:	:	:	:	-	:	4	place of
	ipal H	Scarlet Fever.	(16)	:		:	:	:	:	:	:	:	:	•	:	:	:	:	-	_: 	- 5	to pl
	Princ	Cerebro-spinal Fever.	) (15)	: -				:	• :	:	:		:	:	:	•	-	-			-	ansfer
		Typhoid and Para- typhoid Fevers.	(14)	:	-	:	:	:	:	:	:	<del>ග</del>	2	ි ග	:	:	:	-		:	:	by tr
l of		ons aged 65 Years and over.	- 7	108	47	88	=	13	=	<del>ත</del>	=	6.5	11.3	(,)	<b>o</b> o .	9	6	11	478	520	464	ented
Deaths of	Infants under One Year of Age.	Under One Month.	(12)	G F	. :	. :	62	:	• •	2	: '	* :	<del>+ 11</del>	:	7 I	:	• ;	Ì	24	21	24	y corr
1	Infa unde Year	Total.	(11)	200	· :	2	67	-	က	io	:	4	ရာ	2	2	:	:	-	67	20	20	ionall
	Rate ted C	per 1000 of Estima- ivilian Population.	(10)	6.71	20.3	19.1	14.2	16.3	16-1	20.7	21.4	15.8	18.7	18.0	17.9	17.9	17.5	24.5	18.4	20.2	18.8	rates) have been provisionally corrected by transfer to
18.	Netl	Number (Civilian).	(6)	167	63	62	24	23	20	13	18	13	14	13	14	12	14	17	837	931	828	ave beer
Deaths	Т	ransferred In.	88 7	# ~	4	:	2	00	-	4	_	-	4	4	20	-	:		52	64	47	es) he
	Tra	ansferred Out.†	£:	94	-	6	9	5	:	2	:	:	_	:	4	7	က	20	108	123	113	ath rat
	Nur	mber Registered.	(9)	100	99	7.1	28	. 25	13	11	17	15	Ţ	0,	13	12	17	21	893	066	894	ng dea
	Ma	rriages.	(9)	180	24	59	12	6	$\infty$	K	7	4	ಣ	4	9	4	2	70	370	453	369	eludi
chs.*		Still Born.	€;	ID 8	> ~-1	:	-	-	র			-	1	-	:	:		:	33	32	30	chs (ir
Births.		Live Born.	(8)	394	52	65	32	34	23	16	13	14	12	24	17	10	15	12	874	865	818	1 Deat
	Estimated	Population 31st Dec. 1945,	(2)	1,020,800	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	f Births and
	,	TOWNS.	a Y	EDINBIIRGH	DUNDEE,	ABERDEEN,	PAISLEY,	GREENOCK, .	MOTHERWELL AND WISHAW, }	CLYDEBANK,	KIRKCALDY, .	COATBRIDGE,	KILMARNOCK, .	HAMILTON, .	AYB,	FALKIRK, .	DUNFERMLINE,.	PERTH,	(Feb. 9, 1946	Feb. 2, 1946	(Feb. 10, 1945	* Numbers of Births and Deaths (including de
		A Mich		1 6 E		4. A	5. P.	6. G	7. M	8. CJ	9. K	10. CC	11. K	12. H	13. A	14. F	15 D	16. PI	Total,	6 Towns	ending	

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner. & Co., Ltd., Thistle Street, Edinburgh 2 12/2/46.

No. 7

LIBRARY

## Scotland

BIRTHS, DEATHS AND

MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 16th February 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 16th February 1946 the births of 949 living children and of 37 still-born children, 400 marriages and 744 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 19 1 per thousand of the population, the marriage-rate 8 0 and the death-rate The number of still-births corresponds to a rate of 38 per thousand total births registered (including still-born).

The birth-rate of the week is 1.5 more than in the previous week and 1.4 above the five years' average. The marriage rate is 0.6 more than in the previous week and 2.6 above the pre-war average. The death-rate is 2.0 less than in the previous week and

1.2 below the average.

The weekly death-rates in the individual towns ranged from 20.2 in Kirkcaldy and 19.4 in Edinburgh to 13.4 in Kilmarnock and in Falkirk and 12.1 in Motherwell and Wishaw. Relatively high death-rates occurred in Aberdeen 17.9 and in Coatbridge 17.0. In Glasgow the rate was 16.2.

Deaths from the principal epidemic diseases numbered 27 and are 13 fewer than in the previous week. They include 2 from cerebro-spinal fever, 1 from whooping-cough, 2 from diphtheria and 22 from influenza. Compared with the number in the previous week deaths from cerebro-spinal fever are 1 more, from whooping-cough and from diphtheria they number the same and from influenza they are 14 fewer.

Deaths from all forms of tuberculosis numbered 42, of which 25 were from tuberculosis of the respiratory system. The former are 6 fewer than in the previous week and the

latter 17 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 103 and equalled an annual death-rate from these causes of 2.3 per thousand. This death-rate is 0.8 less than in the previous week and 0.1 below the average.

Deaths of children aged less than one year numbered 82, being 15 more than in the previous week. Of these 30 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 369 and are 109 fewer than in the previous week.

Deaths attributed to violent causes numbered 26 and are 5 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 45.3°, being 2.3° above that for the previous week and 6.9° above the average for the corresponding week in the period 1901-30. The mean rainfall was 0.20 inch and the mean sunshine 10.3 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net
Annual Subscription 8s. 8d. post free.

§ Weekly means,

		No	(31)	-;	2.	9	4	5	6.	7.	oo i	6	10.	11	12.	33.	14.	15.	16.				
He	ours of	Bright Sunshine.	(30)	8.4	9.1	13.9	15.3	8.5	5.0		:	:	÷	2.2	:	:	:	10.9	18.1	38 0.208 10.38	16.38	:	
	Rainfa	ll in Inches.	(62)	0.31	90.0	111.0	1.04	0.35	0.35	:	:	:	;	94.0	:	:	:	0.04	90.0	0.508	43.08 1.428 16	\$66.0	
.0		Temperature (aver-	(88)	44.4 0	5.4	0 9.5	43.8		0 8.91	: ,	:	:	:	46.5 (	:	:		12.9	44.2	46.38	13.08	41.88	bs
Temperature.		osolute Lowest.	(22)	36 4	37 4	32 4	33 4	39 4	40 4	:	:	:		38 4	:	:	:	38	32 4	32+	291	79Z	Deat
Temp	A.b	solute Highest.	(97	53	54	99	55	55	53	:	:	:	;	51	:	;	•	55	54	‡9g	534	574	Including Service Deaths
		Violence.	(25)	20	11	ଦା	2	:	:	7	:	2	:	:	:	;	:	;	:	26	31	27.	ding 8
	Diarrh	of age).	(24)	10	4	:	_	:	;	:	:	:	:	:	:	:	:	:	:	10	10	41	
	Res	piratory Diseases than Tubercular).	(23)	62	00	4	খ	ಣ	00)	7	က	~	4	_		:	:		П	103	141	112	-
	OCOMMENT	Respiratory System.	(22)	16	-	ಣ	:	-	г	r-i	:	:	:	:	•:	:	-	-	:	25	42	52	tland.
	Tuber- culosis.	All Forms.	(21)	25	ಣ	ಣ	:	ಞ	H	П		-	:		-	_			;	42	48	99	corrected by transfer to place of usual residence if in Scotland
Deaths from		Measles.	(20)	:	:	:	;	:	:	:	:	:	:	į	:	:	;	:	:		:	-	nce if
Death	Bases.	Influenza.	(61)	9	20	ಣ	p(	prod	:	Н	г	:	:	:	:	:	CI	:	ο <b>1</b>	22	36	00	reside
	Principal Epidemic Diseases.	Diphtheria.	(18)	,-	1	;	. :	:	:		:	-	:	:	:	:	:	:	:	2	C1	П.	usnal
	idemi	Whooping-cough.	(11)		:	:	:	:	:	:	:	:	÷	:	:	:	:	;	:	-	_	22	ce of
	al Ep	Scarlet Fever.	(16)	:	:	:	:	;	:	:	:	:	:	÷	:	;	:	:	:	:	:	:	so pla
1 1	incip	Cerebro-spinal Fever.	(15)	ı		:	:	:	:	:	:	:	:	÷	÷	:	1	:	:	2	-	Η.	ısfer t
. 4	- Pı	Typhoid and Para- typhoid Fevers.	(14)	:	:	;	:	:	:		:	:	:	i	:	:	:	:	:	:	:	:	y trar
No.	Pers	ons aged 65 Years and over.	(13)	145	16	24	35	10	1-	9	0	00	9	2	50	9	9	9 ;	9	369	478	413	eted b
Deaths of	one Age.	Under One Month.	(13)	6	00	-	-	හ	-	:	-	7	2	:	-	:	-	:	:	30	24	29	r corre
Q	Infants under One	Total.	(11)	34	18	4	ಣ	4		67.	2	ಣ	10	:	4		_	:	:	82	29	55	ionally
1	Rate ted C	per 1000 of Estima- livilian Population.	(10)	16.2	19.4	13.8	17.9	14.8	14.2	12.1	15.9	20.5	17.0	13.4	13.8	14.0	13.4	13.8	14.4	16.4	18.4	18.5	death rates) have been provisionally
	Net	Number (Civilian).	(6)	317	164	43	58	25	20	15	10	17	14	10	10	11	6	11	10	744	887	815	ve bee
Deaths	r	Fransferred In.	(8)	14	4	C1		-		ಣ	4	provide	93		-	2	:	-	22	41	5.5	57	ses) ha
	Tı	ansferred Out.†	(7)	32	28	ଦେ	-	2	-	:	:	prosp	:	23	:	9	1-	33	9	101	108	123	ath rat
	Nu	mber Registered.	(9)	335	200	44	89	26	500	12	9	1.7	11	П	ರು	13	16	12	14	804	893	884	
	М	arriages.	(3)	164	84	34	23	16	13	9	xC.	20	7	9	1-	90	1-	r~	00	400	370	455	neludi
hs.*		Still Born.	3	16	1	· 00	4	-	-	7	:	_	:	:	:	:	-	:	Н	37	33		ths (i
Births.		Live Born.	(8)	424	149	22	65	28	35	31	13	18	22	20	14	14	14	00	1~	676	874	835	d Dea
	Estimated	Olvilian Population 31st Dec. 1945.	(6)	1.020.800	441.000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	* Numbers of Births and Deaths (including
		. TO W N.S.		GLAS	2. EDINBURGH.	3. DUNDEE,	4. ABERDEEN.	5. PAISLEY,	6. GREENOCK, .	7. MOTHERWELL AND WISHAW.	8. CLYDEBANK,.	9. KIRKCALDY, .	10. COATBRIDGE, .	11. KILMARNOCK,	12 HAMILTON.	13. AYR,	14. FALKIRK	15 DUNFERMLINE.	16 PERTH,	Total. (Feb. 16, 1946	S	- Armer	* Number

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2

## Scotland

# BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 23rd February 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 23rd February 1946 the births of 910 living children and of 39 still-born children, 421 marriages and 687 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 18 3 per thousand of the population, the marriage rate 8 5 and the death rate 15 1. The number of still-births corresponds to a rate of 41 per thousand total births registered (including still-born).

The birth-rate of the week is 0.8 less than in the previous week but 1.1 above the five years' average. The marriage rate is 0.5 more than in the previous week and 2.3 above the pre-war average. The death-rate is 1.3 less than in the previous week and

1.4 below the average.

The weekly death-rates in the individual towns ranged from 20.2 in Kirkcaldy and 18.0 in Dundee to 8.0 in Clydebank and 5.6 in Motherwell and Wishaw. Relatively high death-rates occurred in Perth 17.3 and in Coatbridge 17.0. In Glasgow the rate was 15.7 and in Edinburgh 16.7.

Deaths from the principal epidemic diseases numbered 17 and are 10 fewer than in the previous week. They include 2 from diphtheria, 13 from influenza and 2 from measles. Compared with the number in the previous week deaths from diphtheria number the same, from influenza 9 fewer and from measles 2 more. In the previous week 2 deaths were registered from cerebro-spinal fever and 1 from whooping-cough.

Deaths from all forms of tuberculosis numbered 48, of which 36 were from tuberculosis of the respiratory system. The former are 6 more than in the previous week and the

latter 11 more.

Deaths from respiratory diseases (other than tubercular) numbered 92 and equalled an annual death-rate from these causes of 2.0 per thousand. This death-rate is 0.3 less than in the previous week and 0.3 below the average.

Deaths of children aged less than one year numbered 64, being 18 fewer than in the previous week. Of these 25 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 341 and are 28 fewer than in the previous week.

Deaths attributed to violent causes numbered 26 and number the same as in the

previous week.

The mean temperature for the towns from which returns were received was 40.9°, being 4.4° below that for the previous week but 1.8° above the average for the corresponding week in the period 1901-30. The mean rainfall was 0.65 inch and the mean sunshine 28.8 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved
EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses
13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;
39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;
80 Chichester Street, Belfast;
or through any bookseller

Price Id. net
Annual Subscription 8s. 8d. post free.

TURN OVER

No.

3 53

н			Z	. S. L	64	4.5	-3.	~~							-	4 4-	-	7 -	-	_  -	-	AL PROPERTY.		
İ	Ho	urs of I	right Sunshine.	(30)	29.8	34.1	17.1	28.2	23.4			: 1	:	6.08	1	:	:	39.0	0.4.6	P. 40	28.88	10 38	:	
۱		Rainfal	l in Inches,	(29)	91.0		88.0	82.	16.0		:	: ,		0.00		:	:	0	0.00		89.0	0.208	869.0	
۱		Mean	Temperature (aver-	(38)			10.3	12.2	42.4		:	:	:			:	:	d. U.	2		40.98 0 658	45.38 0.208 10	45.48	hs
١	raturahr.		all observations).	29 4			31 4	-			:	:	:4			:	:					321	29‡	Deat
١	Temperature.		olute Highest.	26) (51	5.10	56	53	52.	51.		:	:	:	: 2	2	:	:	: 8	200	000	†99	199	574	ervio
۱		23.100	Violence.	(25) (3	-	01	0.1		-		:	:	:	:	: -	4	: -	-	: -	1	97	56	22	ding 8
		Diarrh	cea (under 2 years	(24)		: . ;	6	1	: :	- 6	:	; *	-	:	:	:	:	:	:	:	10	10	00	† Including Service Deaths
		Resp	of age).	(23)	2 19	1-	- ଜସ	0 01	1 4		:	: -		- F	٠,	٦ ٥	2	: c	N 0	21	92	103	107	+
			than Tubercular).  Respiratory	18	2 00	) e0		:	67		:	:	1	:	: -	- c	7 -	-	÷	:	36	25	59	tland.
		Tuber-	System.	21) (2	2 0	4		: -	1 67		:		:	:	: "	٦ ٥	۷ -	-	*	:	48	42	37	of usual residence if in Scotland
	from	F 0	All Forms.	20) (2	:				: :	c	.7	:	:	:		:	:	:	:	:	22	:	C4	ne 1f i
	Deaths from	3.0 kg	Measles,	(19)				+	: :		:	: 1	-	: 0	.7	:	:	 :	:	:	13	22.	4	ssiden
	De	Diseas	Induenza.	(18)		:			:		:	:	:	:	:	: -	-	:	:	:		Ç1	~	snal r
Ì		emid	Diphtheria. Whooping-cough.	(11)		:		:	: :		:	:	:	:	-	:	:	:	;	:	:	- grang	63	n jo e
ı		Epid	Searlet Fever.	(16)	:	: :		:	: :		:	:	:	:	:	:	;	:	:	:	:	:	:	plac
,		Principal Epidemic Diseases	Cerebro-spinal	(15)	:	::	1	:			:	;	:	:	:	:	:	:	:	;	:	2	2	y transfer to
٠.	٠.	Pri	Typhoid and Para- typhoid Fevers.	(14)	:	:	:	:	: :	_	:	:	:	:	:	:	:	:	:	:	:	. ;	:	real
		Pers	ons aged 65 Years. and over.	(18)	103	33 5	10	10	00		27	F-1	10	<u>م</u>	· cc	4 (	י כי	۰ م	4	10	341	369	397	sted by
	Deaths of	one Age.	Under One	(91)	17	0 -	- y-	-	: -		å	:	2	:	1	:	-	prof		:	25	30	28	correc
, .	Dea	Infants under One	Month.	(11)	70	25 4	4 0	0	: -	•	:	_	က	;	:	:	90	<u></u>	0.	:	64	82	29	onally
		Rate	per 1000 of Estima livilian Population.	(oI)	7.07	10.01	0.01	11.0	14.9	1 1	2.6	0.8	20.5	17.0	က္	တ.	14.0	13.4	15.0	17.3	15.1	16.4	16.6	provisi
	. 1		Number (Civilian).			141	00	7 7	61	1	1	10	17	14	1	9	I	0	12	12	687	744	728	re been
	Desths.	· ·	Fransferred In.	8;	7 -	<del>-</del>	: =	- c		5	33	:	.2	2	grand';	2	<u>ග</u>	:	7	:	32		48	as) har
	Ä	T	ansferred Out.	8	97	77	J 1	17	- 0	4	:	:	:	:			က	00	1	60	66	101	109	th rate
	13	Nu	mber Registered.	(9)	322	191	09	500	18	3	13	20	120	12	1	10	II.	t~	1/1	15	754	804		ाद्र वेशव
		M	arriages.	(9)	179	08	28	40	17	4	14	7	11	2	20	9	9	9	4	6	421	400	418	eludin
	* 50		Still Born.	-	22	<sub>ල</sub> ,	_	70	~ -	4	~	:	:	က	:	_		:	1	:	39	The same of	Andrew Commercial	shs (ir
;	Births.		Live Born.	(8)	415	170	200	65	30	07	28	12	20	18	6	0	12	16	15	7.	910	949	821	d Deal
10		Estimated	Givilian Population 31st Dec. 1946.	(2)	military registrate	441,000	162,100	169,000	88,100	13,600	64,700	32,700	43,800	42,900	39,000	87,700	40,800	35,000	41,700	36,200	9.369.100	2,369,100	2,296,600	Numbers of Births and Deaths (including death rates) have been provisionally corrected by transfer to place
		,	TOWNS	(1)	1. GLASGOW,					6. GREENOCK,	7. MOTHERWELL AND WISHAW, }	8. CLYDEBANK, .	9. KIRKCALDY, .	10. COATBRIDGE, .	11. KILMARNOCK, .	12. HAMILTON,	13. AYB,	14. FALKIRK	15 DUNFERMLINE, .	16 PERTH,	Total (Reb. 23, 1946	16 Towns Feb. 16 1946		*
	Section 1							711			73.470		1100 ·		() NT:	2 1 2	- 0	20101	ON					

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street. Rdinburgh 2

Scotland

BIRTHS, DEATHS A **MARRIAGES** 

Registered in sixteen of the Principal Towns

Week ended Saturday, 2nd March 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 2nd March 1946 the births of 945 living children and of 30 still-born children. 467 marriages and 685 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 19.0 per thousand of the population, the marriage-rate 9.4 and the death-rate 15.1. The number of still-births corresponds to a rate of 31 per thousand total births registered (including still-born).

The birth-rate of the week is 0.7 more than in the previous week and 2.1 above the five years' average. The marriage rate is 0.9 more than in the previous week and 1.9 above the pre-war average. The death-rate is the same as in the previous week but

0.7 below the average.

The weekly death-rates in the individual towns ranged from 25.9 in Perth and 18.0 in Hamilton to 8.9 in Motherwell and Wishaw and in Falkirk and 10.7 in Kilmarnock. Relatively high death-rates occurred in Aberdeen 17.6, in Ayr 16.6, in Dundee 16.4 and in Edinburgh 16.2. In Glasgow the rate was 14.6.

Deaths from the principal epidemic diseases numbered 17 and are the same as in the previous week. They include I from cerebro-spinal fever, 12 from influenza and 4 from measles. Compared with the number in the previous week deaths from cerebrospinal fever are 1 more, from influenza 1 fewer and from measles 2 more. In the previous week 2 deaths were registered from diphtheria.

Deaths from all forms of tuberculosis numbered 48, of which 42 were from tuberculosis of the respiratory system. The former are the same as in the previous week but the

latter are 6 more.

Deaths from respiratory diseases (other than tubercular) numbered 99 and equalled an annual death-rate from these causes of 2.2 per thousand. This death-rate is 0.2

more than in the previous week and 0.2 above the average.

Deaths of children aged less than one year numbered 73, being 9 more than in the previous week. Of these 36 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 355 and are 14 more than in the previous week.

Deaths attributed to violent causes numbered 17 and are 9 fewer than in the previous

The mean temperature for the towns from which returns were received was 31.3°, being 9.6° below that for the previous week and 8.9° below the average for the corresponding week in the period 1901-30. With the exception of the year 1881, when the mean temperature was 30.2°, this is the lowest recorded for any corresponding week since the beginning of the series in 1865. The mean rainfall was 0.13 inch and the mean sunshine 49.9 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2: 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Annual Subscription 8s. 8d. post free.

Weekly means,

		No.	(31)	2,	භ .	નું પ	. o	o o	F (	oó c	. c	11.	12.	5.	14.	15.	10.	5000	con	_	
н	ours of H	Bright Sunshine.	(30)	6.99	56.2	53.5	0.25	:	:	: .	:	8.09	:	:	: 0	5.79	1 04	49.98	\$ 28.88	:	
	Rainfal	l in Inches.	(68)	:	: 3	0.13	:	:	:	:	:	: :	:	:	:	:	:	0.138	.98 0.658	0.648	
.0	Mean 7	Temperature (averall observations).	(28)	31-7	29.1		8.70	:	:	:	:	32.3	:	:			0.00	\$2.18	40.98	44.78	ths
Temperature.		solute Lowest.	(27)	3			77	:	:	:	:	17	:	:	: 6		17	16	187	24‡	е Dea
Temp	A.bs	solute Highest.	(26)	40	42	ව ද	43	:	:	:	:	.: 48	:	;	; ;	45	44	48‡	<b>26</b> ‡	±09	Including Service Deaths
-	1 3 4	Violence.	(25)	4	ତା ।	ಣ	:	:	:	:	:	: :	:	:	: '	,	_	17	56	56	ding
	Diarrh	cea (under 2 years of age).	(24)	2	:	07	:	:	:	:	:	: :	:	:	:	;	:	10	10	133	f Incli
		piratory Diseases than Tubercular).	(23)	-20	t-	نې د	и.	4	7.	:	: 0	٠, :	က	တ	_			66	95	69	
		Respiratory System.	(22)	60	-	က <sup>1</sup>	_ 0	33	÷	<del></del>	ŧ	:	:	-	.03	:	. 2	42	36	41	otland
	Tuber- culosis.	All Forms.	239	්	<del></del>	4	- (	20	;	-	:	: -	:	7	SJ.	1	7	48	48	53	transfer to place of usual residence if in Scotland
from		Measles.	3 3		\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.	;	;	:	-	:	:	: :	, :	:	Ē	:	:	4	2	-	nce if
Deaths from	ases.	Influenza.	(19)	(60	<del>-</del>			:	rei)	:	:	1 :	:	_	:	:	:	12	13	4	reside
	Principal Epidemic Diseases.	Diphtheris.	(18)		\$ C.	:	:	:	:	:	:	: :	:	:	:	:	:	:	61	H	usnal
	idemi	Whooping-cough.	(21)		:	i	:	:	9 8.	: -	:	:		:	;	1	:	:	:	<del>-</del>	uce of
	al Ep	Scarlet Fever.	(16)	:	:	:	:	:	` ;	:	:	:	:	;	:	-	:	:	:	:	to pla
	rincip	Cerebro-spinal Fever.	(15)		:	:	:	.;	:	;	:	:		:	:	:	:				nsfer
_		Typhoid and Para- typhoid Fevers.	(14)		;	•	:	:.	:	:	:	:	: :	:	:	:	, <u>:</u>		:	:	by tre
ot	Pers	ons aged 65 Years and over.	(13)	80	30	29	15	12	4	41		9 4	1 00	9		00		355	341	599	erted
Deaths of	nts One	Under One	(12)	2 . 00	22	.54 F	es qu	74	riţi.	Fried		7.			77	. n. j .	***	36		62	y corr
Q	Infants under One Vear of Age.	Total.	(11)	14	್ಷಾ	4	ත	4	•	, ,	5		: 2	9114		:	•	73	64	64	ionall
W-20-5	Rate	per 1000 of Estima- ivilian Population.	(10)	16.2	16.4	17.6	14.2	9.91	8.0	11.2	13.1	14.6	18.0	16.6	6.8	11.3	25.9	15.1	15.1	13.9	death rates) have been provisionally corrected by
	Net	Number (Civilian).	(6)	187	51	22	24	22	James Second	7	H	27.0	o. 😜	13	9	0.	18	685	687	611	ve bee
Deaths.		Transferred In.	(8)	ğ 31	9-4	<b></b> i,	C1	4	63	දාධ	, <del>, , ,</del>	c3 .	. 4	_	ಣ	:	,	40	200	46	es) ha
n n	Tı	cansferred Out.†	E 9	22	4	33	7	93	:	:	:	; -		e2-	90	4	00	113	66	113	th rat
	Nu	mber Registered.	(9)	157	54	69	29	20	6	4	10	10	10	15	Ţ	130	25	758	754	829	
	M	arriages.	(5)	185 96	34	28	19	15	6	9 .	7	9	2 5	. 0	13	6	15	467	421	492	acludi
hs.*		Still Born.	-	4, 00	. ea	67		prof.	<del>in</del>		4	<del>-</del>	: 67		:	- 3	į i	30	30		ths (i)
Births.		Live Born.	(3)	369	89	20	43	39	28	9	14	27	1 0	16	15	18	15	945	910	820	d Dea
	Estimated	Civilian Population 31st Dec. 1945.	(2)	1,020,800	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	37,700	40.800	35,000	41,700	36,200	9.369.100	9.369.100	2,296,600	* Numbers of Births and Deaths (including
		Si N. M. O.I.		1. GLASGOW,	1 69	4.	5. PAISLEY,	6. GREENOCK, .	7. MOTHERWELL AND WISHAW,	% O	9. KIRKCALDY, .	10.	11. KILMARNOCK,	1 60	4	15 DUNFERMLINE,	16	Total (Mar. 9 1946	Figh 6	Mar.	

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2

# Scotland BIRTHS, DEATHS AND

MARRIAGES

Registered in sixteen of the Principal Towns Week ended Saturday, 9th March 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 9th March 1946 the births of 972 living children and of 29 still-born children, 550 marriages and 725 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 19.6 per thousand of the population, the marriage-rate 11.1 and the death-rate The number of still-births corresponds to a rate of 29 per thousand total births registered (including still-born).

The birth-rate of the week is 0.6 more than in the previous week and 0.8 above the five years' average. The marriage rate is 1.7 more than in the previous week and 4.9 above the pre-war average. The death-rate is 0.9 more than in the previous week but

1.1 below the average.

The weekly death-rates in the individual towns ranged from 21.6 in Perth and 18.7 in Dundee to 7.4 in Falkirk and 4.8 in Clydebank. Relatively high death-rates occurred

in Glasgow 17.7 and in Edinburgh 16.4.

Deaths from the principal epidemic diseases numbered 12 and are 5 fewer than in the previous week. They include 1 from typhoid fever, 2 from cerebro-spinal fever, 1 from diphtheria, 7 from influenza and 1 from measles. Compared with the number in the previous week deaths from typhoid fever are 1 more, from cerebro-spinal fever 1 more, from diphtheria 1 more, from influenza 5 fewer and from measles 3 fewer.

Deaths from all forms of tuberculosis numbered 51, of which 41 were from tuberculosis of the respiratory system. The former are 3 more than in the previous week but the

latter 1 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 114 and equalled an annual death-rate from these causes of 2.5 per thousand. This death-rate is 0.3 more than in the previous week and 0.2 above the average.

Deaths of children aged less than one year numbered 66; being 7 fewer than in the previous week. Of these 36 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 346 and are 9 fewer than in the previous week.

Deaths attributed to violent causes numbered 16 and are 1 fewer than in the previous

week.

The mean temperature for the towns from which returns were received was 36.5°, being 5.0° above that for the previous week but 3.1° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.61 inch and the mean sunshine 15.2 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H. M. STATIONERY OF FICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/47 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price Id. net Annual Subscription 8s. 8d. post free.

TURN OVER

		No.	(81)	2.	က	4.	5.	6.	7.	∞	66	10.	11.	16.	14.	15.	16.				İ
He	ours of l	Bright Sunshine.	(30)	15.4	1.4	ۍ ∞		0.2	1	:	•	: 9	9.1	:		:	0.5	15.28	48.98	:	
	Rainta	ll in Inches.	(29)		-17	0.69	0.41	0.19	:	:	:	: :	1.51	:	: :	:	0.72	36.58 0.618 15.28	58 0.138	0.058	
.e.		l'emperature (aver- all observations).		-		<u>က</u>	4	37.6	:	:	:	: ;	36.4	:	: :	;	35.8	36.58	31.58	46.88 0.058	hs
Temperature.		solute Lowest.	_	_				29	: .	:	:		97	:	: :	:	24	24₽	161	32+	e Dear
Tem	Abs	solute Highest.	(26)	44	44	43	46	47	:	:	:	: :	48	:	: :	:	45	48+	48‡	58 <del>+</del>	Including Service Deaths
		Violence.	(25)	61	4	-	22	:	:	:	Ξ,	-	1 1		٠ ;	:	:	16	17	17	nding
	Diarrh	cea (under 2 years of age).	(24)	2	:	2	:	:	:	:	;	;	:	:	:	:	:	∞	10	∞	Incl
	Resp. (other	piratory Diseases than Tubercular).	(23)	21	1	9	7	ಣ	471	-(		2	ତୀ +	۰, ۵	o . —		က	114	66	55	
	er.	Respiratory System.	(22)	6.	-	:		2	<del>-</del>	:	:	5	:	: -	٦, :	:		41	42	35	otland
u	Tuber- culosis.	All Forms.	(21)	II	2	:	H	2	2	;	:	2	: 1		٠.;		<del>,</del>	51	48	46	f in Se
Deaths from		Measles.	(20)	:	:	į	:	÷	:	:	:	;	÷	:	: :	:	:	7	খা	:	ence it
Deatl	Principal Epidemic Diseases.	Influenza.	(19)	0.1	:	:	:	:		:	:	-	:	: -	-	:	:	2	15	e0	resid
	ie Dis	Diphtheria.	(18)	:	: -	:	:	:	:	:	;	:	:	:		1	• :	-	:	:	usna
	pidem	Whooping-cough.	(11)	:	:	:	:	:	:	:	:	:	:	:	: :	:	:	:	:	ಣ	ace of
	pal E	Scarlet Fever.	(16)	:	:	:	:	:	:	:	:	:	:	;	: :	έ	<u>:</u>	2	-		to pl
	Princi	Cerebro-spinal Fever.	(15)	:		- : -	:	:	:	:	:	-	:	:			:				ansfer
		Typhoid and Paratyphoid Fevers.	(14)	:	:	:	:	:	:	:	:	:		:	:		-		:	:	by tra
of	Pers	ons aged 65 Years and over.	(13)	1-	27	21	00			e0	9	9	70 1		D 7C	101	7	346	355	300	ected
Deaths of	nts One f Age.	Under One Month.	(12)	20	10	4	<u>ක</u>	2	:	:	:	:	: 1		:	: :	:	36	36	5.6	v corr
Q	Infants under One Year of Age	Total.	(11)	6	1~	22	4	2	pro-t	:	_	_	22	Ω,	<b>⊣</b> .	; ;	-	99	13	58	ionall
	Rate ted C	per 1000 of Estima- ivilian Population.	(10)	16.4	18.7	11.4	12.4	12.7	15.3	4.8	11.9	15.8	12.0	13.0 13.0	4.7		21.6	1.6.0	15.1	13.7	rates) have been provisionally corrected by transfer to place of usual residence if in Scotland
	Net	Number (Civilian).	(9)	139	58	37	21	18	19	co	10	13	0	10	7 70	0	12	725	685	603	ve beer
Deaths.	r	'ransferred In.	(8)	.9	-	_	ଦୀ	03	<b>်</b> ဇာ	:	6.0	ော	2	24. (	7	: 07	-	4	40	330	es) ha
-	Tr	ansferred Out.	98	28	9	1~	භ	27	:	:	ಣ	:	က	:	: 61	) F	ರಾ	107	113	111	eath rat
	Nu	mber Registered.	(9)	161	63	43	22	18	16	රට	10	10	10	90 ¢	07	14	23	788	758	929	
	Ma	arriages.	(5)	101	22	41	19	23	10	6	12	10		11	19	1 20	14	550	467	440	neludi
hs,*		Still Born.	( <del>+</del> )	Q	C)	-	;	prod	:	:	:	61	:	:	_	: :	:	29	30	30	ths (ir
Births,		Live Born.	(3)	153	20	19	36	25	28	16	18	19	24	19	, d	12	17	972	945	828	d Dear
	Estimated	Covilian Population 31st Dec. 1945.	(2)	441,000	162,100	169,000	88,100	.73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	41.700	36,200	2,369,100	2,369,100	2,296,600	Numbers of Births and Deaths (including d
	,	TOWNS.	(1) (LASGOW,	2. EDINBURGH, .	3. DUNDEE, .	4. ABERDEEN, .	5. PAISLEY,	6. GREENOCK, .	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY, .	10. COATBRIDGE,			13. AYR,	15 DUNFERMLINE.		Total. (Mar. 9, 1946	6 Towns Mar. 2, 1946	week ending (Mar. 10, 1945	"Hedmu "

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2 12/3/46. J.S. & Co. Ltd., Group 171 (1940).

No. II

### Scotland

# BIRTHS, DEATHS AND **MARRIAGES**

Registered in sixteen of the Principal Towns Week ended Saturday, 16th March 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 16th March 1946 the births of 965 living children and of 38 still-born children, 387 marriages and 796 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 19.4 per thousand of the population, the marriage-rate 7.8 and the death-rate 17.5. The number of still-births corresponds to a rate of 38 per thousand total births registered (including still-born).

The birth-rate of the week is 0.2 less than in the previous week but 1.3 above the five years' average. The marriage rate is 3.3 less than in the previous week but 2.6 above the pre-war average. The death-rate is 1.5 more than in the previous week and

1:3 above the average.

The weekly death-rates in the individual towns ranged from 20.7 in Clydebank and in Hamilton, 20.1 in Paisley to 10.1 in Perth and 8.8 in Dunfermline. Relatively high

death-rates occurred in Ayr 19.2, in Glasgow 18.6 and in Edinburgh 18.1.

Deaths from the principal epidemic diseases numbered 6 and are 6 fewer than in the previous week. They include 5 from influenza and 1 from measles. Compared with the number in the previous week deaths from influenza are 2 fewer and those from measles number the same. In the previous week I death was registered from typhoid fever, 2 from cerebro-spinal fever and 1 from diphtheria.

Deaths from all forms of tuberculosis numbered 51, of which 40 were from tuberculosis of the respiratory system. The former number the same as in the previous week but

the latter are 1 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 98 and equalled an annual death-rate from these causes of 2.2 per thousand. This death-rate is 0.3 less than in the previous week but 0.1 above the average.

Deaths of children aged less than one year numbered 69, being 3 more than in the previous week. Of these 36 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 415 and are 69 more than in the previous week.

Deaths attributed to violent causes numbered 19 and are 3 more than in the previous

The mean temperature for the towns from which returns were received was 36.9°, being 0.3° above that for the previous week but 4.1° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.39 inch and the mean sunshine 11.5 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net Annual Subscription 8s. 8d. post free. [TURN OVER

		Ö	(31)	. 2.	83	4.	5.	6.	7.	∞i	60	10.	11.	12.	13.	14.	15.	16.				Ì
H	ours of	Bright Sunshine.	(30)	1.1	2:0	3.5	0.0	0.8	:	.:	:	:	3.4	;	:	:	1.5	9.9	11.68	15.28	:	ı
	Rainta	ll in Inches.	(29) (		0.65	0.28	0.46 1	23	:	:	:	:	.24	;	:	:	36 1	69.	0.398	6181	0.158	ı
	1	Temperature (aver-	-		-	.4 0.	4	.3	:	:	:	:	0 9.	:	:	:	0 9.	5	96.98	36.58 0.618 1	.28	ı
ature.	age of	all observations).	- 67		98 9	37	89	37	•	· ·		•	37	•			0 37	3 35	23+ 36	-+	1+ 47	
Temperature. Fahr.	At	solute Lowest.	(27)		26	30	288	30	:	:	-	:	3 26		-	-	30	23	++	+ 24	<del>60</del>	
Te	Ab	solute Highest.	(26)	47	47	45	47	46		:	:	:	48	:	:	·;	49	45	49	48‡	‡09	
		Violence.	(25)	4	garad	4	:	:	:	:		:	:	:		:	:	:	19	16	- 50	
	Diarrh	of age).	(24)		:	ಯ		:	:	:	:	:	:	:		:	:	:	12	00	9	ŀ
	Resi (other	piratory Diseases' / than Tubercular).	(23)	13	9	9	9	_	:	:	2	22	:	:	හ		:	pref	86	114	59	
	sis.	Respiratory System.	(22)	2 27	4	2	22		C1	27	•	:	_	:	:	_	:	: '	40	41	27	
uuc	Tuber- culosis,	All Forms.	(21)	9 00	4	တ	Çĩ		67	2	_	÷	_	2	:	_	:	:	51	51	39	
Deaths from	*	Measles.	(20)	: :	:	:	:	:	<del></del>	:	:	:	•	:	:	:	:	:	-	<u></u>	C.1	l
Deat	seases	Influenza.	(61)	1 —	,	:	:		:	:	:	:	:	;		:	:	:	5	1	F3	I
	Epidemic Diseases	Diphtheria.	(18)	: :	:	:	:	:	:	:	:	:	:	:	:		:	:	:		:	
	idem	Whooping-cough.	(17)	: :	:	:	:	;	:	:	:	:	:	:	:	:	:	:	:	:	01	l
	oal E	Scarlet Fever.	(16)	: :	:	:	:	:	:	:	:	:	:	;	:	:	į	:	:	:	-	ľ
	Principal	Cerebro-spinal Fever.	(15)	: :	:	:	:	:	:	:	:	:	:	;	:		:	. :	:	2	_	1
	<u>a</u>	Typhoid and Paratyphoid Fevers.	(14)	: :	:	÷	:	:	:	;	:	:	:	:	:	:	:	:	:	-	:	10
of	Pers	ons aged 65 Years and over.	(13)	63	32	29	17	11	10	00	9	7	00	9	10	က	9	4	415	346	311	l
Deaths	unts C One	Under One Month.	(12)	4	ಎ	2	<b>J</b> 1	;	-	:	-	<del></del>	:	83	-	:		:	36	36	16	
a	Infants under One Year of Age.	Total.	(11)	133	20	4	_	:		:	-	භ	:	2		:		prod	69	99	38	
		per 1000 of Estima- ivilian Population.	(10)	18.1	17.7	16.0	20.1	9.01	14.5	20.7	14.3	15.8	17.4	20.7	19.2	13.4	8	10.1	17.5	16.0	13.2	and an incident with
a i	Net:	Number (Civilian).	(9)	153	55	52	34	15	18	13	12	13	13	15	15	6	1	7	796	725	280	-
Deaths.	7	ransferred In.	© 02	T 60		:	ಣ	2	70	:	6.0	9		9	2	:	:	prod	52	44	53	ŀ
	Tr	ansferred Out.†	(7)	32	2	10	ಣ	:	:		,	:	2	:	හ	.2	4	9	118	107	112	
	Nu	mber Registered.	(9)	182	56	62	34	13	13	14	3.0	1~	14	6	16	11	11	12	862	788	663	ŀ
	M	arriages.	(5)	22	26	29	12	œ	10	9	9	4	<u>r</u>	က	11	9	9	10	387	550	416	
Births.*		Still Born.	€ 5	2 2	4	22	ಣ	:	2	:	:	:	:	-	:	:	:	:	38	53	27	
Bir		Live Born.	(8)	162	80	59	41	30	17	16	22	20	13	56	22	15	100d 40d	17	965	972	797	
	Estimated	Owntan Population 31st Dec. 1945.	(2)	1,020,800	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	
		TOWNS.	(I) (I) I OIL ANGOLIN	2, EDINBURGH.		4. ABERDEEN,	5. PAISLEY,	6. GREENOCK, .	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY, .	10. COATBRIDGE, .	11. KILMARNOCK,	12. HAMILTON,	13, AYR,	14. FALKIRK	15 DUNFERMLINE, .	16. PERTH,	Total, (Mar. 16, 1946	6 Towns Mar. 9, 1946	week ending (Mar. 17, 1945	3

† Including Service Deaths Numbers of Births and Deaths (including death rates) have been provisionally corrected by transfer to place of usual residence if in Scotland. Weekly means. † Weekly extremes

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistic Street, Edinburgh 2 Wt. 70013/9. 19/3/46. J.S.&Co. Lto. Group 171 (1940).

### Scotland

# BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 23rd March 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 23rd March 1946 the births of 1024 living children and of 42 still-born children, 467 marriages and 846 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 20.6 per thousand of the population, the marriage-rate 9.4 and the death-rate 18.6. The number of still-births corresponds to a rate of 39 per thousand total births registered (including still-born).

The birth-rate of the week is 1.2 more than in the previous week and 1.8 above the five years' average. The marriage rate is 1.6 more than in the previous week and 4.2 above the pre-war average. The death-rate is 1.1 more than in the previous week and

3.2 above the average.

The weekly death-rates in the individual towns ranged from 20.7 in Coatbridge and and in Hamilton and 20.3 in Dundee to 13.8 in Dunfermline and 12.8 in Clydebank. Relatively high death-rates occurred in Edinburgh 20.2 and in Kilmarnock 20.0. In

Glasgow the rate was 19.1.

Deaths from the principal epidemic diseases numbered 14 and are 8 more than in the previous week. They include 1 from cerebro-spinal fever, 1 from whooping-cough, 7 from influenza and 5 from measles. Compared with the number in the previous week deaths from cerebro-spinal fever are 1 more, from whooping-cough 1 more, from influenza 2 more and from measles 4 more.

Deaths from all forms of tuberculosis numbered 49, of which 44 were from tuberculosis of the respiratory system. The former are 2 fewer than in the previous week but the

latter 4 more.

Deaths from respiratory diseases (other than tubercular) numbered 114 and equalled an annual death-rate from these causes of 2.5 per thousand. This death-rate is 0.3

more than in the previous week and 0.6 above the average.

Deaths of children aged less than one year numbered 73, being 4 more than in the previous week. Of these 35 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 469 and are 54 more than in the previous week.

Deaths attributed to violent causes numbered 24 and are 5 more than in the previous

week.

The mean temperature for the towns from which returns were received was 45.3°, being 8.4° above that for the previous week and 4.5° above the average for the corresponding week in the period 1901-30. The mean rainfall was 1.15 inch and the mean sunshine 22.1 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved
EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses

13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;

39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;

80 Chichester Street, Belfast;

or through any bookseller

Price 1d. net

Annual Subscription 8s. 8d. post free,

TURN OVER

1		° N	(31)	-i ::	i co	7.17	5.	6.	7.	တ်	တံ	10,	11.	12.	35,	14.	15.	16.				ı
He	ours of l	Bright Sunshine.	(30)	101		17.9	6.07	21.7	1 : .	:		:,	9.2	:	:	:	21.9	25.2	22.18	11 58	:	ı
	Rainfa	ll in Inches.	(29)			0.42 1	.65	49 2	:	:	:	:	.98	:	:	:	0.61	85.	1.158	.398	0.588	ı
-		Temperature (aver-		~ ~		6	5 1	.6	:	:	:	:	46.0 1	:	:		45.5 0	44.2 0	45.38	36.98 0.398 11	49.48	ı
Temperature. Fahr.	age of	all observations).	(28) (28)			35 44	32 46	31 45	:	;	:		31 46	:	:		31 45	32 44	29+ 4	231 3	33+ 4	1
mper eFa]	A.t	osolute Lowest.																92	2   +99	49‡ 2	71+ 3	
T	A.b	solute Highest.	(36)	_	55.	56	55	55	:	:	:	:	55	-	-		56	70	-	-		ŀ
		Violence.	(25)		0 4	4	:	:					-	:	•	:	:	:	3 24	2 19	) 30	ı
		of age).	(24)			:		:	-	:	:	:	:	:	:	:	:	;	9	3 12	10	
	Resp.	piratory Diseases than Tubercular).	(23)	00	5 4	70	2	4	<i>w</i>	:	.:	_	_	က	<i>∞</i>	:	က	-	114	98	99	-
	Tuber- culosis.	Respiratory System.	(22)	07	# GG		~Ji		-	:		<del>,</del>	:	:	:	:		:	44	40	35	
omo	Tui	All Forms.	(21)	707	# 00	2	4		-	:	2	2	:	:	:	:	]	:	49	51	45	
Deaths from	· S	Measles.	(50)	-	:	:	-	:	C3	:	:	:	;	-	:	:	:	:	5	П	:	
Dest	Epidemic Diseases.	Influenza.	_ =	a c	4	:	:	:	:,	:	:	:	:	. :	:	:	:	:	7	20		
	nic Di	Diphtheria.	(18)	:	:	. :	:	:	:	:	:	:	:	:	:	:	:	:	:	:	-	1
	piden	Whooping-cough.	(41)	: "		:	:	:	:	:	:	• ;	:	:	:	;	:		-	:	۵.	
		Scarlet Fever.	(16)	:	:	:	:	:	:	:	:	;	:	:	1.	:	-	:	:	:	:	1
	Principal	Cerebro-spinal Fever.	(15)	<del>-</del>	:	:		:		:		, i	:	:	:	:	:	:		:	:	
	"	Typhoid and Paratyphoid Fevers.	(14)	:	:		:	:	:	:	:	:	:	:	ï	:	:	- i			:	-1
of	Pers	ons aged 65 Years and over.	(13)	50	111	28	14	13	9	20	00	0,	00	10	10	6	00	10	469	415	304	١
Deaths of	Infants under One	Under One Month.	(12)	10	- 0	. ro	2	7					:	:	:		:	:	35	36	18	
Q	Infan under Vear of	Total.	(11)	. g	4		্য	ಣ	21			:	~	4	; ;	_	:	:	73	69	44	
	Rate ted C	per 1000 of Estima- livilian Population.	(10)	19.1	2.02	17.0	16.0	16.3	14.5	12.8	14.3	20.7	20.0	20.7	16.6	19.3	13.8	17.3	18.6	17.5	13.6	۱
	Net	Number (Civilian).	(6)	373	1/1	55.0	27	23	18	00	12	17	15	15	13	13	11	12	846	2002	009	۱
Deaths	ŋ	Transferred In.	88	10	0 6	20	1 00	2	ഞ.	-	70	7	2	2	6.5	:		:	54	52	37	ı
	Tr	cansferred Out. †	E	47	23.	14	12	60	:	:	. :	:	4	:	ග	;	4	7	124	118	114	
	Nu	mber Registered.	(9)	410	189	67	5 60	24	15	7	1-	10	17	13	13	13	14	19	916	9	229	١
	м	arriages.	(9)	183		49.	4	12	11	9	6	20	12	7	7	5	19	II	467	_	519	1
hs.*		Still Born.	-	22	20	7 <	H C	1 01	H	:	:		2	:	;		:	:	42	38	35	1
Births.		Live Born.	(3)	465	169	7 0	46	28 28	60	13	18	32	21	15	12	14	17	14	1024	965	833	
	Estimated	Givilian Population 31st Dec. 1945.	(2)	1,020,800	441,000	169,000	88 100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2.369.100	2,369,100	2,296,600	
6		TOWNS.	(1)	-	2, EDINBURGH,	4 ABERDEEN			7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,		10. COATBRIDGE, .	11. KILMARNOCK, .	12. HAMILTON.	13. AYR,	14. FALKIRK	15 DUNFERMLINE,	16 PERTH,	Total. (Mar. 28, 1946	S	week Mar. 24, 1945	

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street, Edinburgh : 26/3/46. J.S. & Co. Lvz. Group 171 (1840).

## Scotland

BIRTHS, DEATHS AND

MARRIAGES

Registered in sixteen of the Principal Towns
Week ended Saturday, 30th March 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 30th March 1946 the births of 1017 living children and of 41 still-born children, 483 marriages and 758 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 20.5 per thousand of the population, the marriage-rate 9.7 and the death-rate 16.7. The number of still-births corresponds to a rate of 39 per thousand total births registered (including still-born).

The birth-rate of the week is 0.1 less than in the previous week but 2.5 above the five years' average. The marriage rate is 0.3 more than in the previous week and 1.9 above the pre-war average. The death-rate is 1.9 less than in the previous week but

1.6 above the average.

The weekly death-rates in the individual towns ranged from 20.0 in Kilmarnock and 18.8 in Edinburgh to 11.9 in Falkirk and 10.2 in Ayr. Relatively high death-rates

occurred in Dundee 18:3, in Paisley 17:2 and in Glasgow 17:1.

Deaths from the principal epidemic diseases numbered 13 and are 1 fewer than in the previous week. They include 2 from cerebro-spinal fever, 1 from whooping-cough, 1 from diphtheria, 6 from influenza and 3 from measles. Compared with the number in the previous week deaths from cerebro-spinal fever are 1 more, from whooping-cough the same, from diphtheria 1 more, from influenza 1 fewer and from measles 2 fewer.

Deaths from all forms of tuberculosis numbered 51, of which 39 were from tuberculosis of the respiratory system. The former are 2 more than in the previous week but the

latter 5 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 83 and equalled an annual death-rate from these causes of 1.8 per thousand. This death-rate is 0.7 less than in the previous week and 0.1 below the average.

Deaths of children aged less than one year numbered 64, being 9 fewer than in the previous week. Of these 40 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 402 and are 67 fewer than in the previous week.

Deaths attributed to violent causes numbered 32 and are 8 more than in the previous

week.

The mean temperature for the towns from which returns were received was 48.8° being 3.5° above that for the previous week and 6.5° above the average for the corresponding week in the period 1901-30. The mean rainfall was 0.04 inch and the mean sunshine 25.1 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

rates in the corresponding week of the five preceding years.

Crown Copyright Reserved

EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H. M. STATIONERY OFFICE at the following addresses
134 Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;
39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;
80 Chichester Street, Belfast;
or through any bockseller

Price Id. net
Annual Subscription 8s. 8d. post free.

TURN OVER .

† Weekly extremes

		No.	(31)		2.	~	4.	5.	3.	7.	တ	9.	0.	_;	⊃i.	~i	4	15.	16.		_		1
					~	2		-	-2	• :	:	:	~:	11 11	12	: 3	14			-30°	130	_	П
н	ours.of	Bright Sunshine.	(30)	22.7	32	24	20.0	.17.	25		-	•	-	. 30.	-		•	3 26.1	3 23.0	18 25	58 22	::	
	Rainfa	ll in Inches.	(62)	0.07	0 04	0.00	90.0	0.02	0.05	. :	:	:	:	. :	.:	:	:	80.0	0.03	48.88 0.048 25.18	45.38 1.158 22 18	\$1.358	
ıre.		Temperature (averall observations).	(28)	48.4	49.5	46.2	9.65	49.3	49.6	;	:	.:	:	49.5	:	:	:	48.5	48.3	48.8	45.3	45.88 1	ths
Temperature.	Ab	solute Lowest.	(27)	36	88	33	36	38	40	1	:	:	:	33	:	÷	:	36	34	33+	291	29+	e Dea
Tem	A.b.	solute Highest.	(36)	19	09	59	09	99	64	20 9	;	:	:	17	:	:	.:	65	65	717	199	584	Including Service Deaths
		Violence.	(25)	6.	H	ಞ	67	Ţ			П	:	:	-			:	:	-	32	24	10	ding
· ·	Diarrh	cea (under 2 years of age).	(24)	2	_	:		:	;	: ,	:	:	:	į	:	:	:	4:	:	4	9	4	
	Resi (other	piratory Diseases than Tubercular).	(23)	38.	19	9	7	ಣ	4	w,	27	:	:	œ.	2		:	:	<u></u>	83	114	47	1
	er. Sis.	Respiratory System.	(22)	288	4.	,	<b>-</b>	:	:		:	:	7	:	-	:	_	:	:	39	44	35	otland
g	Tuber- culosis.	All Forms.	(21)	5.4	1~	2	p(	:		21	:	;	2	:	7	:	7	:	:	51	49	47	of usual residence if in Scotland
Deaths from		Measles.	(20)	į	÷	:	į	;	÷	-	:	i	÷	*	2	,:	:	:	:	3	5	:	ence i
Deat	Epidemic Diseases.	Influenza.	(61)	ಣ	3	;	:	:	:	:	:	:	:	:	:	:	:	:	÷	9	7	30	resid
1	ic Dis	Diphtheria.	(18)	;	-	;	;	:	:	:	:	:	:	:	:	:	;	:	÷	7	:	:	usual
3	idem	Whooping-cough.	(11)	. :	:	:	-	:	:	:	:	:	:	i	:	:	;	;	:	-	_	ಣ	te of
	al Er	Scarlet Fever.	(16)	:	:	;	:	:	:	:	:	:	:	:	÷	:	:	2	:	:	.:	:	o pla
3 2	Principal	Cerebro-spinal Fever.	(15)	1	:	:	:	-	:	:	:	:	:	:	:	:	:	:	:	C/3		-	transfer to place
	P	Typhoid and Para- typhoid Fevers.	(14)	;	:	:	:	:	:	:	;	:	3	:	:	:	:	:		:	:	;	by tran
.7 10 3 <b>7</b> 5.3	Perso	ons aged 65 Years and over.	(13)	166	86	32	30	12	00	13	40	0	5	13	4	2	ಣ		4	405	469	276	ted b
Descris	Sept.	Under One Month.	(13)	20	. 9	7	ಣ	70,	:	*.	:	CI		:	;	:	_	:	:	40	35	25	corrected
ă,	Infants underfon Year of Ag	Total.	(11)	30	H	ಣ	20	20	্য	.:	:	31	~	:	ಲ	:	_	:	yered	64	73	46	provisionally
•:		per 1000 of Estima- ivilian Population.	(10)	17.1	18.8	18.3	13.6	17.2	14.2	13.7	14.4	16.7	3.5.8	20.0	15.2	10.2	11.9	13.8	12.9	1.6.7	18.6	12.9	provis
et .	Netl	Number (Civilian).	(6)	334	159	22	44	53	20	1-	6	14	13	15	11	00	00	I	01	758	846	569	rates) have been
Deaths	Т	ransferred In.	(8)	13	ಣ	4	_	9	N	41	ಣ	-	က	2	4	_	:	:		47	54	36	s) ha
**	Tra	ansferred Out.	(2)	33	23	10	14	7	ရာ	;	:	<del>,</del> (	_	-	• :	2	භ	4	00	66	124	118	eath rate
· :	Nur	mber Registered.	(9)	354	179	58	57	24	21	13	9	14	11	14	7	6	II	15	12	810	916	651	ng dea
100	Ма	rriages.	(5)	189	88	36	49	7	13	14	9	17	2	9	6	17	11	00	I	483	467	477	neludi
Births.*		Still Born.	€	14	9	67	ග	ಣ	ಣ	:	prof	7	2	-	1	;	4	:	:	41	42	33	ths (i)
Bir		Live Born.	8	446	162	93	174	33	34	35	12	21	20	12	16	22	12	12	16	1017	1024	792	1 Dea
	ted	ion ec.		800	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200		100	009	hs and
	Estimated	Population 31st Dec. 1945.	(6)	1,020,800	441	162	169	88	73	64	32	43	42	30	37,	40,	35,	41,	36,	2,369,100	2,369,100	2,296,600	* Numbers of Births and Deaths (including d
-4 404-1140-1140-1140	<b>=</b>	, A	***************************************	_		_	_	_	_								_	_	_				bers o
	,		-		, ,					LL AW,			-	К,				NE,		1940	, 194(	31, 1945	Num
		S.S.		W,	RGH		EN,		CK,	IOTHERWELL AND WISHAW,	ANK	LDY,	IDGE	NOC	ON.			MLI.		Mar. 30, 1946	Mar. 23, 1946	r. 31	*
		TOW MS	3	3601	IBU	DEE	RDE	LEY	ENO	HER W.	DEB.	(CA)	[BR]	[AR]	ILT		KIRK	FER	'H,		_	Mar.	
				GLASGOW,	EDINBURGH,	DUNDEE,	ABERDEEN	PAISLEY,	GREENOCK,	MOTHERWELL AND WISHAW	CLYDEBANK,	KIRKCALDY,	COATBRIDGE,	KILMARNOCK	HAMILTON	AYR,	FALKIRK	DUNFERMLINE,	PERTH,	al,	Wns	ng ng	
				1.	2, 1	3. ]	4. 1	.5. 1	6. (	7. 1	8.	9. 1	10.	11. E	12. I	13, 7	14. H	15 I	16 F	Total,	6 Towns	week	

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By J. Skinner & Co., Ltd., Thistie Street, Edinburgh 2
Wt. 70013/9. 2/4/46. J.S. & Co. Lvo. Group 171 (1940).

## Scotland

BIRTHS, DEATHS AN

MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 6th April 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 6th April 1946 the births of 990 living children and of 35 still-born children. 544 marriages and 683 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 19.9 per thousand of the population, the marriage rate 10.9 and the death rate 15.0. The number of still-births corresponds to a rate of 34 per thousand total births registered (including still-born).

The birth-rate of the week is 0.6 less than in the previous week but 1.1 above the five years' average. The marriage rate is 1.2 more than in the previous week and 3.1 above the pre-war average. The death-rate is 1.7 less than in the previous week and

0.3 below the average.

The weekly death-rates in the individual towns ranged from 21.4 in Kilmarnock and 18.7 in Dundee to 8.5 in Greenock and 4.8 in Clydebank. Relatively high death-rates occurred in Ayr 17.9, in Edinburgh 17.7 and in Paisley 16.0. In Glasgow the rate was 14.5.

Deaths from the principal epidemic diseases numbered 9 and are 4 fewer than in the previous week. They include 1 from cerebro-spinal fever, 2 from whooping-cough, 1 from diphtheria, 2 from influenza and 3 from measles. Compared with the number in the previous week deaths from cerebro-spinal fever are 1 fewer, from whooping-cough 1 more, from diphtheria the same, from influenza 4 fewer and from measles the same.

Deaths from all forms of tuberculosis numbered 55, of which 42 were from tuberculosis of the respiratory system. The former are 4 more than in the previous week and the

latter 3 more.

Deaths from respiratory diseases (other than tubercular) numbered 78 and equalled an annual death-rate from these causes of 1.7 per thousand. This death-rate is 0.1

less than in the previous week and 0.1 below the average.

Deaths of children aged less than one year numbered 59, being 5 fewer than in the previous week. Of these 24 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 349 and are 53 fewer than in the previous week.

Deaths attributed to violent causes numbered 16 and are 16 fewer than in the

The mean temperature for the towns from which returns were received was 50.5°, being 1.7° above that for the previous week and 7.4° above the average for the corresponding week in the period 1901-30. The maximum temperature was 72°. This is the highest maximum temperature recorded in these reports for any corresponding week since the beginning of the series in 1865. It is also the highest mean temperature for any 14th week since 1876 when it was 50.8°. The mean rainfall was 0.18 inch and the mean sunshine 45.8 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H. M. STATIONERY OFFICE at the following addresses

13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;

39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;

80 Chichester Street, Belfast;

or through any bookseller

Price Id. net

Annual Sub ion &c &d past tree

LIBRARY

‡ Weekly extremes

1		No.	(31)	. 2.	8	4.	5.	6.	7.	∞ <b>.</b>	9.	.0.	1.	12.		14.	15.	16.	I	ī		1
н	ours of	Bright Sunshine.	(30)	51.7	1.7	13.7	16.8	44.5	:	:	:	:	2.2	:	:	:	46.1	44.0	2.88	5.18	:	
	Rainfa	all in Inches.	(29) (		0.04 4	0.00	0.16 4	0.48	:	:	:	:	-39 55	:		;	.09	0.00	1884	048 2	829.0	
-	1	Temperature (aver-	(28) (2	5	.1 0.	.0 2.	0	0 9.	:	:	:	:	0	:	:	:	0		50.58 0.188 45.88	48.88 0.048 25.18	46.48 0.	
Temperature.	age o	all observations).	5	51	0 47	- 48	9 52.	51	•.	· .	•	•	2 50.5	•	•	•	9.09 8	4 50.3	30+ 20	-	34‡ 46	Including Service Deaths
mperati	Al	osolute Lowest.	(27		30	62	39	39			-	:	32		. :	:	33	- 37	++	331		rice D
Te	A.b	solute Highest.	(26)	72	67	72	89	99		:	-	:	202	•	;	:	69	68	72	71‡	†6g	g Ser
		Violence	(25)			-01	:	:	:	:	:	:	:	:		:	:	:	16	32	20	ludin
	Diarrh	of age).	(24)	70	:	:	:	:	:	:	-	:	:	:	_		:	:	10	4	14	t Inc
	Res (other	piratory Diseases than Tubercular).	(23)	16	4	9	1	-	c <sub>3</sub>	:	2	က	, <del>-</del>	_	.:	:	ಣ	:	78	83	51	
	Tuber- culosis.	Respiratory System.	(22)	=======================================	4	2	:	<del>-</del>	2	_	:	:		22	:		:	:	42	39	43	otland
m	Tui	All Forms.	(21)		70	හ	:	П	61	-	:	:	_	භ	:	1	:	:	55	51	59	ı. r.
Deaths from		Measles.	(20)	:	:	:	:	:	-	:	:	:	,	;	:	:	:	:	က	30	?	ence
Deat	Principal Epidemic Diseases.	Influenza.	(19)	-	;	:	:	:	:	:	:	:	:	:	:	:	:	:	2	9	4	resid
	ie Die	Diphtheria.	(18)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1		:	usual
	oidem	Whooping-cough.	(21)	:	:	:	:	:	:	:	:	:	2	:	:	:	;	:	C/3		7	Ce 01
	oal Ep	Scarlet Fever.	(16)	:	:	:	:	:	:,	:	:	:	:	:	:	;	:	:		:	:	ela o
	rincip	Cerebro-spinal Fever.	(15)	:	:	:	:	;	:	;	:	:	:	:	:	:	:	:	-	24	ೲ	ster 1
1.7	Д.	Typhoid and Para- typhoid Feyers,	(14)	:	:	:	:	:	:	:	:	:	:	:	;	:	:	÷		:	:	y trai
of	Pers	ons aged 65 Years and over.	(13)	86	55	28	16	4	00	7	00	41	4	4	10	ಣ	9	2	349	405	304	rted b
Deaths	Age.	Under One Month.	(12)	-	2	:	prod	2	CA	1	:	-		:	-	:	61	2	24	40	28	corre
ã.	under	Total.	11)	10	₹	:	ଦୀ	60	ଫ୍	:	~	31	22	-	_	_	ಣ	2	59	64	62	ionally
, ,		per 1000 of Estima- ivilian Population.	(10)	17.7	18.7	13.6	16.0	8.5	12.9	4.8	13.1	1.3.4	21.4	15.2	17.9	6.8	15.0	11.5	1.5.0	16.7	13.8	eath rates) have been provisionally corrected by transfer to place of usual residence if in Scotland
	Net	Number (Civilian).	(9)	150	58	44	27	12	16	හ	11	11	16	11	14	9	12	00	683	758	209	ve been
Deaths	Т	ransferred In.	® 21	2	:	:	භ	_	23	22	:	4	2	2	တ	:	:	:	36	47	39	al (se
	Tr	ansferred Out.	(7)	21	9	1	2	:	:	;	2	:	-	:	6	2	9	4	66	66	103	th rat
	Nui	mber Registered.	(6)	169	64	51	29	11	14	i good	13	7	12	6	16	90	18	15	746	810	671	
:	Ма	rriages.	(5)	114	30	48	23	11	00	ro	12	1-	9	6	6	0	12	16	544	483	741	Numbers of Births and Deaths (including d
hs.*	,	Still Born.	€	1-	်က	:	:	2	₩,		:	:	:	;	1	:	П		35	41	28	the (in
Births.		Live Born.	(3)	177	29	49	33	34	35	10	14	14	14	21	13	24	17	00	990	1017	891	1 Deal
	ted	ion ec.	800	441,000	162,100	000,691	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	100		009	hs and
	Estimated	Ovinian Sist Dec. 1945.	(2)	441	162	169	80	73	64	32	43	42	39	37	40	35	41,	36	2,369,100	2,369,100	2,296,600	f Birt
water	Ħ	Ž.													,							99rs 0
	•								LL. AW,			5-1	К,				NE.		6, 1946	Mar. 30, 1946	1945	Num
		Ś	M	RGH		EN,		CK,	WEI	ANK	LDY,	IDGE	NOC	ON.		A. of	MLI		}	r30,	r. 7,	*
		TOWNS	(1) GLASGOW.	EDINBURGH,	DUNDEE,	ABERDEEN	PAISLEY,	GREENOCK,	MOTHERWELL AND WISHAW,	CLY DEBANK,	KIRKCALDY,	COATBRIDGE,	KILMARNOCK,	HAMILTON	٠	FALKIRK	DUNFERMLINE	ľH,	(Apr.	_	Apr.	
		10	GLA	EDI	DUN	ABE	PAIS	GRE	MOTA	CLY.	KIR	COA	KILL	HAM	AYR,	FAL	DUN	PERTH,	al,	6 Towns	a di la la la la la la la la la la la la la	
			1	23	က်	4.	5.	6.	-	00	6	10.	11.	12	13.	14.	15 ]	16 ]	Total,	6 Tc	week	

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2

# Scotland

# BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 13th April 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 13th April 1946 the births of 926 living children and of 38 still-born children, 421 marriages and 599 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 18.6 per thousand of the population, the marriage-rate 8.5 and the death-rate 13.2. The number of still-births corresponds to a rate of 39 per thousand total births registered (including still-born):

The birth-rate of the week is 1.3 less than in the previous week but is the same as the five years' average. The marriage rate is 2.4 less than in the previous week and 1.1 below the pre-war average. The death-rate is 1.8 less than in the previous week

and 2.1 below the average.

The weekly death-rates in the individual towns ranged from 16.3 in Dunfermline and 14.5 in Glasgow to 9.7 in Hamilton and 6.4 in Clydebank. Relatively high death-rates occurred in Ayr 14.0 and in Motherwell and Wishaw 13.7. In Edinburgh the rate was 12.8.

Deaths from the principal epidemic diseases numbered 4 and are 5 fewer than in the previous week. They include 2 from diphtheria and 2 from influenza. Compared with the number in the previous week deaths from diphtheria are 1 more and from influenza the same. In the previous week 1 death was registered from cerebro-spinal fever, 2 from whooping-cough and 3 from measles.

Deaths from all forms of tuberculosis numbered 50, of which 37 were from tuberculosis of the respiratory system. The former are 5 fewer than in the previous week and the

latter 5 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 54 and equalled an annual death-rate from these causes of 1.2 per thousand. This death-rate is 0.5 less than in the previous week and 0.3 below the average.

Deaths of children aged less than one year numbered 40, being 19 fewer than in the previous week. Of these 21 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 329 and are 20 fewer than in the previous week.

Death's attributed to violent causes numbered 25 and are 9 more than in the

previous week.

The mean temperature for the towns from which returns were received was 47.4°, being 3·1° below that for the previous week but 3·4° above the average for the corresponding week in the period 1901-30. The mean rainfall was 0·10 inch and the mean sunshine 28.4 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved . EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses

13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;

39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;

80 Chichester Street, Belfast;

or through any bookseller

Price 1d. net Annual Subscription 8s. 8d. post free. No. 15

† Weekly extremes

		No.	(31)	22	63	4.	5.	6.	~	00	o o	· ·	61 10	00	14.	15.	16.				
G.	nna of l	Bright Sunshine.	(30) (3	_	Ţ.	6.	10	ယ်	:	:	:	: 0	2		:	52	35.1	3.48	88 0		
	ours of 1	origine Sunsmine.			0 26	6 17		0 28			:	-	00	: :	:	0 28		0.108 28.48	188 45	0.788	
	Rainfa	ll in Inches.	(29)		0.00	60.0		0.40	•	-	-		CI.O		•	3 0.00	6 0.01	450.	58 0.188	.48 0.	
ure.	Mean age of	l'emperature (averall observations).	(28)	46.6	46.6	49.1	48.1	47.3	:	:	:		40.5		:	47.3	48.6	47.48	20	47	sths
Temperature. Fahr.	Ab	solute Lowest.	(27)	3 2	28	23	32	34	:	:	:	: 2	07.	: :	:	27	25	25	30	\$5°	ice De
Tem	A.b	solute Highest.	(26)	56	09	65	270	21	:	:	:	: 5	200	: :	:	59	61	65	72‡	‡99	Including Service Deaths
		Violence.	(25)	2	-		4		-	:	:	:	:	:	Н	:	:	25	16	25	uding
	Diarrh	cea (under 2 years of age).	(24)	2	:	:	:	:	:	:	:	:	:	:		:	:	1	10	က	† Incl
	Resi (other	piratory Diseases than Tubercular).	(23)	10	7	4	7		63	-	: '		:	-	:	П	:	54	78	42	
	- vi	Respiratory System.	(22)	9	හ	:	2	_	-	:		7	:	:	:	:	:	37	42	45	otland
	Tuber.	All Forms.	(21)	1	বা	:	co	S	61	:.	: 1	_	:	:	: :	:	:	50	55	59	in Sc
Deaths from		Measles.	(50)	:	:	:	:	:	:	:	:	:	;	;		:	:	:	90	4	ance if
Jeath	ases.	Influenza.	(61)	4	;	;	:	:	:	:	:	:	:	: -	1 :	:	:	2	2	_	reside
	Dise	Diphtheria.	(18)	-	;	;	, ;	:	:	:	:	:	:	:	: :	:	:	22	П	7	isusi
	demic	Whooping-cough.	(21)	:	:	:	:	:	:	:	:	:	:	:	: :	;	:	:	2	೪೦	3e of 1
	1 Epi	Scarlet Fever.	(16)	:	:	:	:	:	:	:	;	:	:	:	: :	:	:	:	:	:	o place
	Principal Epidemic Diseases.	Cerebro-spinal Fever.	(12)	:	: :	:	:	:	:	:	:	;	:	:	: :	:	:	:	1	හ	sfer t
:	Pri	Typhoid and Para- typhoid Fevers.	(14)	:	: :	:	:	:	:	:	:	:	:	:	:	: :	:	:	:	ŧ	r tran
	Pers	ons aged 65 Years and over.	(18)	52	25	25	12	4	00	7	9	00	က k	a o	9	7	1-	329	349	309	ted by
Deaths of	SS )ne;	- Andrews	(12)	20 10	0 01	-	yerd	;	şi	:	:	:	:	;	:	: 01	:	21	24	33	eath rates) have been provisionally corrected by transfer to place of usual residence if in Scotland
Ded .	Infants under One	Total.	13	77	7	27	_	_	4	:	:	÷	:	;	:		;	40	53	52	onally
		per 1000 of Estima-	(10)	0.6	0 01 0 01	-	5.4	6.6	13.7	6.4	2.0	2.5	2.01	7.5.	13.4	16.3	50	3.2	0.91	လ်	ovisi
	ted C	Sivilian Population.				3 11				-#		_						-			een pr
202	Net	Number (Civilian).	(6)	108	4	36	21	16	17	7		10		7 5	7	13		599	683	631	ave b
Deaths.		Transferred In.	® ;	14	H 673	-2		:	N	-	10	4	2 '			:	:	40	36	52	tes) l
	Tı	ansferred Out.	£ 3	54	2 00	13	2	yeeri	:	:	<del></del>	:	2 1	_ c	ص بر	2 4	22	86	66	115	ath ra
	Nu	mber Registered.	(9)	303	41	47	22	15	15	က	rC.	9	00	- 0	14	17	10	657	746	694	
	М	arriages.	(3)	168	34	55	1-	13	00	4	က	က	o •	9 0	0 99	10	တ	421	544	563	neludi
hs.*		Still Born.	€	50	0 6	9 00	:	:	:	-	2	П	:	-	:	:	: :	33			ths (i
Births.*		Live Born.	(3)	406	78/	99	34	30	27	13	18	25	20	XX 1	CI X	12	6	926	066	830	d Dea
	peq	ion Sc.		008	169,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	41 700	36,200	100	100	009	hs an
	Estimated	Civilian Population 31st Dec. 1945.	(2)	1,020,800	169	169	800	73	64	32	43	42	30	32	40	2 14	36	2.369.100	2.369.100	2,296,600	f Birt
-	Ä	P							~	_			-								* Numbers of Births and Deaths (including
	,				f,				AND WISHAW,			61	ίΚ,			. E		Apr. 13, 1946	6, 1946	Apr. 14, 1945	Num
		S.		W, .	EDINDORGH,	NE.		CK,	MOTHERWELL AND WISHAW	CLY DEBANK,	KIRKCALDY,	COATBRIDGE,	KILMARNOCK,	ON,		THE RESTINE		r. 13	r. 6	r. 14	*
		TOWNS	3	SGO	DEF	RDE	LEY	ENO	HEE D W	DEB	KCA	TBR.	MAR	IILT	· ,	FRR	TH,	(AD	Apr.	AP	
		T.		GLASGOW,	DINDER	A BEEDEEN	PAISLEY,	GREENOCK,	MOT	CLY	KIR	COA	KIL	HAMILTON	AYK,	DIIN	PERTH,	Total	6 Towns	ek	
					7 67			6, (	7.	×	9. ]	10.	11. 1		13.			Tot	16 Te	week	

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistie Street, Edinburgh 2 Wt. 70012/2. 17/4/46. J.S.&Co. Ltb. Group 171 (1940).

## Scotland

BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns Week ended Saturday, 20th April 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 20th April 1946 the births of 917 living children and of 28 still-born children, 357 marriages and 570 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 18.4 per thousand of the population, the marriage-rate 7.2 and the death-rate 12.5. The number of still-births corresponds to a rate of 30 per thousand total births registered (including still-born).

The birth-rate of the week is 0.2 less than in the previous week and 0.5 below the five years' average. The marriage rate is 1.3 less than in the previous week and 3.6 below the pre-war average. The death-rate is 0.7 less than in the previous week

and 1.9 below the average.

The weekly death-rates in the individual towns ranged from 19.4 in Hamilton and 17.9 in Ayr to 8.5 in Greenock and 8.0 in Clydebank. Relatively high death-rates occurred in Dunfermline 15.0, in Falkirk 14.9 and in Dundee 13.5. In Glasgow the

rate was 13.2 and in Edinburgh 11.4.

Deaths from the principal epidemic diseases numbered 8 and are 4 more than in the previous week. They include 2 from cerebro-spinal fever, 2 from diphtheria and 4 from measles. Compared with the number in the previous week deaths from cerebrospinal fever are 2 more, from diphtheria the same and from measles 4 more. In the previous week 2 deaths were registered from influenza.

Deaths from all forms of tuberculosis numbered 52, of which 36 were from tuberculosis of the respiratory system. The former are 2 more than in the previous week but the

latter 1 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 45 and equalled an annual death-rate from these causes of 1.0 per thousand. This death-rate is 0.2 less than in the previous week and 0.5 below the average.

Deaths of children aged less than one year numbered 47, being 7 more than in the previous week. Of these 31 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 285 and are 44 fewer than in the previous week.

Deaths attributed to violent causes numbered 23 and are 2 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 49.3°, being 1.9° above that for the previous week and 4.9° above the average for the corresponding week in the period 1901-30. The mean rainfall was 0.50 inch and the mean sunshine 47.9 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H. M.'STATIONERY OFFICE at the following addresses

13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;

39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;

80 Chichester Street, Belfast;

or through any bookseller

Price 1d. net. Annual Subscription 8s. 8d. post free about herois

[TURN OVER

LIBRARY

		No.	(31)	i.	23	3	4.	5.	6.	7.	ೲ	6	10.	11	12.	13.	14.	15.	16.				Ì
Hot	urs of I	Bright Sunshine.		0.8	:			0.1	44.7	1.	1	;	:	49.8	:	:		1.7	42.2	\$6.4	8.48	:	
		l in Inches.		4.	:				0.83 4	:	:	;		80	:	:			0.93	49.38 0.508 47.98	47.48 0.108 28.48	.048	
		Temperature (aver-	-	3 0.57	-		0_			:	:	:		0_	:	:				.380	.480	53.78 0.048	١.
tture.		all observations).		49.3	-		-		49.4			•		2 49.8	•	· ·			30 48.4	30 + 48	254 47	36‡ 53	beths
Temperature.	Ab	solute Lowest.		20	:	:	65		30	:	:	:		32	:	-							Including Service Deaths
. Tel	A.b	solute Highest.	(26)	65	:	;	7.1	64	63	:	<u>:</u>	:	-	65	:	:	:	67	99	717	‡9	72‡	o Ser
		Violence.	-2	0	4		<u>ග</u>	:	-	<u>:</u>	:	:	-	:	:			_		23	25	27	Judin
	Diarrh	cea (under 2 years of age).	(24)	00	:	:	_	:	:	:	:	:	:	:	:	_	:	:	:	2	7	3	+ Inc
	Resp. (other	iratory Diseases than Tubercular).	(23)	23	9	ಣ	ಣ	Г	2	:	:	:	r-1	:	i	64	7	_	2	45	54	59	
	er. sis.	Respiratory System.	(22)	20	r-	:	2	-	2	:	:		61	:	_	:	:	:	:	36	37	35	of land
E I	Tuber.	All Forms.	(21)	53	∞	7	2	2	61	:		2	2	:	62	:	:	:	:	52	20	47	10 in 0
Deaths from		Measles.	(20)	C)	:	:	:	:	:		:	:	:	i	-	:	:	:	:	4	:	හ	Jenos
Deat	Principal Epidemic Diseases.	Influenza.	(19)	:	• :	;	:	:	:	:	:	:	:	:	:	:	:	:	:	:	2	:	1 2000
	ic Dis	Diphtheria.	(18)	:	_	1.	:	:	:	:	:	:	:	:		:	:	:	:	2		67	-
	oidem	Whooping-cough.	(11)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	-	:	rc.	1000
	al Er	Scarlet Fever.	(16)	:	:	:	:	:	:	:	:	:	:	:	:	4	:	:	:	-	:	prod	- 1
	rincir	Cerebro-spinal Fever.	(15)	-	<b>prod</b>	:	:	:	:	:	:	:	:	:	:	:	:	:	:	2		:	
	Ь	Typhoid and Paratyphoid Fevers.	(14)	:	1	:	:	:	:	:	:	:	:	;	:	:	:	:	:		-	:	ŀ
	Pers	ons aged 65 Years and over.	(13)	108	52	23	20	6	70	10	7	2	7	9	9	00	I'o	7	70	285	329	305	
Deaths of	one One Age.	Under One Month.	(12)	18	20	2	හා	:		:	:	:	:	:	:	-<		:	:	33	21	18	
ã.	Infants under One Year of Age	Total.	11)	100	00	2	ගෙ	:	7	:	:	:	:	÷		2		;	-	47	40	56	
	Rate	per 1000 of Estima- ivilian Population.	(10)	13.5	11.4	13.5	13.3	8.9	8.5	2.6	8.0	11.9	13.4	6.6	19.4	17.9	14.9	15.0	11.5	12.5		14.1	Such January Barrers B
	Net	Number (Civilian).	(6):	259	96	42	43	15	12	12	10	10	11	14	14	14	10	12	60	570	599	621	Ì.
Deaths.	7	ransferred In.	(8)	۵۶	3	:	,-	_	-	70		4	4	:	ଟ୍ର	60	كستو	:	-	00	40	51	
A	Tr	ansferred Out.†	(4)	36	21	හෙ	10	9	7-4	:	:	2	Г	:	2	9	4	ಣ	9	191	86	119	
	Nu	mber Registered.	(9)	286	114	45	55	20	12	1-	က	00	00	-1	13	17	13	15	13	633	657	689	1
	M	arriages.	(2)	10	_	16	34	12	11	O.	9	1-	හ	9	-	11	2	အ	9	357			1
***		Still Born.	( <del>+</del> )	and the second	-	က	:	prod	:	4	:	-		:	Н	:	-	1	:	00			1
Births.*		Live Born.	(8)		168	89	53	50	31	15	12	22	23	23	21	12	14	17	10	917	966	849	
	Estimated	Corvilian Sist Dec. 1945.	(2)	800		162,100	169,000	88,100	73,600	. 64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	0 369 100		2,296,600	
		TOW NS.	(D)	1. GLASGOW,		S. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK, .	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY,	10. COATBRIDGE, .	11. KILMARNOCK, .	12. HAMILTON,	13. AYR,	14. FALKIRK,	15 DUNFERMLINE,	16. PERTH,	Total (Anr. 90 1946	SAnr	_	

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street. Edinburgh 2

## Scotland

BIRTHS, DEATHS AND

MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 27th April 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 27th April 1946 the births of 1062 living children and of 40 still-born children. 705 marriages and 578 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 21.4 per thousand of the population, the marrage-rate 14.2 and the death-rate The number of still-births corresponds to a rate of 36 per thousand total births registered (including still-born).

The birth-rate of the week is 3.0 more than in the previous week and 1.4 above the five years' average. The marriage rate is 7.0 more than in the previous week and 3.2 above the pre-war average. The death-rate is 0.2 more than in the previous week

but 1.0 below the average.

The weekly death-rates in the individual towns ranged from 18.7 in Perth and 16.0 in Kilmarnock to 4.5 in Falkirk and 3.8 in Dunfermline. Relatively high death-rates occurred in Coatbridge 15.8 and in Clydebank 14.4. In Glasgow the rate was 12.5

and in Edinburgh 12.4.

Deaths from the principal epidemic diseases numbered 4 and are 4 fewer than in the previous week. They include 2 from cerebro-spinal fever, 1 from whooping cough and I from influenza. Compared with the number in the previous week deaths from cerebro-spinal fever are the same, from whooping-cough 1 more and from influenza 1 more. In the previous week 2 deaths were registered from diphtheria and 4 from measles.

Deaths from all forms of tuberculosis numbered 47, of which 37 were from tuberculosis of the respiratory system. The former are 5 fewer than in the previous week but the

latter 1 more.

Deaths from respiratory diseases (other than tubercular) numbered 56 and equalled an annual death-rate from these causes of 1.2 per thousand. This death-rate is 0.2

more than in the previous week but 0.2 below the average.

Deaths of children aged less than one year numbered 53, being 6 more than in the previous week. Of these 37 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 301 and are 16 more than in the previous week.

Deaths attributed to violent causes numbered 27 and are 4 more than in the

previous week.

The mean temperature for the towns from which returns were received was 45.7°, being 3.7° below that for the previous week and 0.2° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.31 inch and the mean sunshine 32.0 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Annual Subscription 8s. 8d. post free.

[TURN OVER

# Weekly extremes

		Z	(3)	4 67	6.2	4	42	9	1-0	00	0,5	2	E	77	Aure A.A.	-	=					
Ho	ours of 1	Bright Sunshine.	(30)	30.2	33.3	25.5	32.6	:	• :	:	:	:	30.2	:	:	:	34.4	39.5	32.08	48.28	:	
	Rainfa	ll in Inches.	(29)	0.18	0.03	0.17	99.0	:	:	:	:	:	0.87	:	:	:	80.0	0.05	\$18.0 \$1.9	49.48 0.448	0.118	
re.		Femperature (averall observations).	(28)		8.9	8.9	9.97	:	: .	: '	. ;	:	16.3	:	:	:	45.5	45.2	45.78	49.48	45.18	hs
Temperature. Fahr.		solute Lowest.	(27)	- 4.	32 4	36	35 4	:	:	:	:	:	34	;	:	:	35	30	30+	301	25‡	Including Service Deaths
Temi	,A.b	solute Highest.	(26)	22	09	09	99	:	:	:	:	:	22	:	:	:	55	58	+09	71‡	63+	Servic
		Violence.	(25)	1 20	4	2	2	:	23		:	;	:	:	:	:	:	:	27	23	30	ding 8
	Diarrh	cea (under 2 years of age).	(54)	: :	:		:	:	:	:	:	:	:	:		:	:	:	2	20	9	Inclu
	Resp (other	oiratory Diseases than Tubercular).	(23)	10		4	~	2	ဘ	;	:	;	22	~	2	÷	:	2	26	45	44	
	er.	Respiratory System.	(22)	9	4	-	೧೦	ග	:	;	:		:	:	:	:	:	:	27	36	30	otland
8	Tuber-	All Forms.	(21)	2 00	4	2	ಣ	හ	;	:	:	,	:	:	,	:	:	:	47	52	48	fin Se
Deaths from		Measles.	(20)	: :	:	;	:	:	:	:	:	:	i	:	:	:	:	:	:	71	;	lence i
Deat	Diseases.	Influenza.	(61)	: -	;	:	:	:	:	:	:	:	;	:	:	:	:	:		:	-	lresid
	nie Di	Diphtheria.	(18)	: :	• :	;	:	:		:	:	:	:	:	:	:	:	:	:	CI	6.1	gusu J
	Epidemic	Whooping-cough.		: :	:	:	:	:	:	:	:	p=1	:	:	:	:	:	:		:	<u>ന</u>	ace of
		Scarlet Fever.		: :	:	:	:	:	:	:	:	:	:	:	•	:	:		:	2	;	to p
	Príncipal	Gerebro-spinal Fever.	(15)	1 :	:	:	:	:	:	:	:		:	:	:	:	:	:	- 2			ansfer
		Typhoid and Paratyphoid Fevers.	(14)	: :	:	:	:	:	*	:	:	:		:	:	:		:	:	::		by tr
of	Perso	ons aged 65 Years and over.	(13)	62	20	32	14	00	-	4	9	73		9	9	-	-	6	301	285	274	ected
Deaths	Infants under One Tear of Age.	Under One Month.	(12)	3 4	. 20	අත	-	:	;	y(	y-m(	<u>∞</u>	-	-	yand	:		:	37	31	24	v cori
9	Infants under One Year of Age	Total.	(11)	9	YQ.	4	_	61	-	_	-	4	2	jud	2	- :	,		53	47	40	ionall
	Rate ted C	per 1000 of Estima- ivilian Population.	(10)	12.4	14.2	14.2	14.2	19.7	12.1	14.4	10.7	1.5.8	16.0	12.4	14.0	4.5	3.8	18.7	1.2.7	12.5	12.3	no death rates) have been provisionally corrected by transfer to place of usual residence if in Scotland.
	Net	Number (Civilian).	(9)	105	44	46	24	18	15	0,	6	13	12	6	11	60	ಶಾ	13	578	570	539	ve bee
Deaths	T	ransferred In.	(8)	2 2	හ	2	_	ಣ	Cd ·	4	<del></del>	63	20	-	හ	:	:	01	44	300	41	es) ha
-	Tr	ansferred Out.†	£ 4	24	-91	00	00	හ	:	:	7	:	:	*	:	9	1-	4	106	101	111	th rat
	Nu	mber Registered	(y)	127	45	55	26	18	13	10	10	П	2	00	00	0	10	2	640	633	609	no des
	Ma	arriages.	(3)	331	45	55	21	24	20	20	13	11	11	15	11	12	15	14	705	357	528	
Births.*		Still Born.	€;	~ ×	9	2	:	-	හ	-	:	p=( '	÷	-	:	22	:	:	40	28	30	tha (i
Bir		Live Born.	(S)	484	100	S1120	36	32	36	14	23	22	18	18	15	24	17		1062	917	911	nd Des
2	Estimated	Comman Population 31st Dec. 1945.	(2)	1,020,800	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	* Numbers of Births and Deaths (includ
		TOW NS.	(1)	2. EDINBITECH.		4. ABERDEEN,	5. PAISLEY, .	6. GREENOCK,	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK, .	9. KIRKCALDY, .	10. COATBRIDGE, .	11. KILMARNOCK,	12. HAMILTON,	13. AYR,	14. FALKIRK	15 DUNFERMLINE.	16 PERTH,	Total. (Apr. 27, 1946	S	week ending (Apr. 28, 1945)	equin *
			,			-	IIS	-	TEST			-	-			ישיט				-		1

7 6 5 4 3 2 1.

8. 9. 10. 12. 14. 15.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By J. Skinner & Co., Ltd., Thistle Street. Edinburgh 2

## Scotland

# BIRTHS, DEATHS AND **MARRIAGES**

Registered in sixteen of the Principal Towns

Week ended Saturday, 4th May 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 4th May 1946 the births of 1033 living children and of 35 still-born children, 612 marriages and 591 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 20.8 per thousand of the population, the marriage-rate 12.3 and the death-rate 13.0. The number of still-births corresponds to a rate of 33 per thousand total births registered (including still-born).

The birth-rate of the week is 0.6 less than in the previous week but 1.4 above the five years' average. The marriage rate is 1.9 less than in the previous week but 0.9 above the pre-war average. The death-rate is 0.3 more than in the previous week

but 1.1 below the average.

The weekly death-rates in the individual towns ranged from 25.3 in Falkirk and 18.0 in Hamilton to 8.3 in Kirkcaldy and 7.7 in Ayr. Relatively high death-rates occurred in Coatbridge 17.0, in Dundee 16.1 and in Motherwell and Wishaw 15.3. In Glasgow

the rate was 12.8 and in Edinburgh 12.1.

Deaths from the principal epidemic diseases numbered 8 and are 4 more than in the previous week. They include 1 from cerebro-spinal fever, 1 from whooping-cough, 2 from influenza and 4 from measles. Compared with the number in the previous week deaths from cerebro-spinal fever are 1 fewer, from whooping-cough the same, from influenza 1 more and from measles 4 more.

Deaths from all forms of tuberculosis numbered 38, of which 27 were from tuberculosis of the respiratory system. The former are 9 fewer than in the previous week and the

latter 10 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 53 and equalled an annual death-rate from these causes of 1.2 per thousand. This death-rate is the same as in the previous week but 0.1 below the average.

Deaths of children aged less than one year numbered 64, being 11 more than in the previous week. Of these 28 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 304 and are 3 more than in the previous week.

Deaths attributed to violent causes numbered 25 and are 2 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 48.4°, being 2.7° above that for the previous week and 2.1° above the average for the corresponding week in the period 1901-30. The mean rainfall, was 0.10 inch and the mean sunshine 33.9 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses

13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;

39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;

80 Chichester Street, Belfast;

or through any bookseller

Price 1d. net Annual Subscription 8s. 8d. post free.

		No.	(31)	i 0	25 0	2	<del>5</del> 14	; e	5 1	· 0	o c	9 0	: :	10	16.	10.	_	_	16.	000	cos	_	ı
но	urs of E	Bright Sunshine.	(30)	0000	27.1	0.40	24.1	1 #0	OF	:	:	:	0.01	0 0 5	:	:	: 7	0.00	33./	48.48 0.108 33.98	45.78 0.358 32.78	:	
	Rainfal	l in Inches.	(29)	00.0	0.40	00.00	00.0		3	:	:	:	: 0		:	:	: 8	3	00.0	0.10	30.35	80.08	ı
°e,	Mean T	Temperature (averall observations).	(28)	\$.00	4.94	40.4	50.44 50.6	) e.	5	:	:	:	60.09		:	:	: 17	A 15	40.8	48.4	45.78	40.38	ths
Temperature.		solute Lowest.			_		000			:	:	:		ce	:	:	: 0	30	32	32+	30‡	19‡	Including Sarvice Deaths
Temi	A.bs	solute Highest.	(26)	99	63	20 1	10	000	3	:	:	:	: 04	00	:	:	: è	60 5	90	÷89	‡09	<b>‡9</b> 9	Rarvi
		Violence.	(25)	23.	_	;	7 -	4	:	;	:	:	: -	-	:	:	:	: '		25	27	53	Inding
	Diarrh	cea (under 2 years of age).	(24)	4,	4	:	: "	-	:	: _	:	: -	- ·	٦	: -	-	:	:	:	12	2	10	+ Inc
	Resp.	oiratory Diseases than Tubercular).	(23)	23	13	4 (	N	: 0	N	ಣ	:	: -	٠ ،	. 7	٦_	:	: '		_	53	99	20	١,
	er-	Respiratory System.	(22)	14	-	63	: '		:	:	:	: '	<b>⊣</b>	: 7	<b>-</b>	:	:	:	:	27	37	27	potton
g	Tuber- culosis.	All Forms.	(21)	23	00	22	: (	N	:	:	:	: "	-	: '	24	:	:	:	:	38	47	43	0 1: 9:
Deaths from		Measles.	(20)	ಣ	:	:	:	:	:	:	:	:	:	: '		:	:	:	:	4	:		
Death	62868	Influenza.	(61)	:	:	:	:	:	:		: '	_	:	:	:	:'	:	:	:	2	-	-	South on the State of the South on the State of the State
	Principal Epidemic Diseases.	Diphtheria.	(18)	:	:	:	:	i	:	:	:	:	:	:	:	:	:	:	:	:	:	4	
1	idemi	Whooping-cough.	(11)	~	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	-		ಣ	
	al Ep	Scarlet Fever.	(16)	:	:	:	:	:	:	:	:	:	:	:	:	;	:	į	:		:	:	
	incip	Cerebro-spinal Fever.	(15)	:	:	:	:	:	:	~	;	:	:	:	:	:	:	:	:	-	2	:	
	Pr	Typhoid and Para- typhoid Fevers.	(14)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:			:	
	Pers	ons aged 65 Years and over.	(13)	117	62	27	23		10	9	ಣ	10	9	9	4	4	II	4	10	304	301	279	
Deaths of	nts One	Under One Month.	(12)	10	ය	4	C1	67	2	r-1	:	:	7	:	_	:	:	_	:	28	37		
Ď	Infants under One	Total.	11)	27	∞	9	ಣ	ന	4	ଦେ	:	:	2		2		p(	ಣ	•	64	, cc	64	
	Rate ted C	per 1000 of Estima- livilian Population.	(10)	15.8	12.1	16.1	12.7	11.2	13.5	15.3	9.6	တ	17.0	13.4	18.0	1.1	25.3	10.0	19.9	19.0	19.7	13.4	
17.	Net	Number (Civilian).	(6)	251	102	20	41	13	19	10	9	E-9	14	10	13	9	.17	00	6	501	578	583	
Deaths.	!	Transferred In.	(8)	17	9	1	2	63	Ø	00		_	-	pref	:	:	_	-	<del></del>	15	44	51	
I.	T	ransferred Out.	£	43	30	শ্বা	14	9	CZ	r	-	_	:	22	p(	ග	က	4	ಲ	110	106	106	_
	Nu	mber Registered.	9	277	126	53	53	23	19	12	9	~	13	11	14	6	19	H	I	664	640	644	
	М	arriages.	(3)	288	96	42	51	21	19	∞	9	9	15	13	4	1-	13	7	17	010	705	532	
18.*		Still Born.	9	13	4	2	10	:	4	-	:	:	ಣ	:	г	:	:	-	Н	20			
Births.*		Live Born.	(8)	448	172	12	67	38	30	31	15	23	24	12	21	20	25	11	19	11000	1069	854	
	Estimated	Givilian Population 31st Dec. 1946.	(6)	1.020,800	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	000 000 0			
		TOWNS.		1. GLASGOW,	2. EDINBURGH.		4. ABERDEEN,	5. PAISLEY,	6. GREENOCK,	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY, .	10. COATBRIDGE, .	11. KILMARNOCK,	12. HAMILTON,	13, AYR,	14. FALKIRK.			3.6	16 Towns 4, 1840	May	enuma


# WEEKLY RETURN OF THE REGISTRAR-GENERAL

Scotland

BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 11th May 1946



The birth-rate of the week is 0.4 more than in the previous week and 2.3 above the five years' average. The marriage rate is 6.7 less than in the previous week but 2.3 above the pre-war average. The death-rate is 0.9 less than in the previous week

and 2.3 below the average.

The weekly death-rates in the individual towns ranged from 16.3 in Greenock and 14.2 in Dundee to 8.9 in Aberdeen and 4.8 in Kirkcaldy. Relatively high death-rates occurred in Ayr 14.0, in Hamilton 13.8 and in Glasgow 13.0. In Edinburgh the rate was 11.8.

Deaths from the principal epideme diseases numbered 6 and are 2 fewer than in the previous week. They include 1 from cerebro-spinal fever, 2 from influenza and 3 from measles. Compared with the number in the previous week deaths from cerebro-spinal fever are the same, from influenza the same and from measles 1 fewer. In the previous week 1 death was registered from whooping-cough.

Deaths from all forms of tuberculosis numbered 41, of which 37 were from tuberculosis of the respiratory system. The former are 3 more than in the previous week and the

latter 10 more.

Deaths from respiratory diseases (other than tubercular) numbered 43 and equalled an annual death-rate from these causes of 0.9 per thousand. This death-rate is 0.3 less than in the previous week and 0.4 below the average.

Deaths of children aged less than one year numbered 52, being 12 fewer than in the previous week. Of these 30 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 269 and are 35 fewer than in the previous week.

Deaths attributed to violent causes numbered 25 and are the same as in the

previous week.

The mean temperature for the towns from which returns were received was 49.0°, being 0.6° above that for the previous week and 1.4° above the average for the corresponding week in the period 1901–30. The mean rainfall was 0.00 inch and the mean sunshine 78.7 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved
EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses
13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;
39/41 King Street, Manchester 2; 18t Andrew's Crescent, Cardiff;
80 Chichester Street, Belfast;
or through any bookseller

Price 1d. net

Annual Subscription 8s. 8d. post free.

[TURN OVER

No. 19

LIBRARY

		No.	(31)	-i c	, i	0	4.	5.	6.	7.	တံ	<u>ن</u>	0.	-i	2.	<u>က</u>	14.	15.	.91				Ì
Ho	ours of I	Bright Sunshine.		27 CO 27	0.0	: ;	4.0	84.1	0.98	:	:	:	:	92.0	:	:	:	1.08	70.4	8.78	3.98	:	ı
		ll in Inches.			_				00.0	:	:	:		<u>6</u> 00:	:	;			0.00	49.08 0.008 78.78	48.48 0.108 33.98	.50s	ı
		remperature (aver-					_		.4 0.	:	:	:		<u>.</u> 0	:	:			1	080.	3.48 0	54.68 0.508	
ture.		all observations).				,	45	5	21	•	•	•		51		•		35 48.0	8 47		324 48	38‡ 54	eaths
Temperature.	Ab	solute Lowest.	(27)	,		: ;			35	:	:	:	:	32	;	:			- 28	+ 28+		++	vice I
Tei	A.b.	solute Highest.	(26)	7 04	°	: 5	288	69	89	:	<u>:</u>	:	:	92	:	:	:	. 62	65	192	£89	77	Including Service Desths
		Violence.		× 0	0 0	20 0	7		C1	:	-	:	-	:	:	:		÷	:	25	25	17	ludin
	Diarrh	mea (under 2 years of age).	(24)	4 C	N	:	:	:		:	:	:	:	:	:	:	:	:	:	2	12	6	+ Inc
	Resi (other	piratory Diseases than Tubercular).	(23)	73 5	77	-	2	22	proof	:	:	y(	:	_	_	:	_	2	:	45	53	77	9
	er-	Respiratory System.	(22)	7.	۵	:	;	_	20	<b>,</b> (	:	7	:	:	~	:	:	:	:	37	27	44	cotlan
UI.	Tuber- culosis.	All Forms.	(21)	7.4	0	:	:	7	70	7	:	C I	:	:	6,4	:	:	:	:	41	30.	29	if in S
Deaths from		Measles.	(20)	7	:	:	:	:	:	:	:	:	:	:	_	:	:	:	:	- es	4	72	Jence
Deat	Principal Epidemic Diseases	Influenza.	(19)	-	:	;	:	:	_	:	:	:	:	:	:	:	:	:	:	23	2	-	resi
	ie Dis	Diphtheria.	(18)	:	:	:	:	:	:	:	:	:	:	:	;	:	:	:	:	:	:		11811
	oidem	Whooping-cough.	(11)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	-		<u>ග</u>	BCA D
	al Er	Scarlet Fever.	(16)	:	;	:	:	:	:	:	:	:	:	:	•	. :	:	:	:	-	:	:	to n
	rincir	Cerebro-spinal Fever.	(15)		:	:	:	:	:	:	; —	:	:	:	:	:	:	:	:				nafar
	ы	Typhoid and Paratyphoid Fevers.	(14)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	, :	:	hw f.ng
**	Pers	ons aged 65 Years and over.	(13)	124	54	24	13	11	9	2	ന്	<del></del> (	4	4	22	1	ಣ	4	7	269	304	336	ected
Deaths of	nts One	Under One Month.	(12)	<u>م</u>	00	4	C1	:		:	:	:	:	:	:	:	:	-	genel .	30	31	88	A con
Ã.	Infants under One Year of Age.	Total.	11)	24	13	9	4	÷	_	:	:	:	;	:	2	:	:	-	77	52	64	70	gionall
	Rate ted C	per 1000 of Estima- ivilian Population.	(10)	13.0	11.8	14.2	8.0	11.8	16.3	2.6	9.6	4.8	2.6	9.3	13.8	14.0	10.4	11.3	10.1	12.1	13.0	15.3	netec) have been provisionally corrected by transfer to place of usual residence if in Scotland
	Net	Number (Civilian).	(6)	254	100	44	29	20	23	12	9	4	∞	1	10	11	~	00		551	591	673	ave hee
Deaths.	7	Transferred In.	(8)	14	4	~	7	p(	හෙ		က	:	-	7	;	7	_	:	7	8	45	80	Fool b
A	Tr	ansferred Out.†	(4)	32	27	00	00	2	7	:	2	23	:	:	:	70	4	9	20	103	118	108	outh no
	Nu	mber Registered.	(9)	272	123	51	35	21	22	6	73	8	7	70	10	14	10	15	11	616	664	748	امل مرا
	M	arriages.	(2)	130	99	20	56	-	1	4	:	හ	4	4	2	2	2	00	5	277	612	320	Land
18.*		Still Born.	100000077	13	2	2	2	-	-	87	:	:	;	:	2	Π	:	:	-	30			+ 1. m (2
Births.*		Live Born.	(8)	435	201	83	68	28	39	37	22	18	24	20	16	91	90	18	16	1055	1033	808	Dog
	Estimated	Colvilian Population 31st Dec. 1945.	(2)	1,020,800	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2.369.100	2,369,100	2,296,600	* Manufactor of Distinction of Doctine Construction
	And Andreas An	TOWNS.	(1)	1. GLASGOW,	2. EDINBURGH, .	3. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK,	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY, .	10. COATBRIDGE, .	11. KILMARNOCK, .	12. HAMILTON,	13. AYR,	14. FALKIRK,	15 DUNFERMLINE,.	16 PERTH,	Total (May 11, 1946	IS May		ı

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By J. Skinner & Co., Ltd., Thistic Street, Edinburgh 2
14/5/46. J.S. & Co. Ltd., Group 171 (1940)

#### WEEKLY RETURN No. 20 OF THE REGISTRAR-GENERAL

Scotland

BIRTHS, DEATHS AND



the 1931 Census had populations of over 30,000, there were registered during the week ended 18th May 1946 the births of 1005 living children and of 31 still-born children, 297 marriages and 666 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 20.2 per thousand of the population, the marriage-rate 6.0 and the death-rate 14.7. The number of still-births corresponds to a rate of 30 per thousand total births registered (including still-born).

The birth-rate of the week is 1.0 less than in the previous week but 0.4 above the five years' average. The marriage rate is 0.4 more than in the previous week and 3.2 above the pre-war average. The death-rate is 2.6 more than in the previous week

and 0.3 above the average.

The weekly death-rates in the individual towns ranged from 20.5 in Greenock and 16.6 in Hamilton to 9.6 in Clydebank and 8.0 in Kilmarnock. Relatively high death-

rates occurred in Dundee 16.4, in Edinburgh 16.3 and in Glasgow 14.9.

Deaths from the principal epidemic diseases numbered 6 and are the same as in the previous week. They include 3 from cerebro-spinal fever, 1 from scarlet fever, 1 from diphtheria and 1 from measles. Compared with the number in the previous week deaths from cerebro-spinal fever are 2 more, from scarlet fever 1 more, from diphtheria 1 more and from measles 2 fewer. In the previous week 2 deaths were registered from influenza.

Deaths from all forms of tuberculosis numbered 63, of which 50 were from tuberculosis of the respiratory system. The former are 22 more than in the previous week and the

latter 13 more.

Deaths from respiratory diseases (other than tubercular) numbered 53 and equalled an annual death-rate from these causes of 1.2 per thousand. This death-rate is 0.3 more than in the previous week but 0.1 below the average.

Deaths of children aged less than one year numbered 59, being 7 more than in the previous week. Of these 30 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 334 and are 65 more than in the previous week.

Deaths attributed to violent causes numbered 26 and are 1 more than in the

previous week.

The mean temperature for the towns from which returns were received was 45.6°, being 3.1° below that for the previous week and 4.4° below the average for the corresponding week in the period 1901–30. The mean rainfall was 0.26 inch and the mean sunshine 52.2 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved
EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses
13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;
39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;
30 Chichester Street, Belfast;
or through any bookseller

Price Id. net

Annual Subscription 8s. 8d. post free.

TURN OVER

§ Weekly means.

		No.	(31)	];	22	က ်	4.	5.	6.	7.	∞	6	10.	11	24	<u> </u>	14,	15.	16,				
H	ours of 1	Bright Sunshine.	(30)	64.4	42.9	36.1	49.8	61.2	29.6	. :		1	[X/	66.3	:	;	:	44.6	46.3	52.28	77.78	:	
	Rainfa	ll in Inches.	(29)	11.0	05.0	9.33	0.62	0.50	00.0	4		:	100	0.57		***	4	0.40	0.12	0.26	\$00.0	1.318	
.0		l'emperature (aver- all observations).	(28)	2.9	6.81	2.2	0.9	₹ 0,000	 	:	,i,	:	:	6.9	:	:	:	6.5	45.3	45.68 0.268 52.28	48.78	52.38	hg
Temperature.		solute Lowest.	(27)	7	4.	77	4	4	37	-	- : 1	:	:	26	. :	:	:		28	26+	284	34‡	Deat
Temp	A.b.	solute Highest.	26)	. 99	24	09	22	63	62	:	:	:	:	99	0 to 0.	4.	: 1	55	19	199	±92	±69	Including Service Deaths
		Violence.	(32)	1	20	c1	2	යන	4	Ç1	:	:	:	;	:	·	:	:	-	26	25	62	ding 8
	Diarrh	mea (under 2 years of age).	(24)		9	:	777	•	6-	:	. :	:	:	9-	:	<del></del>	:	.:	:	13	7	00	Inclu
		piratory Diseases than Tubercular).	(23)	28	11	5	-	:		8	. :	<del></del>	:	:	.: .	:	~	2	H	53	43	52	+
	Machinistra	Respiratory System.	(22)	25	9	က	2	7-4	ග	7	<del>, .</del>	<del></del> -(	:	y(	4		. :	:		20	37	42	tland.
	Tuber-	All Forms.	(12)	36	<u></u>	4	7	p-m	ಣ	C-1	-		:		4		:		•	63	41	52	usual residence if in Scotland
from		Measles.	(20)		``	:	;	:	-	:	:	:	;	: .	:	:	:	:	:	-	ග	:	nce if
Deaths from	ases.	Influenza.	(61)		:	;	:	:	:	;	:	:	:	:	:	:	:	. :	1	: :	2	24	eside
L-si	Principal Epidemic Diseases.	Diphtheria.	(18)		:	. :	.;	;	:	*	;	.:	:	:	:	:	:	i	:	-	. ;	<del>-</del>	sual r
	demic	Whooping-cough.	(41)		:	:	:	:	:	:	* * *	:	:	:	;	:	?	;	:	:	:	ත	0
	al Epi	Scarlet Fever.	(16)	T	;	:	:	;	-:	:		-;	:.	:	:	;	:	:	:		:	:	o plac
	incip	Cerebro-spinal Fever.	(18)	22	-	b 0	:	:	:	:	- 8 2	:	:	:	:	:	:	:	:	63	p	.==	sfer t
	Pr	Typhoid and Para- typhoid Fevers.	(14)	3	:	:	:	;	:	:	*	:	:	:	:	:	:	1 :	:	:	:	:	y trai
4-4	Pers	ons aged 65 Years and over.	(18)	130	81	29	27	great great	5	.00	ಣ	7	4	7	ග	4	- 5	4	ಣ	334	269	321	rted b
Deaths of	ts One	Under One Month.	(10)	13.	10	Ci	අත	භ	-	ñ	1	:	~	:	:		:	p—(	i	30	30	\$50 CO	corre
De	Infants under One Vear of Age.	Total.	1	29	proof.	. ന	4	ಬಾ	2	"B"	. :	:	-	:	-	-	-	_	<del></del>	59	52	63	onally
	Rate	per 1000 of Estima. ivilian Population.	(40)	14.9	16.3	16.4	13.0	12.4	20.2	13.7	9-6	11.9	10.9	0.8	16.6	2.11	6.11	11.9	10.1	14.7	12.1	14.4	n provisi
	Net	Number (Civilian).	6	292	138	51	42	21	29	17	9	10	6	9	12	0	00	6	~	999	551	634	ve bee
Deaths	- 7	Transferred In.	3	10	20	-	-	prof	9	10		67	ଦ	;	7	-	:	20	-	44	300	48	es) ha
Q	Tr	ansferred Out.	(A)	31	17	7	15	4	2	:	:	23	:	-	1.	4	ရာ	9	-	93	103	112	th rat
	Nu	mber Registered.	, i	313	150	29	26	24	25	12	70	10	9	7	10	12	П	10	1-	715	616	869	ng dea
	· M	arriages.		(5) 131	55	20	32	11	9	22	10	4	70		00	1-	2	ಣ	<u>ي</u>	297	277	376	leludi
Births.*		Still Born.		£ 51	4	ග	4	-	prod	c7.	:	-	:	:	p-4	-	:	:	Н	31	30	30	ths (ir
Birt		Live Born.		(3)	176	63	61	41	34	53	17	17	20	12	18	12	11	17	22	1000	1055	965	d Dea
	Estimated	Oivilian Population 31st Dec. 1945,		1,020,800	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	87,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	Numbers of Births and Deaths (including death rates) have been provisionally corrected by transfer to place
		TOWNS.		GLASGOW,	EDINBURGH, .	DEE,	ABERDEEN, .	LEY,	GREENOCK, .	MOTHERWELL AND WISHAW,	CLYDEBANK,	KIRKCALDY, .	COATBRIDGE, .	KILMARNOCK, .	HAMILTON, .		CIRK, .	DUNFERMLINE,	, н.	(May 18, 1946	May 11, 1946	May 19, 1945	* Number
		TO		1. GLAS	2. EDIN	8. DUNDEE,	4. ABER	5. PAISLEY,	6. GREE	7. MOTE AND	8. CLYD	9. KIRK	10. COAT	11. KĮLM	12. HAM]	13. AYR, .	14. FALKIRK	15 DUNE	16. PERTH,	Total.	16 Towns	week	
		Printed under								JEST'							FF	CE					

By J. Skinner & Co., Ltd., Thistle Street. Edinburgh 2 18/5/46. J.S.&Co. Lto. Group 171 (1940).

#### WEEKLY RETURN No. 21 OF THE REGISTRAR-GENERAL

## Scotland

# BIRTHS, DEATHS AND

**MARRIAGES** 

Registered in sixteen of the Principal Towns

Week ended Saturday, 25th May 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 25th May 1946 the births of 1062 living children and of 52 still-born children, 301 marriages and 636 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 21.4 per thousand of the population, the marriage-rate 6.1 and the death-rate 14.0. The number of still-births corresponds to a rate of 47 per thousand total births registered (including still-born).

The birth-rate of the week is 1.2 more than in the previous week and 2.5 above the five years' average. The marriage rate is 0.1 more than in the previous week and 3.2 above the pre-war average. The death-rate is 0.7 less than in the previous week

but 0.5 above the average.

The weekly death-rates in the individual towns ranged from 19.4 in Hamilton and 18.7 in Kilmarnock to 10.7 in Paisley and 8.6 in Perth. Relatively high death-rates occurred in Clydebank 17.5, in Ayr 16.6 and in Edinburgh 15.6. In Glasgow the rate was 14.4.

Deaths from the principal epidemic diseases numbered 6 and are the same as in the previous week. They include 2 from cerebro-spinal fever and 4 from measles. Compared with the number in the previous week deaths from cerebro-spinal fever are 1 fewer and from measles 3 more. In the previous week 1 death was registered from scarlet fever and 1 from diphtheria.

Deaths from all forms of tuberculosis numbered 62, of which 50 were from tuberculosis of the respiratory system. The former are 1 fewer than in the previous week but the

latter number the same.

Deaths from respiratory diseases (other than tubercular) numbered 52 and equalled an annual death-rate from these causes of 1.1 per thousand. This death-rate is 0.1 less than in the previous week and 0.2 below the average.

Deaths of children aged less than one year numbered 56, being 3 fewer than in the previous week. Of these 35 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 309 and are 25 fewer than in the previous week.

Deaths attributed to violent causes numbered 23 and are 3 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 51.2°, being 5.6° above that for the previous week but 0.6° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.49 inch and the mean sunshine 57.3 hours.

NOTE: —The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H. M. STATIONERY OFFICE at the following addresses

13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;

39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;

80 Chichester Street, Belfast;

or through any bookseller

Price 1d. net

Annual Subscription 8s. 8d. post free.

TURN OVER

LIBRARY

		No	(31)	2.	eo.	4.	5.	6.	7.	oo	9.	10.	11.	12.	13.	14.	15.	16.				ı
н	ours of	Bright Sunshine.	(30)	6.09	52.6	59.6	24.6	0.19		1	:	1:	53.2	:	:	:	2.09	54.0	51.28 0.498 57.38	45.68 0.268 52.28	:	ı
	Rainfa	ll in Inches.	0.42	0.75	0.21	99.0	0.53	.02.	:	:	1:	:	12.0	:	;:	:	72.0	0.53	0.498	0.268	1.238	ı
o o		Temperature (aver-	(28)	49.5	49.7	_	52.8 0	2.7	:	: '	:	:	53.1	:	:	:	20.2	20.9	1.28	\$9.9	51.88	0.0
ratur		all observations).	39 55	42 49	35 46	89 48	40 55	42 52	:	:	. :	:	36 5	;	;	:	40 5	34 5	34+ 6	797	387	Traingle Commiss Deaths
Temperature.		7	26) (9	61	- 19	28	99	1.9	:		:	:	. 89	;	:	;	- 29	64	+89	<b>9</b> 9	‡0.2	oo jaan
-	AO	Violence.	(25) (2	9	7		:	8	:	_	:	í	:	m	લ	:	:	:	22	26 6	16 7	2 2 2
	Diarrh	nea (under 2 years	(24) (2	-	:	:	:	:	:	;	:	:	:	-	:	· :	:	<u>:</u>	5 2	13	10	
	Resi	of age).	(5 (5 (5) (6)	t-s	4	50	رى	2				:	:	:		_	:	<del></del>	52	53	7.C5 0.D	-
		than Tubercular).		0		2	_		က	හ	:	-	2	2	2	:	:		50   5	20	40	ŀ
	Tuber-	Respiratory System.	70	-							•					•		·				1
I III	To	All Forms.	(21)	11	_	ಬ	_	හෙ	ಣ	ಣ			e0	63	64	:	:	:	62	63	48	
Deaths from	où.	Measles.	(30)	:	:	:	:	:	:	:	:.	:	:	2	:	:	:	:	4	П	:	1
Dear	Diseases.	Influenza.	(61)	:	;	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	<u> </u>	
	nie D	Diphtheria.	(18)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	-	:		;	
1	Epidemic	Whooping-cough.	(3.7)	, :	:	:	:	:	:	-	:	:	:	:	:	:		:	:	:	·	II.
	pal E	Scarlet Fever.	(16)	:	:	:	:	:	<u>:</u>	:	<u>:</u>	:	:	:	:	:	:	:	2	3	-	ı
	Principal	Cerebro-spinal Fever.	(15)	S		:	:	:	•	1	:	:	:	:	7	:	:					1
		Typhoid and Paratyphoid Fevers.	(14)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	-	:		ш
-	Pers	ons aged 65 Years and over.	(18)	69	19	21	12	9	10		00	4	1	<b>10</b>	6		1	೯೦	309	234	292	l
Deaths of	one Age.	Under One Month.	(12)	20	C)	21	garge.	-	H	-	H	:	2	~	:	-	П	2 🗧	35	30	28	ı
Ď	Infants under One Year of Age.	Total.	11)	00	60	2	2	ria .			greet	:	.2	<del>, '</del>	:	2	7	-	56	59	54	ı
	Rate	per 1000 of Estima-	(10)	15.6	10.9	11:1	10.7	14.2	14.5	17.5	13.1	10.9	18.7	19.4	9.91	11.9	15.8	9.8	14.0	14.7	13.3	
	-	Number (Civilian).	(9)	132	34	36	18	20	18	11	11	6	14	14	13	00	II	9	636	999	586	
Deaths.	7	Transferred In.	© 75 75	67	-	:	proof	64	8	2	g===(	-	က	9	,-		2	:	49	44	46.	ı
Ď	Tr	ansferred Out.†	(7)	28	ಭವ	1	4	ಣ		:	_	:	63	7	20	က	21	9	86	93	105	ı
	Nu	mber Registered.	(6)	158	36	43	21	21	16	6	11	00	13	\$	17	10	11	12	685	212		
-	M:	arriages.	(5)	58	24	34	-1	9	9	10	10	4	01.	Н	တ	ಣ	10	9	30.1	297	403	1
*		Still Born.	(±)	6	70	9	_		4	:	2	,-	:	7	:	:	:	:	52 3		30 4	l
Births.*		Live Born.	(3) (461		72	62	34	35	27	18	21	20	18	22	19	6	18	16	1062	1005	268	١
	Estimated	Colvilian Population 31st Dec. 1945.	(2)		-	-	88,100	73,600	64,700	32,700	43,800	42,900	39,000	87,700	40,800	35,000	41,700	36,200	2,369,100	_	2,296,600	
		TOWNS	(1) 1. GLASGOW.	2. EDINBURGH.		4. ABERDEEN,	5. PAISLEY,	6. GREENOCK, .	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY, .	10. COATBRIDGE, .	11. KILMARNOCK,	12. HAMILTON, .	13, AYB,	14. FALKIRK.	15 DUNFERMLINE,	16. PERTH,	Total. (May 25, 1946	S	week ending (May 26, 1945	

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street. Edinburgh 2

#### WEEKLY RETURN No. 22 OF THE REGISTRAR-GENERAL

## Scotland

## BIRTHS, DEATHS AND **MARRIAGES**

Registered in sixteen of the Principal Towns Week ended Saturday, 1st June 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 1st June 1946 the births of 1009 living children and of 29 still-born children, 283 marriages and 615 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 20.3 per thousand of the population, the marriage-rate 5.7 and the death-rate The number of still-births corresponds to a rate of 28 per thousand total births registered (including still-born).

The birth-rate of the week is 1.1 less than in the previous week but 1.0 above the five years' average. The marriage rate is 0.4 less than in the previous week and 0.1 below the pre-war average. The death-rate is 0.5 less than in the previous week

but 0.3 above the average.

The weekly death-rates in the individual towns ranged from 20.4 in Avr and 17.9 in Kirkcaldy and in Falkirk to 7.3 in Coatbridge and 4.8 in Motherwell and Wishaw. Relatively high death-rates occurred in Kilmarnock 16.0, in Perth 15.8 and in

Dunfermline 15.0. In Glasgow the rate was 14.4 and in Edinburgh 14.2.

Deaths from the principal epidemic diseases numbered 7 and are 1 more than in the previous week. They include 1 from scarlet fever, 3 from whooping-cough, 2 from influenza and 1 from measles. Compared with the number in the previous week deaths from scarlet fever are 1 more from whooping-cough 3 more, from influenza 2 more and from measles 3 fewer. In the previous week 2 deaths were registered from cerebro-

Deaths from all forms of tuberculosis numbered 60, of which 43 were from tuberculosis of the respiratory system. The former are 2 fewer than in the previous week and the

latter 7 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 44 and equalled an annual death-rate from these causes of 1.0 per thousand. This death-rate is 0.1

less than in the previous week and 0.1 below the average.

Deaths of children aged less than one year numbered 63, being 7 more than in the previous week. Of these 36 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 295 and are 14 fewer than in the previous week.

Death's attributed to violent causes numbered 18 and are 5 fewer than in the

The mean temperature for the towns from which returns were received was 55.0°, being 3.8° above that for the previous week and 1.2° above the average for the corresponding week in the period 1901-30. The mean rainfall was 1 15 inch and the mean sunshine 35.2 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H. M. STATIONERY OFFICE at the following addresses

13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;

39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;

80 Chichester Street, Belfast;

or through any bookseller

Price 1d. net Annual Subscription 8s. 8d. post free.

			No.	(31)	. 2.	ಣ	4.	5.	6.	7.	°	9.	10.	11.	12.	13.	14.	15.	16.				1
	· He	ours of	Bright Sunshine.	(30)	31.9	27.9	31.1	40.7	37.3	:	1:	:	:	17.71	:	:	:	34.0	26.5	85 · 28	57.38	:	ı
-		Rainfa	all in Inches.	(29)		17	.64	-07	00.	:	:	:	:	6 26.	:	:	:	60.	.10	.158	498	0.958	
-	.0.		Temperature (aver-	(28)	53.3 1	54.9 1	52.2	56.0 1	56.5 1	:	:	:	:	0 9.99	:	;	:	54.9	22.6 1	55.08 1.158 35.28	51.28 0.498 57.38	\$2.09	85
	Temperature.		osolute Lowest.	(27)		40 5	47 5	44 5	44 5	:	:	:	;	38 5	:	:	:	42 5	43	38+ 5	34+ 5		Death
	Temp	A.b	solute Highest.	26)	69	65	61	71	69	:	:	:	:	74	;	;	;	19	29	74+	£89	64+	Including Service Deaths
-			Violence.	(25) (		ಣ	53	:		:	:			:	:	:		7	:	18	23	17	ling S
١		Diarri	nca (under 2 years of age).	(24) (	0 01	:	:	;	:	;	;	<del></del>	:	:	:	_	:	:	H	I	5	II	Includ
			piratory Diseases	(23)	9	2	_	~	ಣ	prod	CI	:		:	7	;	:	:	:	44	52	40	+
ı		No Complete	Respiratory	(22)	00	ော	2	2	_	7—5	:	2	:	:	7	r-4	:	-	•	43	900	35	land.
ı		Tuber-	All Forms.	(21)	10	က	ಣ	7	-	rmi	:	2	~	-	ಣ	2	:	<b>—</b>		09	62	46	n Scot
1	from		Measles.	(20)	4 :	:	:	:	:	;	:,	:	:	;	;	:	;	;	:	-	4	1	ce if in
ı	Deaths from	ases.	Influenza.	(61)	· :	:	y	:	:	:	· :	:	:	:	:	:	<u>:</u>	:	· ·	63	:	:	siden
ı		Dise	Diphtheria.	(81)	: :	:	:	:	:	:	:	:	:	:	:	:	:	:	:	-	:	60	ual re
١		Principal Epidemic Diseases.	Whooping-cough.	(41)	:	:	:	:	:	:	:	:	:	:	:	:	:	;	;	3	:	-	of us
		al Epi	Scarlet Fever.		: ;	:	:	:	:	:	,	;	:	:	:	;	;	:	:	<	:	;	place
		incip	Cerebro-spinal Fever.	(12)	: :	:	:	:	:	:	;	:	:	:	• :	:	:	:	:	:	22	:	sfer to
		Pr	Typhoid and Para- typhoid Fevers.	(14)	: :	:	:	:	:	:	:	:	:	:	:	;	:	:	:	:	:	:	r tran
	-	Pers	ons aged 65 Years and over.	(18)	99	14	18	10	6	H	2	7	:	1-	-	Ξ	00	9	1-	295	200	254	ted by
	Deaths of	Onet Age,	Under One Month.	(12)	1 00	C1	2	:		:	:	2	:	٦	:	_	-			36	35	24	correc
	De	Infants under Onet Year of Age.	Total.	11)	4	2	2	:	67	;	2	4	-		භ	2	_	2	proof	63	99	47	nally
-		Rate	per 1000 of Estima- ivilian Population.	(10)	14.2	10.0	11.7	11.2	14.2	4.8	0.8	17.9	7.3	16.0	13.8	20.4	17.9	15.0	15.8	1.3.5	14.0	11.9	death rates) have been provisionally corrected by transfer to place of usual residence if in Scotland
		Net	Number (Civilian).	(6)	120	31	300	19	20	9	70	15	9	12	10	16	12	12	П	615	636	526	e been
	Deaths.	Т	ransferred In.	(8)		7	23	prod	-	-	ಣ	2	ा	-	Н	ရာ	:	2	:	42 6	49 (	39	) have
ı	Ď.	Tr	ansferred Out.†	(£)	34	2	00	~	2	:	:	:	:	:	_	ಣ	ಣ	ಣ	00	02	86	11	rates
ı		Nui	nber Registered.	(6)	150	35	44	25	21	20	CI	13	4	11	10	16	15	65	19	78 1	85	98 1	
-		Ma	rriages.	(5)		22	30	10	00	70	4	খা	proof.	9	:	70	4	4	က	283 67	1 . 68	462 59	luding
-	* :		Still Born.	( <del>+</del> )		9	:		prof	:	:	:	-	p==(		:	p(		63	29 28	52 301	29 46	s (inc
	Births.		Live Born.	(3)		22	87	38	32	21	19	23	21	15	13	17	15	18	133	6001	1062	925	Death
		Estimated	Population 31st Dec. 1945.	(2)		162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100 1	2,296,600	Numbers of Births and Deaths (including
			TOWNS	(1) 1 GLASGOW	2. EDINBURGH,	3. DUNDEE,	4. ABERDEEN, .	5. PAISLEY,	6. GREENOCK, .	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY, .	10. COATBRIDGE, .	11. KILMARNOCK, .	12. HAMILTON,	13. AYR,	14. FALKIRK,	15 DUNFERMLINE,	16. PERTH,	Total, (June 1, 1946	6 Towns May 25, 1946	week June 2, 1945 ending	.* Number

By J. Skinner & Co., Ltd., Thistie Street, Edinburgh 2 Wt. 70012/2 4/6/46. J.S. & Co. Lτo. Group 171 (1940).


## WEEKLY RETURN No. 23 OF THE REGISTRAR-GENERAL

#### Scotland

# BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 8th June 1946



The birth-rate of the week is 0.6 less than in the previous week but 0.9 above the five years' average. The marriage rate is 8.4 more than in the previous week and 0.4 above the pre-war average. The death-rate is 1.7 less than in the previous week

and 1.4 below the average.

The weekly death-rates in the individual towns ranged from 15·3 in Motherwell and Wishaw and 14·4 in Perth to 7·7 in Ayr and 4·9 in Coatbridge. Relatively high death-rates occurred in Paisley 13·6, in Edinburgh 13·4 and in Kirkcaldy 13·1. In Glasgow the rate was 12·1.

Deaths from the principal epidemic diseases numbered 3 and are 4 fewer than in the previous week. They include 1 from diphtheria, 1 from influenza and 1 from measles. Compared with the number in the previous week deaths from diphtheria are 1 more, from influenza 1 fewer and from measles the same. In the previous week 1 death was registered from scarlet fever and 3 from whooping-cough.

Deaths from all forms of tuberculosis numbered 52, of which 41 were from tuberculosis of the respiratory system. The former are 8 fewer than in the previous week and the

latter 2 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 39 and equalled an annual death-rate from these causes of 0.9 per thousand. This death-rate is 0.1 less than in the previous week and 0.2 below the average.

Deaths of children aged less than one year numbered 48, being 15 fewer than in the previous week. Of these 30 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 268 and are 27 fewer than in the previous week.

Deaths attributed to violent causes numbered 25 and are 7 more than in the

previous week

The mean temperature for the towns from which returns were received was 53.8°, being 1.2° below that for the previous week and 0.5° below the average for the corresponding week in the period 1901–30. The mean rainfall was 0.53 inch and the mean sunshine 39.7 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved
EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses
13A Castle Street, Edinburgh 2; Vork House, Kingsway, London, W.C. 2;
39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;
80 Chichester Street, Belfast;
or through any bookseller

Price 1d. net
Annual Subscription 8s. 8d. post free.

[TURN OVER

		°N N	(3)	લં	ಞ	Ą.	50	9	7	00	6	2	11	12	50	14	15.	16		4.00	
Н	ours of	Bright Sunshine.	(30)	:	33.9	34.7	43.6	:	: ,	:	:	:	45.8	÷	:	i	39.1	39.5	39.78	35.28	:
	Rainfa	ll in Inches.	(29)	:	0.47	0.55	0.91	:		• :	:	:	0.89	:	:	:	0.59	0.27	0.538	1.158	
.0.		Temperature (aver-	(28)	:	53.0	6.79	24.7	:	:	:	:		54.3	:	:	:	53.6	54.3	53.88	\$0.99	53.98
Temperature.		osolute Lowest.	(27)	:	37	41 5	46 5	;	:	:	:		43	:	:	:	41	330	37+	384	35+
Temp	A.b	solute Highest.	(26)	;	99	64	65	:	:	:	:	:	29	:.	:	:	64	65	129	74+	±89
		Violence.	(25)	00	က	,—	;	;	-	:	:	:	-	:	~	7	7	П	25	18	8
	Diarri	ncea (under 2 years of age).	(24)	:	7	-	:	:	:	:	:	:	:	:	:	:	:	:	00	П	10
	Res	piratory Diseases than Tubercular).	(23)	0	4	က	_	-	П	:	:	-	7	:	:	:	61	:	39	44	20
		Respiratory	(22)	4	27	က	7	;	ಣ	<del>-</del>	, ·	;	:	Н	:	r-4	:	-	41	43	43
	Tuber-	All Forms.	(21)	1-	2	ග	က	:	4	7	<b></b>	:	:	61	:	~	` :		52	09	26
from		Measles.	(20)	:	:	:	:	:	1.	:	:	;	:	:	:	:	:	:	-		S
Deaths from	ases.	Influenza.	(19)	:	:	:	:	;	:	:	:	:	:	:	:	;	-	:	-	2	;
Ω.	Principal Epidemic Diseases.	Diphtheria.	(18)	:	:	:	:	:	:	:	;	:	:	:	:	:	:	:	,1	:	_
	demic	Whooping-cough.	) (41)	:	;	:	:	;	:	;	:	:	:	:	:	:	;	;	:	ಣ	г
	1 Epic	Scarlet Fever.	(91)	:	:	;	:	:	:	:	:	:	:	;	:	:	:	:	:	-	:
	neipa	Cerebro-spinal Fever.	(15)	:	:	:	;	:	:	:	÷	:	:	÷	:	:	:	:	:	:	:
	Pr	Typhoid and Paratyphoid Fevers.	(14)	:	:	;	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
	Pers	ons aged 65 Years and over.	(13)	09	16	16	12	0,	11	4	7	က	C1	4	4	N	7	20	268	295	283
Deaths of	ts One Age.		(12)	1	4	2	-	:	-	<del></del> 1		:	:	:	ì		;	:	30	36	32
. Des	Infants under One Year of Age	Total.	11)	6	4	ಣ	ಣ	-	Н	-	-	:	-	:	:	_	:	:	48	63	20
	Rate	per 1000 of Estima- ivilian Population.	(10)	13.4	10.0	0.0	13.6	8.5	15.3	11.2	13.1	4.9	ۍ. ئ	11.1	1.1	10.4	12.5	14.4	11.8	13.5	13.1
		Number (Civilian).	(9)	113	31	30	23	12	19	-1	11	4	-	00	9	7	10	10	534	615	578
Deaths.		ransferred In.	(8)			2	20	-	ක		,	:	:	:	:	:	_	:	30   5	42 (	41
Det		ansferred Out.†	(7)		භ	2	4	-	:	:		:	5	:	23	50		ಣ	89	105	100
;		mber Registered.	(6)		හි	35	22	12	91	9	10	4	6	00	00	12	5	13	572	678 1	637 10
					42	24	22	22	23	6	12	10	<u>ح</u>	11	I	14	19	16	Charles and the last	_	_
*.	M:	Still Born.	(4) (5)	A) (50 mm)	2 4	3	3	7	2	:	2 1	1 1		:		-	H	p-4	38 700	29 283	25 812
Births,	-	Live Born.	(3) (4)			69	28	4)	93	14	30	13	1	19	12	7	18	13	980 3	1009 2	876 2
	75		-	-						7 King 20			8		-	00	p : 11 %;		and the same of		
	Estimated	Civilian Population 31st Dec. 1945.	(2)	441.000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	87,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600
Additional and a second		TOWNS.	(1) (1) GI.ASGOW	2. EDINBURGH.	3. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK, .	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY, .	), COATBRIDGE, .	KILMARNOCK,	HAMILTON, .	1. AYR,	. FALKIRK.	DUNFERMLINE,	, PERTH,	Total, (June 8, 1946	6 Towns June 1, 1946	week ending June 9, 1945
		Printed under	}				_	_				10.	11.	12.	13,	14.	15	16,		16	9

#### WEEKLY RETURN No. 24 OF THE REGISTRAR-GENERAL

## Scotland

## BIRTHS, DEATHS AND **MARRIAGES**

Registered in sixteen of the Principal Towns

Week ended Saturday, 15th June 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 15th June 1946 the births of 1123 living children and of 33 still-born children, 752 marriages and 557 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 22.6 per thousand of the population, the marriage-rate 15.1 and the death-rate The number of still-births corresponds to a rate of 29 per thousand total births registered (including still-born).

The birth-rate of the week is 2.9 more than in the previous week and 3.8 above the five years' average. The marriage rate is 1.0 more than in the previous week and 2.8 above the pre-war average. The death-rate is 0.5 more than in the previous week

but 1.2 below the average.

The weekly death-rates in the individual towns ranged from 18.0 in Dundee and 15.2 in Hamilton to 7.1 in Kirkcaldy and 5.0 in Dunfermline. Relatively high deathrates occurred in Falkirk 14.9, in Greenock 13.5 and in Kilmarnock 13.4. In Glasgow

the rate was 12.2 and in Edinburgh 12.8.

Deaths from the principal epidemic diseases numbered 3 and are the same as in the previous week. They include 1 from cerebro-spinal fever, 1 from diphtheria and 1 from measles. Compared with the number in the previous week deaths from cerebrospinal fever are 1 more, from diphtheria the same and from measles the same. In the previous week 1 death was registered from influenza.

Deaths from all forms of tuberculosis numbered 48, of which 41 were from tuberculosis of the respiratory system. The former are 4 fewer than in the previous week but the

latter are the same.

Deaths from respiratory diseases (other than tubercular) numbered 42 and equalled an annual death-rate from these causes of 0.9 per thousand. This death-rate is the same as in the previous week but 0.1 below the average.

Deaths of children aged less than one year numbered 54, being 6 more than in the previous week. Of these 32 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 269 and are 1 more than in the previous week.

Deaths attributed to violent causes numbered 26 and are 1 more than in the

previous week.

The mean temperature for the towns from which returns were received was 51.9°, being 1.9° below that for the previous week and 2.7° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.63 inch and the mean sunshine 35.5 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H. M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net Annual Subscription 8s. 8d. post free,

Wt. 70012/2

# Weekly extremes.

Temperature.	Rainf:	Bright Sunshine.  all in Inches.  Temperature (averfall observations).  bsolute Lowest.	(27) (28) (29) (30)	52.4 0.64 3	51.3 0.67 39.4	2 1.28 25.0	0.63 32.5	0.31 35.5	0.38 39.4	:	:	:	:	0.30 44.2	:	:	:	0.81	0.63 30.9	51.98 0.638 35.58	53.88 0.598 41.38	828.	
Temperature.	Mean age o	Temperature (aver- f all observations).	(28)	52.4	<u>ښ</u>		0.63	0.31		:	:	:	:	.30	:	:	:	.81	63	0.638	.598	.358	
Temperature.	Al Al	f all observations). bsolute Lowest.	-	52.4	<u>ښ</u>	CA	_							0				0	0				
Temperatu 'ffahr.	Alt		(27)			51.2	49.4	53.8	53.3	:	:	:	:	52.5	:	:	:	2.19	51.9	86.19	53.88	54.18 0.358	500
Temj		osolute Highest.		40	43	40 [	39	42 5	44 8	:	:	:	:	35	:	:	:	39	88	35+	37#		Including Service Deaths
	Diarri		(26)	99	19	65	28	29	65	:	:	:	:	65	:	:	:	64	65	419	#19	<b>£</b> 19	Inrvice
	Diarri	Violence.	(25)	15	2	2	2	1	:	:	,	:	:	:	_	2	:	:	:	26	25	27	ding 8
		hœa (under 2 years of age).	(24)	9	:	:	2	:	:	:	:	:	:	:	:	:		:	:	6	00	00	Inclu
		piratory Diseases r than Tubercular).	(23)	21	6	ಣ	4	7	:	:	:	;	:	-	က	:	;	:	:	42	39	25	1
	is.	Respiratory System.	(22)	22	4	ಣ	2	က	:	7.	:	٦	7	-	1	:	p~4	:	:	41	41	29	tland.
a	Tuber- culosis.	All Forms.	(21)	56	2	5	2	က	;	7	:		7	_	-	:	-	÷	:	48	52	41	in Seo
Deaths from		Measles.	(20)	-	`:	:	;	:	:	:	:	:	:	:	:	:	:	:	1			н,	ince it
Deat	Principal Epidemic Diseases.	Influenza.	(61)	:	:	:	:	:	:	:	:	:	:	:	:	;	:	:	:	:	_	:	reside
	ile Di	Diphtheria.	(18)	:	:	:	:	:	:	-	:	;	:	:	:	:	;	:	:	17	-	2	usual
	piden	Whooping-cough.	(11)	:	:	•	;	:	:	:	:	:	:	:	:	:	:	:	:	:	:	2	ace of
	pal E	Scarlet Fever.	(16)	:	;	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	to pla
	Princi	Cerebro-spinal Fever.	(15)	:	_	:	•	:	:	:		:	:	:	:	:	:	:			:	:	nsfer
		Typhoid and Paratyphoid Fevers.	(14)	:	:	:	<u>:</u>	:	:	:	:	:		:	:	:	:	' <b>:</b>	:		:		by tra
to		ons aged 65 Years and over.	(13)	86	99	26	19	13	11	9	2	eo	ಣ	ෆ	ග	ಣ	4	4	2	269	268	259	ected
Deaths of	Infants under One Year of Age.	Under One Month.	(12)	16	ර්ර		2	:		-	y-m(	:	CA	~	ಣ	:	<u> </u>	:	•	32	30	28	y corr
	Inf unde Year	Total.	11)	25	00	. 2	9	:	_		_	;	2	<del>, -</del> (	4	:	က	;	:	54	48	55	ionall
	Rate ted C	per 1000 of Estima- ivilian Population.	(10)	12.2	12.8	18.0	11.4	11.2	13.5	12.)	9.6	7.1	7.3	13.4	15.2	2.2	14.9	200	9.8	12.3	11.8	12.4	g death rates) have been provisionally corrected by transfer to place of usual residence if in Scottand
	Net	Number (Civilian).	(6)	238	108	56	37	19	19	15	9	9	9	10	I	9	10	4	9	257	534	548	ve beer
Deaths.	Т	ransferred In.	(8)	16	4	7	-	_	П	9	_	:	က	-	_	7	:	:	-	40	30	22	ss) har
	Tra	ansferred Out.†	(2)	18	26	7	14	2	2	:	:	2	_	-	Г	7	ಣ	2	11	95	89	86	h rate
	Nui	nber Registered.	9	240	130	61	20	23	20	6	70	00	4	10	11	9	13	9	16	612	572	589	ng dea
	Ma	rriages.	(2)	331	124	48	53	37	21	31	6	13	14	14	15	14	12	9	10	752	200	289	cludir
Births.*		Still Born.	€	12	2	හ	2	4	-	:	:	_	H	:	7	:	-	H	:	33	38	42	shs (in
Birt		Live Born.	(8)	494	194	68	76	45	39	31	16	17	27	17	30	13	22	14	20	1123	086	928	1 Deat
	Estimated	Population 31st Dec. 1945.	(2)	1,020,800	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	45,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	* Numbers of Births and Deaths (includin
		TOWNS.	(1)	I. GLASGOW,	2. EDINBURGH, .	3. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK, .	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY,						15 DUNFERMLINE, .	16. PERTH,	_	6 Towns June 8, 1946	ending June 16, 1945	* Number

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistie Street, Edinburgh 2 18/6/46. J.S.&Co. Lto. Group 171 (1840).

#### WEEKLY RETURN OF THE REGISTRAR-GENERAL


Scotland

BIRTHS, DEATHS AND

MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 22nd June 1946



The birth-rate of the week is 1.4 less than in the previous week but 1.8 above the five years' average. The marriage rate is 0.6 less than in the previous week but 3.7 above the pre-war average. The death-rate is the same as in the previous week

but 0.8 below the average.

registered (including still-born).

The weekly death-rates in the individual towns ranged from 16.1 in Motherwell and Wishaw and 15.2 in Hamilton to 7.4 in Falkirk and 4.9 in Coatbridge. Relatively high death-rates occurred in Kilmarnock 14.7, in Ayr 14.0 and in Paisley 13.6. In

Glasgow the rate was 12.6 and in Edinburgh 13.5.

Deaths from the principal epidemic diseases numbered 5 and are 2 more than in the previous week. They include 2 from whooping-cough, 1 from diphtheria, 1 from influenza and 1 from measles. Compared with the number in the previous week deaths from whooping-cough are 2 more, from diphtheria the same, from influenza 1 more and from measles the same. In the previous week 1 death was registered from cerebrospinal fever.

Deaths from all forms of tuberculosis numbered 49, of which 32 were from tuberculosis of the respiratory system. The former are 1 more than in the previous week but the

latter 9 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 48 and equalled an annual death-rate from these causes of 1.1 per thousand. This death-rate is 0.2 more than in the previous week and 0.1 above the average.

Deaths of children aged less than one year numbered 55, being 1 more than in the previous week. Of these 25 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 268 and are 1 fewer than in the previous week.

Deaths attributed to violent causes numbered 19 and are 7 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 54.7°, being 2.8° above that for the previous week but 0.7° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.60 inch and the mean sunshine 37.2 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net Annual Subscription 8s. 8d. post free.

[TURN OVER

LIBRARY

-			No.	(31)	2.	3	4.	5.	6.	7.	တ်	6	10.	11.	12.	13,	14.	15.	16.				
ı	Ho	urs of	Bright Sunshine.	(30)	41.1	40.3	27.72	36.2	40.8	:	. :	; :	÷	39.2	:	:	:	35.8	36.4	37.28	35.58	:	
ı		Rainfa	ll in Inches.	(29)	0.29	0.73	1.25	0.52	0 54	:	.:	:	:	0.45	:	:	:	0.45	98.0	\$09.0 \$1.49	51.98 0.638 35.58	.68 0.278	
ı	re.		Temperature (averall observations).	(28)		55.5	24.7	2.99	2.49	:	:	:	:	P-4G	:	:	:	54.1	9.79	54.78	51.98	\$9.69	ths
ı	Temperature.	Al	solute Lowest.	(27)		42	45	44	44	:	:	:	:	37	:	:	:	41	36	36+	35+	40‡	e Dear
ı	Temi	A.b	solute Highest.	(26)	74	81	92	73	71	:	:	:	;	75	:	:	:	72	19	81+	#19	161	Including Service Deaths
ı			Violence.	(25)	4	:	7	:	7	-	2	:	:	:	:	:	÷	:	:	19	56	25	uding
ı		Diarrh	cea (under 2 years of age).	(24)	- es	:	:	:	:	-	.:	:	:	:	_	_	:	:	:	13	6	00	† Incl
ı			piratory Diseases than Tubercular).	(23)	10	4	٦	:	2	:	:	:	:	<u>-</u> -	~	3	;	:	-	48	42	41	
		er.	Respiratory System.	(22)	අත	2	٦	:	-	:	_	:	:	7	_	:	:		•-	32	41	28	usual residence if in Scotland
ı	В	Tuber-	All Forms.	(21)	4	4		-	ಣ	:	_	:	:	ಣ	2	;	:	7	7	49	48	41	f in Sc
	Deaths from		Measles.	(20)	:	:	i	÷	. :	:	i	:	:	:	:	:	i	:	:		-	:	ence i
	Deat	Principal Epidemic Diseases.	Influenza.	(61)	: :	. :	:	:	:	:	:	~	:	:	:	:	:	:	:	-	:	:	resid
ı		tie Dis	Diphtheria.	(18)	-	:	:	:	:	:	:	:	:	:	:	:	:	:	:		-	-	นธนล
ı		pidem	Whooping-cough.	(17)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	22	:	CI .	ace of
		pal E	Searlet Fever.	(16)	: :	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	. :	:	to pl
ı		rinci	Cerebro-spinal Fever.	(15)	: :	:	:	:	:	:	:	;	:	:	:	:	:	:	:	:		:	nsfer
		В	Typhoid and Para- typhoid Fevers.	(14)	: :	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	y tra
ı	J.C	Pers	ons aged 65 Years and over.	(18)	62	20	14	10	2	13	<b>6</b> 0	5	ಞ	4	<del>م</del>	4	ಣ	_	4	268	269	297	corrected by transfer to place of
i	Deaths of	nts One	Under One Month.	(12)	4	:	60	~	:	:	:	:	:	:	-	:	:	:	-	25	32	25	y corr
ı	Q	Infants under One Year of Age.	Total.	11)	11	2	ಣ	_	:	හ	:	:	:		ಣ	2	:	:		55	54	47	ionall
		Rate ted C	per 1000 of Estima- ivilian Population.	(10)	13.5	12.9	8.3	13.6	12.0	16.1	12.8	9.2	4.9	14.7	15.2	14.0	7.4	2.2	11.5	12.3	12.3	13.2	death rates) have been provisionally
i		Net:	Number (Civilian).	(9)	114	40	27	23	17	20	00	20	4	11	11	11	20	9	00	559	557	582	ve bee
i	Deaths	T	ransferred In.	8 5	7	20	7	4	-	20	_	က	က	2	7	4	:	_	_	49	40	48	ses) ha
i	П	Tr	ansferred Out.†	(4)	25	9	6	ಣ	2	:	г	;	:	22	:	က		2	ಣ	83	95	89	th rat
		Nu	mber Registered.	(9)	135	41	33	22	18	15	00	20		11	0	10	9	1	10	593	612	623	па де
		Ma	arriages.	(5)	142	39	51	37	24	17	7	10	7	10	00	12	17	00	10	720	752	778	neludi
	Births.*		Still Born.	€ 5	4	67	-	Ţ	-	-		1	2	:	:	7	;	:	:	34	33	33	ths (i
ı	Birt		Live Born.	(8)	206	73	93	33	25	24	00	16	18	10	23	18	16	14	13	1054	1123	887	d Dea
	1-	Estimated	Olynhan Population 31st Dec. 1945.	(2)	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	Numbers of Births and Deaths (including
	3						•	•		W, 3	•		٠				i	田.	·	946	1946	1945	umbe
					GH.		ž		К,	MOTHERWELL AND WISHAW,	NK,	DY,	GE,	KILMARNOCK	ž			DUNFERMLINE,		June 22, 1946	June 15, 1946	June 23, 1945	*
			TOWNS	(1) WOOD A TO	EDINBURGH.	EE,	ABERDEEN	EY,	GREENOCK,	(ERV WIS	CLYDEBANK,	KIRKCALDY,	COATBRIDGE,	ARN	HAMILTON		FALKIRK,	ERM	Н, .	June	June	June	
			To	T A CO	DINE	DUNDEE,	BER	PAISLEY,	REE	OTH	LYD.	IRK	DAT	ILM	AMI	AYR, .	ALK	UNF	PERTH,		-		
				-	2, 医		4. A	5. P.	6. G	7. M	8. CI	9. K	10. CC	11. K	12. H	13. A	14. F	15 D	16. Pl	Total,	ie Towns	week	
			Printed under 1	)			4 77	70.		- TR (100)	210	0.170.4		-		_	_		,-	5	=		1

#### WEEKLY RETURN No. 26 OF THE REGISTRAR-GENERAL

#### Scotland

**MARRIAGES** 

Registered in sixteen of the Principal Towns

Week ended Saturday, 29th June 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 29th June 1946 the births of 1004 living children and of 46 still-born children, 725 marriages and 574 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 20.2 per thousand of the population, the marriage-rate 14.6 and the death-rate 12.6. The number of still-births corresponds to a rate of 44 per thousand total births registered (including still-born).

The birth-rate of the week is 1.0 less than in the previous week but 1.6 above the five years' average. The marriage rate is 0.1 more than in the previous week and 1.8 above the pre-war average. The death-rate is 0.3 more than in the previous week

and 0.2 above the average.

The weekly death-rates in the individual towns ranged from 19.4 in Motherwell and Wishaw and 15.2 in Hamilton to 8.0 in Kilmarnock and 7.8 in Greenock. Relatively high death-rates occurred in Dundee 14.5, in Perth 14.4 and in Aberdeen 13.9. In

Glasgow the rate was 13.3 and in Edinburgh 11.5.

Deaths from the principal epidemic diseases numbered 4 and are 1 fewer than in the previous week. They include 1 from cerebro-spinal fever, 1 from whooping-cough, 1 from diphtheria and 1 from measles. Compared with the number in the previous week deaths from cerebro-spinal fever are 1 more, from whooping-cough 1 fewer, from diphtheria the same and from measles the same. In the previous week 1 death was registered from influenza.

Deaths from all forms of tuberculosis numbered 37, of which 29 were from tuberculosis of the respiratory system. The former are 12 fewer than in the previous week and the

latter 3 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 41 and equalled an annual death-rate from these gauses of 0.9 per thousand. This death-rate is 0.2

less than in the previous week and 0.1 below the average.

Deaths of children aged less than one year numbered 47, being 8 fewer than in the previous week. Of these 29 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 286 and are 18 more than in the previous week.

Deaths attributed to violent causes numbered 28 and are 9 more than in the

previous week.

The mean temperature for the towns from which returns were received was 57.4°, being 2.7° above that for the previous week and 1.3° above the average for the corresponding week in the period 1901-30. The mean rainfall was 0.72 inch and the mean sunshine 27.4 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved
EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1, St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net Annual Subscription 8s. 8d. post free.

TURN OVER

LIBRAR

		No.	(31)	i.	2.	က	4.	5.	6.	7.	∞i	6	0.	H	12.	55	14.	15.	16.	000	600		
, Ho	ours of l	Bright Sunshine.	(30)	2.77	35.7	32.9	34.2		21.9	: -	100	i		21.6	:	;	:	24.3	30.1	27.48	37.28	:	
	Rainfa	ll in Inches.	(29)	06.0	0.31	0.42	0.41	96.0	1-40	;	1 8	÷	÷	1.04	1	:	:	0.47	0.26	827-084-128	\$09.0	1.018	
.0.		l'emperature (averall observations).	28)	4				6.29	6.99	. :	:	:	:	57.1		:		0.29	2.29	57.48	54.78	55.98	ths
Temperature.		solute Lowest.			47 5	44 5	45		2 24	:	:	:	:	48	:	:		43	42	424	\$98	39+	Including Service Deaths
Tem	A.b	solute Highest.	(26)	71	72	22	74	7.1	69	:	: .	:	;	72	:	:	:	72	71	75 <sup>‡</sup>	81‡	71‡	Servi
		Violence.	(25)	<u> </u>	22	က	2	7	:	2	-	-	:	i	:	:	:	;	<b>.</b> :	28	19	26	uding
	Diarrh	cea (under 2 years of age).	(24)	4	20	:	:	;	:	:	:	:	:	:	:	:	:	:	:	6	13	2	f Incl
	Resp	oiratory Diseases than Tubercular).	(23)	27	₽.	か	-	-	;	2	:	:	Н	:	:	:	:	-	:	41	48	41	_
	er. sis.	Respiratory System.	(22)	91	<u>ග</u>	-	31	:		-	:	:	က	:	:		:		:	29	32	34	cotland
a	Tuber- culosis.	All Forms.	(21)	13	स्त		ත	-	-	7	• :	:	ಣ		•:		:	٦,	•	37	49	46	place of usual residence if in Scotland
Deaths from		Measles.	(20)	·	• :	:	:	:	:	:	:	:	-	:	:	:	:	:	:	-	-	.:	Pance
Deat	Principal Epidemic Diseases.	Influenza,	(19)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	_	:	region
	ie Dis	Diphtheria.	(18)	,-	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	-	1	:	218118
	idem	Whooping-cough.	(11)	:	:	:	:	:	:	:	:	p	:	. :	:	:	:	:	:	-	2	-	ICB OF
	al Er	Scarlet Fever.	(16)	:	:	:	:	:	:	:	:	:	:	:		:	;	:	:	:	٠ :	:	to nls
	incip	Cerebro-spinal Fever.	(15)	<del>,</del>	:		:	:	:	į	;	;	;	:	;	:	:	:	:	-	:	-:	ransfer
	Pr	Typhoid and Para- typhoid Fevers.	(14)	:	:	:	:	:	:	:	:	;	:	•	:	:	:	. :	:	:	:	-	hy fra
	Pers	ons aged 65 Years and over.	(18)	116	. 51	26	26	6	7	· ·	9	4	63	41	00	4	4	4	1	286	268	258	ooted b
Deaths of	one Age.	Under One Month.	(12)	0	4	က	52	:	-	က	-	61	ed.	:	:	:	-	:	.07	29	25	21.	00000
ã	Infants under One Year of Age.	Total.	11)	20	00	2	87	:	7	හ	г	2	2	;	•	:	<b>~</b>	:	2	47	22	63	ionoil
	Rate	per 1000 of Estima- ivilian Population.	(10)	13.3	11.5	14.5	13.9	8.9	2.8	19.4	12.8	13.1	8.5	8.0	15.2	10.2	11.9	10.0	14.4	12.6	12.3	12.2	meter) have been morrisionelly econocted
	Net	Number (Civilian).	(6)	260	26	45	45	15	11	24	00	11	2	9	H	00	00	00	10	574	559	538	are hee
Deaths	7	Transferred In.	(8)	17	:	4	4	යෙ	:	=	61		2	-	ရာ	:	-		H	50	49	31	od (so
	Tr	ansferred Out.	3	35	.40	9	6	-	හ	2	:	2	;	:	_	က	တ	63	-	108	88	26	dooth no
	Nu	mber Registered.	(9)	278	187	47	20	13	14	15	. 9	12	10	20	6	11	10	10	10	632	593	604	
	М	arriages.	(9)	274	151	39	09	21	39	15	2	10	11	10	17	20	19	50	12	795	720	703	
hs.*		Still Born.	€		12	10	garing		:	:	7	:	:	-	:	. :	:	හ	:	46			1.00 (3
Births.		Live Born.	(8)	429	172	73	65	80	29	40	16	17	200	18	24	16	14	14	19	1004	1054	887	J. Dog
	Estimated	Civiliar Population 31st Dec. 1945.	(3)	1,020,800	441,000.	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	9.369.100	_	2,296,600	* Manage of Distinct and Distinct (See 1 and See 1)
		rowns.	3	GLASGOW,	EDINBURGH, .	DUNDEE,	ABERDEEN,	PAISLEY,	GREENOCK, .	MOTHERWELL AND WISHAW,	CLYDEBANK,	KIRKCALDY, .	COATBRIDGE, .	KILMARNOCK,	HAMILTON,	AYB,	FALKIRK	DUNFERMLINE.	TH,	June 29, 1946	_	June 30, 1945	* Meses ho
				1. GLA	2. EDII	3. DUN	4. ABE	5. PAIS	6. GRE	7. MOTA	8. CLY	9. KIR	10, COA	11. KIL	12 HAN	13. AYE	14. FAL	15 DUN		Total	16 Towns	week	

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2

## WEEKLY RETURN OF THE REGISTRAR-GENERAL

Scotland

# BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 6th July 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 6th July 1946 the births of 1078 living children and of 33 still-born children, 714 marriages and 519 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 21.7 per thousand of the population, the marriage-rate 14.4 and the death-rate 11.4. The number of still-births corresponds to a rate of 30 per thousand total births registered (including still-born).

The birth-rate of the week is 1.5 more than in the previous week and 3.1 above the five years' average. The marriage rate is 0.2 less than in the previous week and 0.2 below the pre-war average. The death-rate is 1.2 less than in the previous week

and 1.5 below the average.

The weekly death-rates in the individual towns ranged from 19.2 in Ayr and 15.6 in Greenock to 8.3 in Aberdeen and 7.1 in Kirkcaldy. Relatively high death-rates occurred in Motherwell and Wishaw 13.7, in Perth 12.9 and in Coatbridge 12.2.

In Glasgow the rate was 11.7 and in Edinburgh 11.4.

Deaths from the principal epidemic diseases numbered 5 and are 1 more than in the previous week. They include 1 from cerebro-spinal fever, 2 from diphtheria and 2 from measles. Compared with the number in the previous week deaths from cerebro-spinal fever are the same, from diphtheria 1 more and from measles 1 more. In the previous week 1 death was registered from whooping cough.

Deaths from all forms of tuberculosis numbered 52, of which 42 were from tuberculosis of the respiratory system. The former are 15 more than in the previous week and the

latter 13 more.

Deaths from respiratory diseases (other than tubercular) numbered 33 and equalled an annual death-rate from these causes of 0.7 per thousand. This death-rate is 0.2 less than in the previous week and 0.4 below the average.

Deaths of children aged less than one year numbered 39, being 8 fewer than in the previous week. Of these 23 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 249 and are 37 fewer than in the previous week

Deaths attributed to violent causes numbered 23 and are 5 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 58.5°; being 1.1° above that for the previous week and 0.9° above the average for the corresponding week in the period 1901–30. The mean rainfall was 0.84 inch and the mean sunshine 45.9 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved
EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses
13A Castle Street, Edinburgh 2.; York House, Kingsway, London, W.C. 2;
39/41 King Street, Manchester 2.; x St Andrew's Crescent, Cardiff;
80 Chichester Street, Belfast;
or through any bookseller

Price 1d. net
Annual Subscription 8s. 8d. post free.

No. 27

1		No.	(31)	1.	2	8	4.	5.	6.	7.	oò ,	9.	10.	11.	12.	13.	14.	15.	16.				İ
Ho	ours of	Bright Sunshine.	(30)	10.0	58.9	9.21	19.6	12.2	9.04	.:	:	:	:	38.6	:	:	:	48.0	47.4	\$6.93	27.48	:	1
	Rainfa	ll in Inches.		1.12	09.	0.68	.02	-07	87	:	:	:	:	0.94	:	;	:	29.0	62.0	.848	48 0.728 27.48	.348	l
· ·		Temperature (aver-			20.1	4	4 1	89	8.3	:	:	:		58.5 0	:	;	:	58.4 0	0 0.69	58.58 0.848 45.98	57.48	60.48 0.348	
Temperature. Fahr.		solute Lowest.			20   26	44 58	47 58		50 58	:	:	:	:	46 58		:	:	46 5	42 5	41‡ 5	42‡ 5	41‡   6	3
em pe			_		7.1	75 4	02	69	69	:	:	:	:	17	:	:	:	69	71	75‡ 4	75+ 4	77+ 4	I.
-	A.b	violence.	-		20	1 7	- 7		1 6		•	•		:			-	-	7	23 7	28 7	20 7	
	Diarrh	mea (under 2 years		3 10	<u>ක</u>		-	:		:	:	: :	:	:		:	:	:	:	6 2	6 . 6		1
		of age).		2	9	2	•		-	4	•	•	•	:	:	· :	2	:		33	41	- 28	ľ
	(other	than Tubercular).	2				:		ಣ		:	:	-	:	-	•			_		_		-
-	Tuber- culosis.	Respiratory System.	(22)	27					60		<i>/</i> :	;	: 	:	:	-	:		:	42	29	<u></u>	
8	Tu	All Forms.	(21)	34	<u>.</u>	전	<u> </u>	7	අත	:	:	:		•	:	:	:	red.	:	52	.37	40	
Deaths from		Measles.	(20)	:	-	-	:	:	:	:	:	:	:	:	:	:	:	:	:	2	-	ಣ	
Dest	Principal Epidemic Diseases.	Influenza.	(11)	;	:	:	:	:	. :		· :	:	:	:	:	:	:	:	:	:	:	:	١
	ic Di	Diphtheria.	(18)	2	:	.:	:	:	:	:	:	;	:	:	1	:	:	:	:	2	<del></del>	2	ı
	piden	Whooping-cough.	(11)	:	:	÷		:	`:	:	:	:	:	.:	:	:	:	;	:	:	7-4	:	
	pal E	Scarlet Fever.	(16)	:	;	:	:	:	:	:	:	:	:	:	• :	:	:	:	1		;	•	
	rinci	Cerebro-spinal Fever.	(15)	-	:				:		:	:	:	:	;	:	:	:	:	_			No. of Concession, Name of Street, or other Persons of Concession, Name of Street, or other Persons of Concession, Name of Street, or other Persons of Concession, Name of Street, or other Persons of Concession, Name of Street, or other Persons of Concession, Name of Street, or other Persons of Concession, Name of Street, Or other Persons of Concession, Name of Street, Or other Persons of Concession, Name of Concession, Nam
		Typhoid and Para- typhoid Fevers.	(14)	:	,/\$	:	:	:	:	`:	:	:	:	:	:	:	:	:	:		:	:	
Į.	Pers	ons aged 65 Years and over.	(13)	100	53	14	18	11	6	9	4	9	4	2	භ		ಣ	10	4	249	286	257	
Deaths of	one Age,	Under One Month.	(12)	0	9	÷	-	<del>, ``</del>		<u></u>	=	:	:	~	:	~	:	:	:	23	29	20	I
ğ	Infants under One Year of Age,	Total.	11)	17	6	П	part	7	4	-	_	:	:	-	4	-	:	:	2	39	47	ಣ	ı
	Rate	per 1000 of Estima- ivilian Population.	(10)	11.7	11.4	9.01	ος •°	11.2	9.91	13.7	11.2	7.1	12.2	9.3	11.1	19.2	ڻ. 8	10.0	12.9	11.4	12.6	11.8	
	Net	Number (Civilian).	(6)	229	96	62	27	19.	22	17	1	9	10	10	90	15	9	00	6	519	574	520	
Deaths.	Т	ransferred In.	(8)	14	ಣ	2	:	7	-	20	ಣ	-	4	• }	ಣ	-		-	-	42	20	42	ı
P	Tr	ansferred Out.†	(4)	38	20	4	10	qued	2-4	:	:	22	:	ഹ	:	20	2	ත	භ	95	108	100	١
	Nu	mber Registered.	(9)	253	113	35	37	18	22	12	4	7	9	10	20	10	10	10	II	572	.632	578	
	Ma	arriages.	(5)	344	150	35	44	23	13	14	10	6	10	7		13	12	00	15	7.14	725	761	
Births.*		Still Born.	€	16	7	:	4	:	:	-	:	_		:	2	:	:	Г	:	33	46	80	١
Birt		Live Born.	(8)	452	203	92	98	39	43	36	23	14	22	19	14	12	14	15	10	1078	1004	888	
	Estimated	Olynhan Population 31st Dec. 1945.	(2)	300	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	
		rowns.	(1)	1. GLASGOW,	2. EDINBURGH, .	3. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK,	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY,	10. COATBRIDGE, .	11. KILMARNOCK, .	12. HAMILTON, , ,	13. AYR,	14. FALKIRK	15 DUNFERMLINE,.	16. PERTH,	Total. (July 6, 1946	6 Towns June 29, 1946	week July 7, 1945 ending	

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2
Wt. 70012/2 9/7/46. J.S. & Co. Ltd., Group 171 (1940).

#### WEEKLY RETURN No. 28 THE REGISTRAR-GENERAL

Scotland

## BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 13th July 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 13th July 1946 the births of 987 living children and of 37 still-born children, 660 marriages and 514 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 19.9 per thousand of the population, the marriage-rate 13.3 and the death-rate The number of still-births corresponds to a rate of 36 per thousand total births registered (including still-born).

The birth-rate of the week is 1.8 less than in the previous week but 2.1 above the five years' average. The marriage rate is 1.1 less than in the previous week and 2.6 below the pre-war average. The death-rate is 0.1 less than in the previous week

and 0.5 below the average.

The weekly death-rates in the individual towns ranged from 21.2 in Greenock and 17.4 in Kilmarnock to 3.6 in Kirkcaldy and 3.2 in Clydebank. Relatively high death-rates occurred in Perth 15.8, in Edinburgh 13.1, in Dundee 12.9 and in Motherwell

and Wishaw 12.9. In Glasgow the rate was 10.8.

Deaths from the principal epidemic diseases numbered 5 and are the same as in the previous week. They include 1 from cerebro-spinal fever, 2 from whooping-cough, 1 from diphtheria and 1 from influenza. Compared with the number in the previous week deaths from cerebro-spinal fever are the same, from whooping-cough 2 more, from diphtheria 1 fewer and from influenza 1 more. In the previous week 2 deaths were registered from measles.

Deaths from all forms of tuberculosis numbered 42, of which 27 were from tuberculosis of the respiratory system. The former are 10 fewer than in the previous week and the

latter 15 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 44 and equalled an annual death-rate from these causes of 1.0 per thousand. This death-rate is 0.3 more than in the previous week and 0.2 above the average.

Deaths of children aged less than one year numbered 56, being 17 more than in the previous week. Of these 33 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 260 and are 11 more than in the previous week.

Deaths attributed to violent causes numbered 19 and are 4 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 62.2°, being 3.7° above that for the previous week and 3.6° above the average for the corresponding week in the period 1901-30. The mean rainfall was 0.23 inch and the mean sunshine 49.3 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H. M. STATIONERY OFFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net
Annual Subscription 8s. 8d. post free.

ITURN OVER

† Including Service Deaths

			No.	(31)	ij	2.	8	4.	5.	6.	7.	°°	9.	10.	11.	12.	13.	14.	15.	16.			
	. <b>H</b>	ours of	Bright Sunshine.	(30)	49.4	56.5	20.09	28.8	50.4	48.0	.:	:	÷	:	53.6	:	:	÷	55.2	8.19	49.38	58.58 0.848 45.98	:
		Rainfa	all in Inches.	(29)	0.36	0.04	01.0	.72	0.31	0 05	:	:	:	:	0.41	:	:	:	0.04	0.03	0.238	0.848	1.368
ı	ro.	Mean	Temperature (aver-		9.79	63.3	63.0	6.09	62.4	1.19	:	:	:	:	61.5	:	:	:	9.79	9.79	62.28 0.238	89.89	\$9.09
ı	Temperature.		bsolute Lowest.		47 6	48 6	47 6	49 8	49 6	50 6	:	:	:	:	43 6	:	:	:	50 6	46 6	43 <sup>+</sup>	41+	44#
ı	Temp	Ah	solute Highest.	26)	11	11	77.	22	74	72	:	:	:	:	92	:	;	:	92	17	177	12	74+
ı			Violence.	(25)	11	ಣ	~	Н	:	7	:	:	:	;	-	;	:	:		:	19	23	33
	, .	Diarri	ncea (under 2 years of age).		ಣ	2	:	:	:	-	;	-	:	:	:	C1	:	:	:	:	6	9	41
	•		piratory Diseases	(23)	28	00	-	_	:	23	61	:	:	:	:	:	;	7	:	;	44	33	33
		NAME OF TAXABLE PARTY.	Respiratory	(22)	15	_	2	;	:	ಣ		;	;	:	:	2	:	:	:	ಣ	27	42	21
		Tuber-	System.		21	20	63	-	:	හෙ	ෙ			:		7			:	4	42	52	53
١	from	- 0	All Forms.	(20) (2	•	:	1	;					•	-		;			:		4	C1	
ı	Deaths from	80 80°	Measles.			 :	:	:	:	:	<u>-</u>	:	:	· :	<u>:</u> :	:	:	-; -:	<u>:</u>			:	:
	, De	Diseases.	Influenza.	(18) (19)	:		:	:	:	:	:	:	:	:	:	:	:	:	:	:	-	2	
		mie	Diphtheria.		-				•					:	-		•			•	62		
		Epidemic	Whooping-cough.	(11)				:	:	:	-:	:	:	:	:	:	:	:	:	-	-	: 	:
	1.5	ipal ]	Scarlet Fever.	(91)	:	;	:	:	:	-	:	:	:	:	:	:	:	:	-	; ·	:	:	:
ı	1.5	Principal	Cerebro-spinal Fever.	(15)		:	-			:	:	:	•	:	:	;	:	:	:	:			
			Typhoid and Para- typhoid Fevers.	(14)	:	:	:	:	:	:	:	:	:	:	<u>:</u>	:	:	:	:	:	-	i	<u>:</u>
	jo	Perso	ons aged 65 Years and over.	(18)	97	19	21	16	12	17	2	;		≈.	20	2	4	ೞ	ಕಾ		260	249	259
i	Deaths of	nts One	Under One Month.	(12)	16	9	22	~	:	23	-	:	:	നാ	~	:	:	:		÷	33	23	12
ı	Q.	Intants under One Year of Age.	Total.	11)	28	6	ಣ	_	:	4	2	_	÷	ဏ	_	2	ŧ	:	_	Ħ	99	36	28
Ì	1.21	Rate	per 1000 of Estima- vilian Population.	(10)	10.8	13.1	12.9	2.2	9.2	21.2	12.9	3.5	9.6	∞ rů	17.4	& &	1.1	11.9	11.3	15.8	11.3	11.4	6.01
١		Netl	Number (Civilian).	6	211	111	40	25	91	30	16	2	ရာ	1-	13	9	9	00	6	11	514	519	482
١	Deaths.	T	ransferred In.	8	en en	10	-	<del></del>	Н	ന	9	2	_	က	က	-	-	ගෙ	-	:	45	34	47
ı	a l	Tra	unsferred Out.†	(2)	37	58	7	13	9	:	:	:	:	:	:	2	7	7	හ	22	97	95	103
	,	Nur	nber Registered.	9	235	134	41	37	21	27	10	:	2	4	10		L-	1-	11	13	999	72	538
ŀ		Ma	rriages.	(9)	298	91	55	55	22	00	18	12	56	I		14	00	C1	17	16	660 5		730
1	* **		Still Born.	-	16	20	10	4	:	ಣ	:	7	:	:	;	m	:	-	:	_	Statement, N.	- 1211	15 7
	Births.		Live Born.		431	191	69	74	39	26	22	00	16	29	19	24	16	17	18	12	286		822
		Estimated	Population 31st Dec. 1945.	-	1,020,800	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	-		2,296,600
			TOWNS.	(1)	I. GLASGOW,	2. EDINBURGH, .	3. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK,	7. MOTHERWELL AND WISHAW,					12. HAMILTON,	13. AYR,	14. FALKIRK,	15 DUNFERMLINE,.	16. PERTH,	July 13, 1946	1946	July 14, 1945

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street. Edinburgh 2 J.S. & Co. L. To. Group 171 (1940).

IBRARY

#### WEEKLY RETURN No. 29 THE REGISTRAR-GENERAL

### Scotland

BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 20th July 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 20th July 1946 the births of 1158 living children and of 44 still-born children, 688 marriages and 540 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 23.3 per thousand of the population, the marriage-rate 13.8 and the death-rate The number of still-births corresponds to a rate of 37 per thousand total births registered (including still-born).

The birth-rate of the week is 3.4 more than in the previous week and 4.8 above the five years' average. The marriage-rate is 0.5 more than in the previous week but 6.7 below the pre-war average. The death-rate is 0.6 more than in the previous week

but 0.4 below the average.

The weekly death-rates in the individual towns ranged from 14.4 in Clydebank and 13.5 in Edinburgh to 8.0 in Kilmarnock and 5.8 in Perth. Relatively high deathrates occurred in Coatbridge 13.4, in Falkirk 13.4 and in Dunfermline 12.5. In Glasgow the rate was 12.1.

One death was registered in the principal epidemic group—that is 4 fewer than in the previous week-the cause being diphtheria. In the previous week 1 death was registered from cerebro-spinal fever, 2 from whooping-cough, 1 from diphtheria and

Deaths from all forms of tuberculosis numbered 35, of which 25 were from tuberculosis of the respiratory system. The former are 7 fewer than in the previous week and the latter 2 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 47 and equalled an annual death-rate from these causes of 1.0 per thousand. This death-rate is the same as in the previous week but 0.1 above the average.

Deaths of children aged less than one year numbered 64, being 8 more than in the previous week. Of these 34 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 253 and are 7 fewer than in the previous week.

Deaths attributed to violent causes numbered 28 and are 9 more than in the

previous week.

The mean temperature for the towns from which returns were received was 55.9°, being 6.3° below that for the previous week and 3.2° below the average for the corresponding week in the period 1901-30. The mean rainfall was 1.30 inch and the mean sunshine 12.2 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses r<sub>3</sub>A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/47 King Street, Manchester 2; 7 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Annual Subscription 8s. 8d. post free.

Including Service Deaths corrected by transfer to place of usual residence if in Scotland. Numbers of Births and Deaths (including death rates) have been provisionally Weekly extremes.

Wt. 70012/2

LIBRARY

## WEEKLY RETURN OF THE REGISTRAR-GENERAL

## Scotland

BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 27th July 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 27th July 1946 the births of 1104 living children and of 26 still-born children, 512 marriages and 499 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 22.2 per thousand of the population, the marriage-rate 10.3 and the death-rate 11.0. The number of still-births corresponds to a rate of 23 per thousand total births registered (including still-born).

The birth-rate of the week is 1.1 less than in the previous week but 3.8 above the five years' average. The marriage-rate is 3.5 less than in the previous week and 2.3 below the pre-war average. The death-rate is 0.9 less than in the previous week

and 1.0 below the average.

The weekly death-rates in the individual towns ranged from 15.8 in Perth and 12.1 in Glasgow to 6.4 in Clydebank and 4.0 in Kilmarnock. Relatively high death-

rates occurred in Greenock 12.0, in Edinburgh 11.4 and in Dunfermline 11.3.

Deaths from the principal epidemic diseases numbered 6 and are 5 more than in the previous week. They include 2 from typhoid fever, 1 from cerebro-spinal fever, and 3 from whooping-cough. Compared with the number in the previous week, deaths from typhoid fever are 2 more, from cerebro-spinal fever 1 more, and from whooping-cough 3 more. In the previous week 1 death was registered from diphtheria.

Deaths from all forms of tuberculosis numbered 38, of which 31 were from tuberculosis of the respiratory system. The former are 3 more than in the previous week and the

latter 6 more.

Deaths from respiratory diseases (other than tubercular) numbered 36 and equalled an annual death-rate from these causes of 0.8 per thousand. This death-rate is 0.2 less than in the previous week and 0.2 below the average.

Deaths of children aged less than one year numbered 59, being 5 fewer than in the previous week. Of these 38 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 235 and are 18 fewer than in the previous week.

Deaths attributed to violent causes numbered 17 and are 11 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 59.5°, being 3.6° above that for the previous week and 1.6° above the average for the corresponding week in the period 1901-30. The mean rainfall was 0.57 inch and the mean sunshine 28.0 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved
EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses

13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;

39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;

80 Chichester Street, Belfast;

or through any bookseller

Price 1d. net
Annual Subscription 8s. 8d. post free.

No. 30

		° Z	(31)	i 6	i თ	4	5.	6.	7.	oo o	6	10.	11.	12.	13.	14.	15.	16.				
H	ours of	Bright Sunshine.	(30)	24.3	31.1	33.4	27.3	28.3	. ;	1:	:	:	22.1	:	:	:	27.5	27.0	28.08	12.28	:	
	Rainfa	ll in Inches.	(29)	29.0	0.15	0.37	89.0	96 0	:	:	:	:	18.0	:	:	:	0.62	0.53	819.0	1.308	0.158	
re.		Temperature (averall observations).	(28)	6.89	\$0.4	60.3	59.4	2.89	:	:	. :	:	9.89	:	:	:	9.69	59.3	59.58 0.578 28.08	55.98 1.308 12.28	58.28	hs
Temperature. Fahr.	Al	osolute Lowest.	_	51		51	51	51	:	:	:	:	52	:	:	:	19	52	47+	44‡		Including Service Deaths
Tem	Ab	solute Highest.	(26)	20 00	77	72	99	99	:	:	:	:	99	:	;	:	19	29	72+	±99	74‡	Service
		Violence.	(25)	- 4	1 9-4	-	:		:	:	:	2	:	:	:	:	_	;	17	28	31	ding 8
	Diarrh	ora (under 2 years of age).	(24)	20 0	:	:	:	:	2004	:	:	i	:	:	:	:	:	:	12	13	11	Inclu
		piratory Diseases than Tubercular).	(23)	× ×	2	-	2		73	;	_	:	:	:	_	-	_	:	36	47	27	-
	is.	Respiratory System.	(22)	7 20	~	2	:		Н	;	:	:	-		22	:	:	÷	31	25	45	tland.
	Tuber- culosis.	All Forms.	(21)	× ×	2	2			7	:	:	:	-		2	;	:	:	000	35	48	in Sec
Deaths from		Measles.	(20)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	-	usual residence if in Scotland.
Deatl	Epidemic Diseases.	Influenza.	(61)	:		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	reside
	ic Dis	Diphtheria.	(18)	: :	:	:	:	:	:	:	;	:	:	:	:	ŧ	:		:	П	-	asual
	oidem	Whooping-cough.	(11)	-	:	:	-	:	:	:	:	:	į	:	Ξ,	:	;	-	က	:	:	ce of 1
	oal E	Scarlet Fever.	(16)	:	, :	:	:	:	:	:	:	:	:	;	;	:	:	;	:	:	;	to pla
	Principal	Cerebro-spinal Fever.	(15)	: -	' :	:	:	:	:	:	:	:	:	:	:	:	:	:		:	;	nsfer
	ц	Typhoid and Para- typhoid Fevers.	(14)	:	:	:	-	-	:	;	:	:	:	:	:	:	:	:	2	. :	:	y trai
10	Perso	ons aged 65 Years and over.	(13)	101	10	15	7	20	P-	2	4	ന		20	ග	20	7	7	235	253	224	cted b
Deaths of	nts One f Age.	Under One Month.	(12)	4	4	က	-	-	:	:	C1	2	:	:	_	:	:		38	34	26	corre
Q	Infants under One Year of Age	Total.	(11)	33	. 4	63	ಣ	_	Ħ.	:	2	7	÷	:	ı	:	:	2	59	64	45	ionally
	Rate j	per 1000 of Estima- vilian Population.	(10)	17.1	10.0	7.1	10.1	12.0	2.0	<b>6.4</b>	10.7	10.9	4.0	2.6	10.2	8.9	11.3	15.8	11.0	11.9	10.9	death rates) have been provisionally corrected by transfer to place of
	Neti	Number (Civilian).	(6)	167	31	23	17	17	12	4	6	0	හෙ	1	∞	9	0	11	499	540	481	ve bee
Deaths	T	ransferred In.	(8)	97	_	2	S	හ		က	1	4	2	ග	ಣ	:	:	p==4	59	09	48	es) ha
	Tra	insferred Out.†	£ 8	28	9	18	-	-		:	Н	:	හෙ	_	:	ŧ	_	20	35	96	06	th rat
	Nun	nber Registered.	(9)	116	36	39	15	15	12	-	6	73	4	2	20	9	10	15	532	929	523	35
	Ma	rriages.	(5)	202 202	99	47	13	00	10	4	10	ಣ	14	2	H	10	9	14	512	889	537	eludi
hs.*		Still Born.		4 2	, e2	-	:	2	:	:	:	~	:	:	:	;	:	:	26	44	31	shs (ir
Births.		Live Born.	(8)	195	202	68	48	33	25	15	18	28	56	22	16	12	31	23	1104	1158	942	d Deat
	Estimated	Population 31st Dec. 1945.	(2)	1,020,800	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	Numbers of Births and Deaths (includin
,		TOWNS.	(1)	EDINBURGH.	DUNDEE,	ABERDEEN,	PAISLEY,	GREENOCK,	MOTHERWELL AND WISHAW,	CLYDEBANK,	KIRKCALDY,	COATBRIDGE, .	KILMARNOCK, .	HAMILTON,	AYR,	FALKIRK,	DUNFERMLINE, .	PERTH,	al, (July 27, 1946	wns July 20, 1946	ng (July 28, 1945	* Number
			-	2. E	3. I	4. 4	5, F	6. 6	7. 1	8. C				12. E	13. A		15 D	16. P	Total,	16 Towns	ending	

#### WEEKLY RETURN THE REGISTRAR-GENERAL

## Scotland RTHS, DEATHS AND

**MARRIAGES** 

Registered in sixteen of the Principal Towns

Week ended Saturday, 3rd August 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 3rd August 1946 the births of 1004 living children and of 28 still-born children, 478 marriages and 517 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 20.2 per thousand of the population, the marriage-rate 9.6 and the death-rate 11.4. The number of still-births corresponds to a rate of 27 per thousand total births registered (including still-born).

The birth-rate of the week is 2.0 less than in the previous week but 3.1 above the five years' average. The marriage-rate is 0.7 less than in the previous week and 0.4 below the pre-war average. The death-rate is 0.4 more than in the previous week,

but 0.5 below the average.

The weekly death-rates in the individual towns ranged from 18.7 in Kilmarnock, and 15.9 in Clydebank, to 8.8 in Dunfermline and 2.6 in Ayr. Relatively high death-

rates occurred in Coatbridge 15.8, in Hamilton 13.8, and in Greenock 13.5.

Deaths from the principal epidemic diseases numbered 3 and are 3 fewer than in They include 1 from typhoid fever, 1 from whooping-cough, and the previous week. 1 from measles. Compared with the number in the previous week, deaths from typhoid fever are 1 fewer, from whooping-cough 2 fewer, and from measles 1 more. previous week 1 death was registered from cerebro-spinal fever.

Deaths from all forms of tuberculosis numbered 35, of which 32 were from tuberculosis of the respiratory system. The former are 3 fewer than in the previous week but the

latter 1 more.

Deaths from respiratory diseases (other than tubercular) numbered 34 and equalled an annual death-rate from these causes of 0.7 per thousand. This death-rate is 0.1

less than in the previous week and 0.1 below the average.

Deaths of children aged less than one year numbered 51, being 8 fewer than in the previous week. Of these 30 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 269 and are 34 more than in the previous week.

Deaths attributed to violent causes numbered 19 and are 2 more than in the

previous week.

The mean temperature for the towns from which returns were received was 57.4°; being 2.1° below that for the previous week and 0.6° below the average for the corresponding week in the period 1901-30. The mean rainfall was 1.17 inch and the mean sunshine 36.8 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE PUBLISHED BY HIS MAJESTI'S STATIONERY OF THE TO be purchased directly from H. M. STATIONERY OF FICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net
Annual Subscription 8s. 8d. post free,

[TURN OVER

No. 31

† Including Service Deaths

1	_		No.	(31)	23	က	4,	5.	6.	2	00	ő	0.	1.	12.	13.	14.	15.	16.		-	-
ı	Fi	ours of	Bright Sunshine.		Ċı	ō.	0.	32.5	Į.		7 :	1	. :	Ġ,	:	p=1	:	0 1		-88.	S.O.	
1				- 60	0 48	34.9	8 34.0		7 39		:	•	· ·	28	•			41	39.6	78 36	78 28	:
ı		Rainfa	all in Inches.	(29)	0.20	1.1	0.58	1.30	1.87	:	:	:	:	1.2	:	:	:	0.05	1.14	57.48 1.178 36.88	59.58 0.578 28.08	68 0.048
1	ure.		Temperature (aver- f all observations).	(28)	57.7	56.4	57.2	58.1	57.2	:	:	:	:	57.5	:	:	:	57.4	6.29	1	59.5	62.6
ı	Temperature.	A	bsolute Lowest.	(27)	49	45	49	20	20	:	:	:	:	20	:	:	:	17	47	42+	47‡	46‡
I	Tem	A.ì	solute Highest.	(26)	19	69	70	99	99	:	:	:	:	65	:	;	;	65	89	‡02	724	81+
1			Violence.	(25)	4	2	:	:	:	:	:	:	:		;	:	:	:	;	19	17	22
١		Diarri	of age).	(24)	2	:	:	:	:	:	:	;	:	:	:	:	:	:	:	2-	12	00
1		Res (other	piratory Diseases than Tubercular).	(23)	~	2	2	-	-	:	-	:	ଜ	П	က	:	:	-	:	34	36	36
		Tuber.	Respiratory System.	(22)	<u>ආ</u>	ന 	:		:	72		:		:	:	:	:	:	:	32	31	32
ı	THE C	Tuj	All Forms.	(21)	က	ಣ	:		:	22	_	:	_	:	:	:	:	:	:	35	38	39
ı	Deaths from		Measles.	(20)	<del></del> -	;	;	:	:	:	:	:	:	:	:	:	:	:	: ,	7	:	-
۱	Deat	Seases	Influenza.	(61)	:	;	:	:	:	:	:	:	:	:	:	.:	:	:	:	:	÷	:
		ic Dis	Diphtheria.	(18)	:	:	;	:	4	:	:	:	:	:	:	:	;	:	;	:	:	:
ı		idem	Whooping-cough.	(11)	Н	:	ž	:	;	:	:	.;	:	:	:	:	:	;	:	-	ಣ	:
		al Ep	Scarlet Fever.	(16)	.;	:	:	;	:	:	:	:	:	:	;	;	:	:	:	:	1	:
ı		Principal Epidemic Diseases.	Cerebro-spinal Fever.	(15)	:	:	:	:	:	:	;	į	:	:	÷	:	:	:	:	:		:
ı		P	Typhoid and Para- typhoid Fevers.	(14)	:	:	:	:	:	1	:	:	:	:		:	:	:	:	H	2	:
and in contrast to the last	).	Pers	ons aged 65 Years and over.	(13)	. 57	. 23	22	9 55	56 11	9	-	∞ : : :	10	o.	9	_	က	7	e.j	269	. 235	240
i	Deaths of	nts One f Age.	Under One Month.	(12)	0	-	4	7	-	:	C.I	H	:	:	:	:	:	:	:	30	တ္	30
ı	Q	Infants under One Year of Age.	Total.	11)	12	22	4	60	2	7	2	-	port	:	,	:	:	েয	:	51	59	51
		Rate ted C	per 1000 of Estima- ivilian Population.	10.9	12.1	12.5	11.4	8.0	13.5	8.9	15.9	13.1	15.8	18.7		5.6	80	<b>∞</b>	10.1	11.4	11.0	11.5
l	,	Netl	Vumber (Civilian).	(9)	102	88	37	15	19	11	10	11	13	14	10	7	9	7	1	517	409	508
ı	Deaths.	Т	ransferred In.	(8)	9	23	prof	4		44	2	:	rg.	2	7	:	:	7	:	43	53	40
l	I	Tra	insferred Out.†	(4)	26	-	00	ಣ	:	:	:	ಣ	:	2	_	-	ಣ	ಣ	2	92	92	26
l		Nur	nber Registered.	(6)	122	30	44	14	18	7	ÓΩ	14	00	14	 6	ଦେ	G	.00	6	566	532	292
ŀ		Ma	rriages.	(5)	100	22	37	30	14	10	9	10	4 :	20	9	00	9	6	14	478	512	525
-	Births.*		Still Born.	( <del>\$</del> )	က		prod	2	:	:	:		;	p(		:	:	Н	:	28	-	29
1	Birt		Live Born.	(8)	169	92	65	35	34	28	15	12	25	15	133	19	6	11	0	1004	1104	831
ľ		ted	oo.	800	000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	1	100	.009
ı		Estimated Civilian	Population 31st Dec. 1945.	(2)	441,000	162,	169,	88,	73,	64,	32,	43,	42,	30	5,5	40,	35,	41,	36,	2,369,100	2,369,100	2,296,600
		Ä	Po						_							_						
					Н, .			:		IOTHERWELL AND WISHAW,	K,	Y,	€ 5 E	CK,				DUNFERMLINE, .		3, 1946	July 27, 1946	4, 1945
1			NNS.	U ()	URG	EE,	EEN	ZY,	OCK	ERW WISI	BAL	ALD	RID	RNC	LOL		RK,	RMI		Aug.	uly 2	Aug.
			TOWNS	(I) GLASGOW,	EDINBURGH	DUNDEE	ABERDEEN	PAISLEY,	GREENOCK,	MOTHERWELL AND WISHAW	CLYDEBANK,	KIRKCALDY,	COATBRIDGE,	KILMARNOCK	HAMILTON	AYR, .	FALKIRK,	NFE	PERTH,	_	_	
				GI.						2										Total,	6 Towns	ending
1				1.	2,	က်	4.	5.	6.	. 7.	တံ	6	10.	11.	12.	13,	14.	15	16.	F	ع ع	en

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistic Street, Edinburgh 2

#### WEEKLY RETURN OF THE REGISTRAR-GENERAL

Scotland

IRTHS, DEATHS AND **MARRIAGES 管照点研究** 

Registered in sixteen of the Principal Towns

Week ended Saturday, 10th August 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 10th August 1946 the births of 970 living children and of 40 still-born children, 530 marriages and 509 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 19.5 per thousand of the population, the marriage-rate 10.7 and the death-rate 11.2. The number of still-births corresponds to a rate of 40 per thousand total births registered (including still-born).

The birth-rate of the week is 0.7 less than in the previous week but 2.5 above the five years' average. The marriage-rate is 1.1 more than in the previous week and 1.7 above the pre-war average. The death-rate is 0.2 less than in the previous week

and 0.2 below the average.

The weekly death-rates in the individual towns ranged from 17.9 in Falkirk and 15.9 in Clydebank to 7.8 in Greenock and 7.1 in Paisley. Relatively high death-rates occurred in Kirkcaldy 15.5, in Dundee 14.8 and in Coatbridge 14.6. In Glasgow the

rate was 11.9 and in Edinburgh 9.3.

Deaths from the principal epidemic diseases numbered 3 and are the same as in the previous week. They include 1 from whooping-cough and 2 from diphtheria. Compared with the number in the previous week deaths from whooping-cough are the same and In the previous week 1 death was registered from typhoid from diphtheria 2 more. fever and 1 from measles.

Deaths from all forms of tuberculosis numbered 43, of which 31 were from tuberculosis of the respiratory system. The former are 8 more than in the previous week but the

latter 1 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 30 and equalled an annual death-rate from these causes of 0.7 per thousand. This death-rate is the same as in the previous week but 0.1 below the average.

Deaths of children aged less than one year numbered 52, being 1 more than in the previous week. Of these 24 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 235 and are 34 fewer than in the previous week.

Deaths attributed to violent causes numbered 20 and are 1 more than in the

previous week.

The mean temperature for the towns from which returns were received was 57.4°; being the same as that for the previous week but 1.0° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.42 inch and the mean sunshine 32.9 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H. M. STATIONERY OFFICE at the following addresses

13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;

39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;

80 Chichester Street, Belfast;
or through any bookseller

Price Id. net

Annual Subscription 8s. 8d. post free.

No. 32

		No.	(31)	-	2.	8	4	5.	6.	7	00	6	10	11	12	13	14	15	16		4.00		
H	ours of	Bright Sunshine.	(30)	27.0	35.8	28.0	46.3	32.7	38.3	:	4	:	:	34.0	:	:	:	30.5	23.4	32.98	36.88	:	
	Rainfa	ll in Inches,	(29)	1.47	01.0	38	08.0	0.58	1.24	:	;	:	:	0.20	:	:	:	0.46	0.63	0.42\$	57.48 1.178	0.888	
.69	Mean age of	Temperature (aver-	(28)	58.5	2.2	54.4	57.4	28.8	0.89	:	:	:	:	28.7	:	:	:	5.19	56.4	24.48	57.48	57.48	hs,
Temperature.		osolute Lowest.		43	47 5	39 5	42 5	44 5	49	:	:	:	:	42	:	:	:	44	40	39+	42‡	42‡	Deat
Temp	Ab	solute Highest.	(56)	69	-69	11	89	72	20	:	:	:	:	72	:	;	:	17	20	72+	±04	16.4°	Including Service Deaths.
		Violence.	-	13	2	7		:	:	:	;	_	:	:	:	:	:		:	20	19	23	ding S
	Diarrh	ncea (under 2 years of age).	-	10	00	-	:	1 :	:	:	:	2	:	:	:	;	:	:		16	7	9	Inclu
		piratory Diseases than Tubercular).	(23)	14	ಣ	7	_	2		61	;	:	2	:	-	:	2	:	:	30	34	26	+
		Respiratory	(22)	10	က		CI	2	:		.:	:	62	:	:	:	:	:	_	31	32	21	sland.
	Tuber.	All Forms.	21)	25	9	23	2	63	:	p=4	:	:	67			:	<del></del> -	:	-	43	35	28	usual residence if in Scotland.
from		Measles.	(20)		. :	:	;	:	:	:	;	:	:	:	:	:	:	:	:	:	,ii	-	nce if
Deaths from	00 00 00 00 00 00	Influenza.	(61)	:	- :	:	• :	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	eside
	n Dise	Diphtheria.	-	07	.;	:	:	:	:	-	:	:	:	:	:	.:	::	.:	:	2	:	2	isnal r
10	Principal Epidemic Diseases	Whooping-cough.	(41)	:		:	:	H	;	`:	:	:	:	:	:	:	;	:	•	-	-	_	se of u
	al Ep	Scarlet Fever.	(16)	:	:	:	:	:	:	:	:	:	:	:	• ;	• 1	1	:	:	:	:	:	so place
	rincip	Cerebro-spinal Fever.	(15)			÷	, ;	;	}	:	.:	•	:	:	;	:	:	:	:	:	:	:	osfer t
	£.	Typhoid and Para- typhoid Fevers.	(14)	:		:	:	:	:	`:	:	:	:		:	:	:	;	1	:	_	:	y trai
100	Pers	ons aged 65 Years and over.	(13)	86	41	21	91	2	177	e9	6 .:i	9	9	9	10	က	1	20		235	269	233	setted b
Deaths of	one One Age.	Under One Month.	(12)	50	1	ಣ	2	in	:	-	•		-	:	-	:	:	-	:	24	30	18	corre
ã	Infants under One Year of Age.	Total.	11)	30	7	2	හ	2	:	·pmi	:	-		;	_	:		1	. :	52	51	33	ionalls
1 1	Rate	per 1000 of Estima- ivilian Population.	(10)	11.9	0.3	14.8	6.6	7.1	2.8	 	15.9	15.2	14.6	10.7	11.1	10.2	17.9	11.3	10.1	11.2	11.4	10.9	death rates) have been provisionally corrected by transfer to place of
	Net	Number (Civilian).	(6)	232	62	46	32	12	11	10	10	13	12	00	00	òo	12	C3	2	509	212	478	ve beer
Deaths.	T	ransferred In.	8	00	4	:	7	g-mi	÷	2	60	10	.2	7	4		63	ಣ	p-1	20	43	88	es) ha
H	Tr	ansferred Out.	(3)	43	19	9	18	හ	-	.:	Served.	.:	;	-	:	29	2	io	දා	107	92	115	th rat
	Nu	mber Registered.	9	257	94	55	400	14	11	00	œ	00	10	00	4	12	12	11	6	999	999	555	0.0
	Ma	arriages.	(9)	240	107	32	43	16	16	10	က	00	9	ಣ	12	,00	ಬ	11	10	530	478	531	neludi
Births.*	1 :	Still Born.	€	20	00	က	-	:	2	62	:	-	_		=	•		:	-	40	28	19	ths (in
Birt		Live Born.	(8)	925	162	09	61	300	23	19	11	17	19	19	21	00	21	14	21	970	1004	748	d Dea
	Estimated Civilian Colvilian Population 31st Dec. 1945.			1,020,800	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	87,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	Numbers of Births and Deaths (includin
	TOWNS			1. GLASGOW,	2. EDINBURGH, .	3, DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK, .	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY, .	10. COATBRIDGE, .	11. KILMARNOCK,	12 HAMILTON, .	13. AYR,	14. FALKIRK.	15 DUNFERMLINE, .	16. PERTH,	Total, (Aug. 10, 1946	16 Towns Aug. 3, 1946	week ending (Aug. 11, 1945)	* Number

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle, Street. Edinburgh 2

LIBRARY

# WEEKLY RETURN No. 33 OF THE REGISTRAR-GENERAL Scotland

BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns
Week ended Saturday, 17th August 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 17th August 1946 the births of 1055 living children and of 42 still-born children, 473 marriages and 481 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 21.2 per thousand of the population, the marriage-rate 9.5 and the death-rate 10.6. The number of still-births corresponds to a rate of 38 per thousand total births registered (including still-born).

The birth-rate of the week is 1.7 more than in the previous week and 3.9 above the five years' average. The marriage-rate is 1.2 less than in the previous week but 1.7 above the pre-war average. The death-rate is 0.6 less than in the previous week

and 1.3 below the average.

The weekly death-rates in the individual towns ranged from 12.2 in Edinburgh and 12.2 in Coatbridge to 6.0 in Kirkcaldy and 4.0 in Kilmarnock. Relatively high death-rates occurred in Perth 11.5, in Motherwell and Wishaw 11.3, in Glasgow 11.2

and in Clydebank 11.2.

Two deaths were registered from the principal epidemic diseases and are 1 fewer than in the previous week, both being due to whooping-cough. Compared with the number in the previous week deaths from whooping-cough are 1 more. In the previous week 2 deaths were registered from diphtheria.

Deaths from all forms of tuberculosis numbered 42, of which 30 were from tuberculosis of the respiratory system. The former are 1 fewer than in the previous week and the

latter 1 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 31 and equalled an annual death-rate from these causes of 0.7 per thousand. This death-rate is the same as in the previous week but 0.2 below the average.

Deaths of children aged less than one year numbered 44, being 8 fewer than in the previous week. Of these 23 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 239 and are 4 more than in the previous week.

Deaths attributed to violent causes numbered 16 and are 4 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 55.6°, being 1.8° below that for the previous week and 2.0° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.67 inch and the mean sunshine 39.6 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H. M. STATIONERY OFFICE at the following addresses

13A Castle Street, Edinburgh 2; Vork House, Kingsway, London, W.C. 2;

39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;

80 Chichester Street, Belfast;
or through any bookseller

Price 1d. net
Annual Subscription 8s. 8d. post free.

	No.			_				9	7.	တံ		10	, ,		13	14	15.	16.	000	can		
11	ours of l	Bright Sunshine.	(30)	35.7	30.4	28.4	53.0	45.8	:	:	:		21.3	:	:	:	33.4	93°	89.68 829.089	32.98	:	
-	Rainfa	ll in Inches.	(29)	1.57	1.02	1.37	0.21	80.0	:	:	:	: }	0.12	:	:	:	0.52	0.91	\$19.0	57.48 0.428	811.0	
.0		Temperature (averall observations).	(28)	2.79	53.9		8.29	9.99	:	:	:	: 9	7.99	:	:	:	55.3	55.6	25.68	57.48	86.09	hs.
Temperature.	-	solute Lowest.	(27)	45 5	37 5	44 5		48	:	:	:		37	:	:		43	300	37+	39+	484	Including Service Deaths.
Temp	A.b	solute Highest.	(26)	29	89	29	89	65	:	;	:	: :	67	:	:	:	69	99	+89	727	‡08	Servic
		Violence.	(25)	2	2	:	:	-	:	:	_	:	:	:	:	:	:		16	20	21	ding
	Diarrh	cea (under 2 years of age).	(24)	:	-	:	:	:	:	:	:	i	:	:	:	:	:	:.	10	16	9	† Inch
	Resp.	piratory Diseases than Tubercular).	(23)	9	22	:	prof	:	:	:	:	:		01	_	:	:	:	31	30	40	١.
		Respiratory System.	(22)	9	:	:	-	provide the same of	-	က	:	٦	:	. :	:	-	1	:	30	31	29	otland
1	Tuber- culosis.	All Forms.	(21)	9	_	_		2	S	က	:	-	_	:	;	2	7	:	42	43	39	corrected by transfer to place of usual residence if in Scotland
Deaths from		Measles.	(20)	:	;	;	:	:	:	:	:	÷	:	:	:	:	:	:	:	:	-	ence i
Death	88 88 88 88	Influenza.	(61)	:	:	;	:	:	:	:	:	:	:	:	:	:	:	: `	:	:	:	resid
	Epidemic Diseases.	Diphtheria.	(18)	:	:	:	:	:	:	:	:	:	:	:	:	;	:	:	:	2	ಣ	usual
	idem	Whooping-cough.	(11)	-	:	:	:	:	:	:	:		:	:	:	:	:	:	2	_	-	ace of
	al Er	Scarlet Fever.	(16)	:	:	:	:	:	:	:	:	:	:	;	:	:	:	:	:	:	:	to pl
	Principal	Cerebro-spinal Fever.	(15)	:	:	:	:	:	:	;	:	:	:	:	:	:	:	:	:	:	;	nsfer
	PI	Typhoid and Para- typhoid Fevers.	(14)	:	:	:	:	:	:	:	:	:	:	;	:	;	:	:	:	:	:	y tra
10	Pers	ons aged 65 Years and over.	(13)	64	24	20	10	ಣ	9	2	ಣ	22	7	4	22	ന .	7	70	239	235	253	ected b
Deaths of	one Age.	Under One Month.	(12)	ಣ	2	22	<del>, .</del>	:	p-1	:	:	Н	:	:	:	г	<u></u>		23	24	18	y corr
ã	Infants under One Year of Age.	Total.	11)	20	co	2		•	-	:	:	23	:		:	_	6.1	prof	44	52	33	ionall
	Rate	per 1000 of Estima- ivilian Population,	(10)	12.2	10.6	8.0	10.1	7.9	11.3	11.2	0.9	12.2	4.0	2.6	6.8	10.4	2.2	11.5	10.6	11.2	11.1	death rates) have been provisionally
	Net:	Number (Civilian).	(9)	103	33	26	17	6	14	7	20	10	က	1	1	2	9	∞	481	509	487	ve bee
Deaths	T	ransferred In.	(8)	4	-	:	-	:	23	က	:	4		က		က	က	7	44	50	51	ses) ha
	Tr	ansferred Out.	(7)	.26	2	හ	2	:	:	:	:	:	ĊI	:	_	ಣ	9	2	96	107	88	th rat
	Nu	mber Registered.	(6)	125	34	29	21	6	6	4	20	9	4	4	7	10	6	∞	533	566	524	ing des
	M	arriages.	(5)	88	36	42	9	16	13	10	14	∞	00	10	70	13	00	00	473	530	476	nclud
hs.*		Still Born.	€ ₹	1 63	ಣ	2	-	:	2	~	:	2	-	:	_	:	~	~	42	40		ths (i
Births.		Live Born.	(3)	187	70	29	37	29	29	14	23	29	16	15	23	14	20	14	1055	970	764	d Dea
	Estimated Orylian Population 31st Dec. 1946.			441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	45,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	* Numbers of Births and Deaths (including
	TOWNS			2. EDINBURGH.	3. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK,	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY,	10. COATBRIDGE, .	11. KILMARNOCK, .	12. HAMILTON,	13. AYR,	14. FALKIRK,	15 DUNFERMLINE, .	16. PERTH,	Total, (Aug. 17, 1946	15	week Aug. 18, 1945	* Number

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2

#### WEEKLY RETURN THE REGISTRAR-GENERAL

#### Scotland IRTHS, DEATHS AND **MARRIAGES**

Registered in sixteen of the Principal Towns

Week ended Saturday, 24th August 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 24th August 1946 the births of 1010 living children and of 29 still-born children, 455 marriages and 502 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 20.3 per thousand of the population, the marriage-rate 9.2 and the death-rate 11 0. The number of still-births corresponds to a rate of 28 per thousand total births registered (including still-born).

The birth-rate of the week is 0.9 less than in the previous week but 2.7 above the five years' average. The marriage-rate is 0.3 less than in the previous week but 1.5 above the pre-war average. The death-rate is 0.4 more than in the previous week

but 0.8 below the average.

The weekly death-rates in the individual towns ranged from 14.4 in Perth and 13.1 in Kirkcaldy to 8.4 in Dundee and 8.0 in Kilmarnock. Relatively high deathrates occurred in Clydebank 12.8, in Dunfermline 12.5 and in Hamilton 12.4. Glasgow the rate was 11.5 and in Edinburgh 10.5.

Deaths from the principal epidemic diseases numbered 2 and are the same as in the previous week. They include I from cerebro-spinal fever and I from diphtheria Compared with the number in the previous week deaths from cerebro-spinal fever are 1 more and from diphtheria 1 more. In the previous week 2 deaths were registered from whooping-cough.

Deaths from all forms of tuberculosis numbered 47, of which 38 were from tuberculosis of the respiratory system. The former are 5 more than in the previous week and the

latter 8 more.

Deaths from respiratory diseases (other than tubercular) numbered 28 and equalled an annual death-rate from these causes of 0.6 per thousand. This death-rate is 0.1 less than in the previous week and 0.2 below the average.

Deaths of children aged less than one year numbered 45, being 1 more than in the previous week. Of these 26 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 250 and are 11 more than in the previous week.

Deaths attributed to violent causes numbered 27 and are 11 more than in the

previous week.

The mean temperature for the towns from which returns were received was 55.5°. being 0.1° below that for the previous week and 1.2° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.46 inch and the mean sunshine 20.5 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price Id. net

	No		(31)	<u> </u>	25.	က	4	50	6.	7	00	6	10	=	12	55	14	15	16	cos	5000		
H	ours of I	Bright Sunshine.	(30)	C.A.I	20.4	0.50	18.8	25.6	31.0	:	:	:		30.8	:	:	:	15.7	13.1	20.28	39.68	:	
(	Rainfa	ll in Inches.	(58)	0.41	19.0	0.71	0.33	0.43	0.34	• :	:	:	:	0.30	:	÷	:	0.33	9.0	0.468	829.089.99	57.18 0.828	
.0.		l'emperature (aver- all observations).	-		22.8	53.5	54.3	9.99	6.99	:	:	:	:	55.3	:	:	:	2.99	20.99	89.99	55.68	57.18	hs,
Temperature.		solute Lowest.				39	40	46 5	47 5	:	:	:		38	;	:	:	43	41	38+	37+	42‡	Deat
Temp	A.b.	solute Highest.	(36)	89	65	64	63	29	99	:	:	:	:	29	:	;	:	29	89	<sup>‡</sup> 89	£89	101	Including Service Deaths
		Violence.	(25)	C)	00	2	2	-	:	-	:	:	:	:	:	:	2	:	2	27	16	36	ding.
	Diarrh	cea (under 2 years of age).	-	2	-	-	:	:	:	;	:	:	:	:	:	-	:	_	:	6	10	12	Inclu
	Resp	piratory Diseases than Tubercular).	(23)	16	20	:	9	:	:	:	•	67		:	-	:	;	:	:	28	31	28	+
		Respiratory System.	(22)	27	D1	7	:	2	;	:	2	:	:	;	:	:	:	-	-	38	30	32	tland.
g	Tuber- culosis.	All Forms.	(21)	က	4	2	:	7	:	:	2	:	:	:	2	:	:	7	7	47	42	39	if in Sec
Deaths from		Measles.	(20)	:	:	:	:	:	:	:	:	:	i	:	:	:	:	:	:	:	:	:	ence
Deatl	Diseases.	Influenza.	(61)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	: .	:	:	:	resid
	c Dis	Diphtheria.	(18)	:	:	:	:	:	p-ref	:	:	;	:	. :	:	:	:	:	:	-	:	:	usual
	Epidemic	Whooping-cough.	(11)	:	:	•	:	:	٠:	<i>-</i> :	:	;	;	:	:	:	;	;	:•	:	2	:	ace of
	al Ep	Scarlet Fever.	(16)	:	:	:	:	:	:	:	:	:	:	:	:	;	:	:	:	:	:	:	to pla
	Principal	Cerebro-spinal Fever.	(15)	:	:	:	:	:	:	:	:	:	:	p==	:	:		:	:	_	:	-	nsfer
	F.	Typhoid and Para- typhoid Fevers.	(14)	:	÷	:	:	:	:	:	:	:	:	:	:	• ;	:	:	-	:	:	:	y tra
75	Pers	ons aged 65 Years and over.	(13)	86	61	12	24	11	10	2		1	ಣ	2	4	9		ئد	ေ	250	239	246	ected b
Deaths of	one Age.	Under One Month.	(12)	i	3	۲		:	က	-			:	:	.:	:	.co		_	26	23	25	y corr
De	Infants under One Year of Age	Total.	11)	23	ಣ	2	2	:	4	_	-	7	:	:		-	4	-	-	45	44	42	ionally
	Rate ted C	per 1000 of Estima- ivilian Population.	(01)	2.11	10.5	8.4	11.7	10.7	12.0	6.8	12.8	13.1	2.6	0.8	12.4	11.5	10.4	12.5	14.4	11.0	9.01	11.4	death rates) have been provisionally corrected by transfer to place of usual residence if in Scotland
	Net	Number (Civilian).	(6)	225	83	26	80	18	17	11	00	11	00	9	6	රා	F-0	10	10.	505	. 481	504	ve bee
Deaths	T	ransferred In.	(8)	10	4	:	:	_	63	4	ಣ	_	_	2	က	:	:	(0)	22	36	44	59	ses) ha
1	Tr	ansferred Out.	(4)	36	28	6	16	2	:	:	:	:	;	<del></del> 1.	:	ရာ	හ	2	70	201	96	103	th rat
	Nu	mber Registered.	(9)	251	113	35	54	19	14	7	5	10	2	20	9	12	10	10	13	571	533	548	ing des
;	Ma	arriages.	(5)	196	86	25	42	13	12	7	4	00	က	က	7	10	10	11	9	455	473	564	neludi
hs.*		Still Born.	€	11	9	တ	,—	2	:	-	:	-	_	:	H	;	1	-	:	29	42	20	ths (i
Births.		Live Born.	(3)	439	203	65	83	33	23	21	0	16	17	14	18	20	20	19	.12	1010	1055	825	d Dea
	Bstimated Civilian Population 31st Dec. 1945.		(2)	1,020,800	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	Numbers of Births and Deaths (including
	TOWNS.			1. GLASGOW,	2. EDINBURGH, .	3. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	.9	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY, .	10. COATBRIDGE, .	11. KILMARNOCK,	12. HAMILTON,	13. AYR,	14.	15 DUNFERMLINE,.	16. PERTH,	Total, (Aug. 24, 1946	15	week ending (Aug. 25, 1945	equnN *

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistic Street, Edinburgh 2 27/8/46. J.S.&Co. Ltd., Group 171 (1940).



#### WEEKLY RETURN THE REGISTRAR-GENERAL

No. 35

### Scotland

## BIRTHS, DEATHS AND **MARRIAGES**

Registered in sixteen of the Principal Towns

Week ended Saturday, 31st August 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 31st August 1946 the births of 979 living children and of 34 still-born children, 468 marriages and 520 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 19.7 per thousand of the population, the marriage-rate 9.4 and the death-rate The number of still-births corresponds to a rate of 34 per thousand total births registered (including still-born).

The birth-rate of the week is 0.6 less than in the previous week but 2.8 above the five years' average. The marriage-rate is 0.2 more than in the previous week and 0.3 above the pre-war average. The death-rate is 0.4 more than in the previous week

and is the same as the average.

The weekly death-rates in the individual towns ranged from 18.7 in Kilmarnock and 16.6 in Ayr to 9.5 in Paisley and 5.5 in Hamilton. Relatively high death-rates occurred in Perth 14.4, in Motherwell and Wishaw 13.7 and in Coatbridge 13.4. Glasgow the rate was 11.5 and in Edinburgh 10.9.

One death occurred in the principal epidemic group—that is 1 fewer than in the previous week—the cause being diphtheria. In the previous week 1 death was registered from cerebro-spinal fever and 1 from diphtheria.

Deaths from all forms of tuberculosis numbered 41, of which 34 were from tuberculosis of the respiratory system. The former are 6 fewer than in the previous week and the latter 4 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 37 and equalled an annual death-rate from these causes of 0.8 per thousand. This death-rate is 0.2

more than in the previous week but is the same as the average.

Deaths of children aged less than one year numbered 46, being 1 more than in the previous week. Of these 30 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 257 and are 7 more than in the previous week.

Deaths attributed to violent causes numbered 25 and are 2 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 55.3°, being 0.2° below that for the previous week and 0.7° below the average for the corresponding week in the period 1901-30. The mean rainfall was 1.32 inch and the mean sunshine 31.9 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net Annual Subscription 8s. 8d. post free.

	(31)	. 2	က	4.	5.	6.	7.	တ်	6	10.	11.	12.	13.	14.	15.	16.						
Н	ours of	Bright Sunshine.	(30)		34.1	26.4	31.2	36.0	- :	. :	. , .	. :	9.78	:	:	:	34.3	28.3	36.18	20.58	. :	
	Rainfa	all in Inches.	(29)	1.04	3.38	0.94	1.11	0.84	:	:	1	:	0.63	:	:	:	1.65	96.0	55.38 1.328 31.98	55.58 0.468 20.58	58.28 0.198	
re.		Temperature (aver-	(28)	54.9	53.3	54.6	8.99	2.99	:	:	:	:	9.99	:	:	:	5.99	22.1	\$6.38	89.99	58.28	
Temperature.	Al	(27)	-	37	40	43	47	:		1	:	41	;	:	:	42	39	37+	384	37+		
Tem	Ab	solute Highest.	(26)	63	69	64	29	65	:	:	:	:	69	:	;	:	29	89	‡69	£89	73‡	١
		Violence.	(25)	r 60	7	-	S	.01	:	:	:	-	:	:	:	:	2	:	25	27	23	1
	Diarri	ncea (under 2 years of age).	(24)	:	:	7	11	7	:	· :	:	:	:	:	:	:	;	:	00	6	13	
	Res:	piratory Diseases than Tubercular).	(23)	2	63		:	4	-	;;	:	:	4	-	-	_	:	_	37	28	22	
	er. sis.	Respiratory System.	(22)	t-	2	:	7	;	proof	:	:	2	;	:		:	:	_	34	38	31	
u u	Tuber- culosis.	All Forms.	(21)	00	61	67			-	1	:	က	:	:	2	:	*:	<b>,</b> (	41	47	40	
Deaths from	ri .	Measles.	(20)	: :	. :	;	:	:	:	:	:	:	:	:	:	:	<i>,</i> :	:	:	:	:	
Deat	Principal Epidemic Diseases	Influenza.	(61)	: :	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
	ile Di	Diphtheria.	(18)	:	. :	:	:	:	:	:	:	:	:	:	:	:	;	:	-	-	:	
	pidem	Whooping-cough.	(11)		. :	:	:	1	:	:	:	1	;	:	:	:	:	;	:	:	:	
	al E	Scarlet Fever.	(91)		- 1	:	:.	•	:	:	:	•	:	;	:	:	:	:	:	:	:	Commontant
	rinciy	Cerebro-spinal Fever.	(12)	: :		:	- :	:	:	:	:	:	:	;	:	:	, :	:	:	<b>,</b> —(	:	Ì
	Ъ	Typhoid and Paratyphoid Fevers.	(14)	:	:	,:	:	:	:	:	. :	:	:	:	:	:		:	:	:	:	A COMMISSION NAMED A S.
1 20	Perso	ons aged 65 Years and over.	(13)	46	22	21		. 2	10	₩.	7	5	2	က	9	9	2	1	257	250	231	I
Deaths of	nts One f Age.	Under One Month.	(12)	ေ	22	67	7	9	:	;	:	-		:	-	:	7	:	30	26	19	
	Infants under One Year of Age.	Total.	(11)	4	ಣ	2	-	4	:	:	:		-	:	-	:	2	:	46	45	44	Commence
	Rate	per 1000 of Estima- vilian Population.	(10)	10.9	11.9	10.2	9.2	6.6	13.7	9.6	11.9	13.4	18.7	5.2	9.91	10.4	. 12.5	14.4	11.4	11.0	10.8	
80	Net1	Vumber (Civilian).	(9)	92	. 37	33	16	14	17	9	10		14	4	13	7	10	10	520	202	477	
Deaths	T	ransferred In.	(8)	10	22	63	ආ	2	ಣ	2	ಎ	က်	2	-	কা	,:	-	н	22	36	53	ı
	Tra	insferred Out.	£ 9	30	ආ	17	ෙ	63	:	:	1	2	:		23	4	භ	1-	115	105	83	
	Nur	nber Registered.	(6)	117	80	48	16	14	14	4	00	∞	12	4	11	11	12	16	580	571	531	l
	Ma	rriages.	(5)	18	37	39	21	16	10	ග	10	6	-1	G.	3	9	9	9	468	455	508	1
ь».*		Still Born.	⊕ 15	_	က	2	7	-		:	:	-	:	:	:	_	4	:	34	29	23	١
Births.		Live Born.	(3)	177	69	59	26	27.	32	13	16	18	17	100	22	6	18	12	979	1010	828	۱
	Estimated Civilian Population 31st Dec. 1946.				162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100		2,296,600	
	TOWNS				3. DUNDEE,	4. ABERDEEN, .	5. PAISLEY,	6. GREENOCK,	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,					13. AYR,	14. FALKIRK	15 DUNFERMLINE,.	16. PERTH,	_	A.	ending (Sept. 1, 1945	

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street. Edinburgh 2 3/9/46.

† Including Service Deaths.

#### WEEKLY RETURN THE REGISTRAR-GENERAL

## Scotland

## RTHS, DEATHS AND **MARRIAGES**

Registered in sixteen of the Principal Towns

Week ended Saturday, 7th September 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 7th September 1946 the births of 1028 living children and of 45 still-born children, 590 marriages and 501 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 20.7 per thousand of the population, the marriage-rate 11.9 and the death-rate The number of still-births corresponds to a rate of 42 per thousand total births registered (including still-born).

The birth-rate of the week is 1.0 more than in the previous week and 4.1 above the five years' average. The marriage-rate is 2.5 more than in the previous week and 0.7 above the pre-war average. The death-rate is 0.4 less than in the previous week

and 1.2 below the average.

The weekly death-rates in the individual towns ranged from 16:3 in Greenock and 15.8 in Perth to 7.7 in Ayr and 7.1 in Kirkcaldy. Relatively high death-rates occurred in Dunfermline 13.8, in Aberdeen 13.6 and in Coatbridge 12.2. In Glasgow the rate

was 10.9 and in Edinburgh 10.1.

Deaths from the principal epidemic diseases numbered 6 and are 5 more than in the previous week. They include 1 from cerebro-spinal fever, 1 from whooping-cough, 2 from diphtheria, 1 from influenza and 1 from measles. Compared with the number in the previous week deaths from cerebro-spinal fever are 1 more, from whooping-cough 1 more, from diphtheria 1 more, from influenza 1 more and from measles 1 more.

Deaths from all forms of tuberculosis numbered 58, of which 48 were from tuberculosis of the respiratory system. The former are 17 more than in the previous week and the

latter 14 more.

Deaths from respiratory diseases (other than tubercular) numbered 32 and equalled an annual death-rate from these causes of 0.7 per thousand. This death-rate is 0.1 less than in the previous week and the same as the average.

Deaths of children aged less than one year numbered 41, being 5 fewer than in the previous week. Of these 25 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 229 and are 28 fewer than in the previous week.

Deaths attributed to violent causes numbered 21 and are 4 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 56.3°, being 1.0° above that for the previous week and 0.6° above the average for the corresponding week in the period 1901-30. The mean rainfall was 1.65 inch and the mean sunshine 12.0 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price Id. net

Annual Subscription 8s. 8d. post free,

TURN OVER

	(31)	ic	i co	4	5.	6.	7.	oö.	9.	.01	11.	12.	13.	14.	15.	16.				1		
Ho	Hours of Bright Sunshine.				5.0	_	9.2	2.8	:	:	:		11.6	:	:			9.0	2.08	31.98	:	ı
-0		ll in Inches.	(29) (30)	1 10			.62	8   8	:	:	:		41 1.	:	:	:	-	61	1.658 12.08	328 3	0.018	ı
		Temperature (aver-			2 -	-	0 1.	5 1.	:	:	:		_	:	:		_	.5 5.	26.38 1	55.38 1.328	58.38 0	١.
Temperature.	age of	all observations).					57	22		•	•		44 56.9	· :	· :		45 56.1	45 56.5	40+ 26	37# 55	40‡  28	1970
mper Fal	At	osolute Lowest.		40			3 48	200		:	:				•				++			Oin Danklan
Te	A.b	solute Highest.			65			65	:	:	:	:	99		:	•	64	65	1 67	±69 5	77#	0
		Violence.	2		ء	1 0		:	-2	:		:	:			:			9 21	8 25	9 29	
		of age).	(3)	G F	<b>-</b> .	: -	:	:		:	:	:	:	:	:	:	:			_		
	Resi (other	piratory Diseases than Tubercular).	(23)	77	7 6	2 6	2	:		2	:	:	:	:	:	:	•	<u>:</u>	32		27	
	er- sis.	Respiratory System.	(22)	777	B 6	٠ -	2	4	2	:	,—I	2	:	-			:	:	48	34	35	:
ш	Tuber- culosis.	All Forms.	(21)	7.00	11		2	4	ಣ	:		2	:			_	:	:	58	41	43	
Deaths from	·	Measles.	(20)	: -	-	:	:	:	:	:	:	:	:	:	:-	:	:	:	,	:	:	1
Deat	Principal Epidemic Diseases.	Influenza.	(61)	: "	_	:		:	:	:	:	:	:	:	:	:	:	:	-	;	:	
	iic Di	Diphtheria.	(18)			:	:	:	:	:	:	:	:	: '	:	:	:	:	2			
	piden	Whooping-cough.	(11)	:	:	:	:	:	:	:	:	prof	:	:	:	:	-	:		:	27	-
1.54	pal E	Scarlet Fever.	(16)	:	;	:	:	:	:	:	:	:	:	:	:	:	:	:		:	:	-
1 1	rinci	Cerebro-spinal Fever.	(15)	<del>-</del>	:	:		:	:	;	;	:	:	:	:	:	: 	:	1	:	:	The state of the s
		Typhoid and Paratyphoid Fevers.	(14)	:	<u>`</u> ;	:	: :	:	:	:	:	:	:	;	:	:	:	;	:	:	:	-
100	Pers	ons aged 65 Years and over.	(18)	000	17	94	4	12	73	က	C73	භ	ಣ	4	2	4	10	∞	229	257	287	1
Deaths of	nts One	Under One Month.	(21)	13	. c	4 00	)	_	:	:	:	.23		:	:	:	;	:	25	30	24	
Ã	Infants under One Year of Age.	Total.	(11)	22	9 0	V 4	٠,	-	Н	:	:	21	powel	:	:	:	:	p-mi	4	46	48	
-1.1	Rate ted C	per 1000 of Estima- ivilian Population.	(10)	10.9	10.1	13.6	10.7	16.3	11.3	0.8	7.1	12.2	10.7	8.50	1.1	8.9	13.8	15.8	11.0	11.4	12.5	-
	Net	Number (Civilian).	(6)	213	00 o	CC	H OC	23	14	5	9	10	00	9	9	9	11	11	501	520	549	Treyth management
Deaths	7	Transferred In.	8	12	30 G	4 0	1 00	-	9	က	_	2		:	<del>, -</del>	7	:	_	39	55	45	-
	Tr	ansferred Out.	E	30	- 1	0 7	4	-	67	:	-	:	-	П	ಣ	2	2	22	85	115	66	-
	Nu	mber Registered.	(9)	231	66	200	10	23	10	27	9	00	00	1	00	1	13	12	547	580	599	
	М	arriages.	(5)	259	109	31	25	23	16	2	6	4	0	11	16	19	9	ಬ	590	468	109	
hs,*		Still Born.	ساء	18	o 1	0	7 -		-	-	:	:	က	ಣ	:	23	ಣ	:	45	34	24	1
Births.*		Live Born.	(3)	453	181	77	10	33	21	13	14	16	15	20	18	17	20	15	1028	626	842	1
	Estimated Givilian Population SISL Dec. 1945.				441,000	162,100	000,801	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	9,369,100		2,296,600	The second
	TOWNS						4. ABERDEEN,		7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY, .	10. COATBRIDGE, .	11. KILMARNOCK,	12. HAMILTON,	13. AYR,	14. FALKIRK,	15 DUNFERMLINE,.	16. PERTH,	Total, (Sept. 7, 1946	us	week Sept. 8, 1945	,

Wt. 70012/2

#### WEEKLY RETURN REGISTRAR-GENERAL

Scotland

BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 14th September 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 14th September 1946 the births of 1028 living children and of 36 still-born children, 570 marriages and 561 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 20.7 per thousand of the population, the marriage-rate 11.5 and the death-rate 12.3. The number of still-births corresponds to a rate of 34 per thousand total births registered (including still-born).

The birth-rate of the week is the same as in the previous week and 3.9 above the five years' average. The marriage rate is 0.4 less than in the previous week but 1.5 above the pre-war average. The death-rate is 1.3 more than in the previous week

but 0.1 below the average.

The weekly death-rates in the individual towns ranged from 23.5 in Hamilton and 17.9 in Kirkcaldy to 8.9 in Ayr and 1.6 in Clydebank. Relatively high death-rates occurred in Motherwell and Wishaw 13.7, in Kilmarnock 13.4 and in Falkirk 13.4.

In Glasgow the rate was 12.6 and in Edinburgh 13.0.

Deaths from the principal epidemic diseases numbered 6 and are the same as in the previous week. They include 2 from cerebro-spinal fever, 2 from whooping-cough and 2 from diphtheria. Compared with the number in the previous week deaths from cerebrospinal fever are 1 more, from whooping-cough 1 more and from diphtheria number the same. In the previous week 1 death was registered from influenza and 1 from measles.

Deaths from all forms of tuberculosis numbered 35, of which 28 were from tuberculosis of the respiratory system. The former are 23 fewer than in the previous week and the

latter 20 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 42 and equalled an annual death-rate from these causes of 0.9 per thousand. This death-rate is 0.2 more than in the previous week but 0.1 below the average.

Deaths of children aged less than one year numbered 53, being 12 more than in the previous week. Of these 32 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 274 and are 45 more than in the previous week.

Death's attributed to violent causes numbered 19 and are 2 fewer than in the

The mean temperature for the towns from which returns were received was 53.9°, being 2.4° below that for the previous week but 0.3° above the average for the corresponding week in the period 1901-30. The mean rainfall was 2.10 inches and the mean sunshine 13.5 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE PUBLISHED BY HIS MAJESTI'S STATIONERY
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses
13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;
39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;
80 Chichester Street, Belfast;
or through any bookseller

Price Id. net Annual Subscription 8s. 8d. post free.

TURN OVER

No. 37

		No	[8]	2 2	က	4	5.	6.	7-	∞	6	10.	11.	12.	13.	14	15.	16.				J
I.	Hours of	Bright Sunshine.	(30)	13.9	17.6	18.9	12.5	12.2	:	-:	:	:	11.2	:	:	:	12.5	13.7	53.98 2.108 13.58	56.38 1.658 12.08	:	
	Rainfa	ill in Inches.	(29)	1.46	1.43	1.95	2.77	2.43	;	:	:	:	3.06	:	:	:	2.06	1.05	\$01.2	1.658	1.248	
.e.		Temperature (aver-	(28)		20.6	54.1	55.1	22.1	;	:	:	:	55.3	:	:	:	53.9	53.7	3.98	6.38	57.88 1.	1
Temperature.		osolute Lowest.	(27)		35 5	43 5	47 5	48 5	. ;	:	:	:	46 5	;	:	:	42 5	41 5	35+ 6	40‡	42‡ [	١
Temp		solute Highest.	(26)	09	65	62	64	64	• :	:	:	:	99	:	:	:	63	64	÷99	67+		-
-		Violence.	(25) (	9	_		,	:	Н	:	:	:	:	_	:	:	:	:	19	21 (	26 7	-
	Diarrh	nœa (under 2 years	(24)		-	:	. ;	:	-	:	:	:	:	:	:		:	:	101	6	16 2	-
	Res	of age).	(23) (	2 10	63	-	00	:		:	හ		:	:	:		. ;	_	42	32	35	1
	100000000000000000000000000000000000000	than Tubercular).  Respiratory	(22)		:		:	7	_	:	1	:	:	1	:	:	:	:	28	48	34	1
	Tuber- culosis.	System.	(21) (2									:			_		:	:	35	58	42	-
from		All Forms.	(20)								:	,			:			;	:			-
Deaths from	ses.	Measles.		<u> </u>	; :	:	:	:	:		:	:	:	:	:	:	:	:	-	-		-
D	Principal Epidemic Diseases	Influenza.	(18)		:	:	:	:	:	:	:	:	:	:	:	:	;	:	2	27	67	-
	emic	Diphtheria.	(17)		· :	-	:	:	:	:	:	:	:	:	:	:	· :	· :	2	-		-
	Epid	Whooping-cough.  Scarlet Fever.		: ;	:	:	:	:	;	· :	:	· :	:	:	:	:	:	· :	-	_	:	1
	leipal	Cerebro-spinal			:	- <u>·</u> :	· :	-	:	:	· :	· :	· :	· ;	· :	:	· ;	:	2	-		-
	Prir	Fever. Typhoid and Para-	(14)	: ;	;	:	:	:	:	:		:	:	:	;	:	:	:	-:	:	:	-
	Perso	typhoid Fevers.	(313)	64	20	22	10	9	6		00	-	2	10	_	ر د	<sub>හ</sub>	∞	274	229	265	۱
Deaths of	S De	under One	(12) (21)	4	y-i-4	:	2	-11	¢1		:	64	H		:	:	:	Ħ	32 2	25	15	-
Dea	Infants under One Year of Age.	Month. Total.	) (11		-	2	67	H	හ	:	• :	2	1	2	-	-	:	p=4	53	41	43	1
	Rate	per 1000 of Estima-	(10)	13.0	9.0	0.5	2.4	9.0	13.7	9.1	6.71	2.6	13.4	23.5	တ့	9.4 4.	11:3	12.9	2.3	11.0	12.3	-
	ted Ci	vilian Population.			33 1	33 1	21 1	15 1	17 1	-	15 1		_	64		_	_	9 1:	12.			-
hs.		Tumber (Civilian).	(9)				,	_					-		1				561	501	240	١
Deaths	T	ransferred In.	(8)	9	<u>ග</u>	ರಾ	<u></u>		<u>ක</u>		CI CI	ත		4	_			:	51	53	43	ı
	Tra	insferred Out.	33	25	5	6	7	:	:	-:	6.1	_	:	: '	_	9	4	1-	92	85	88	-
	Nun	aber Registered.	(6)	129	50	39	20	15	14	:	15	9	o	13		14	11	16	602	247	585	i
	Ma	rriages.	(5)	129	90	44	. 17	15	00	6	00	က	9	10	14	10	12	17	570	590	698	1
Births.*		Still Born.	€ 38	4	4	:	<del>-</del>	Н	-	:	<del></del>		F-1	ಣ	:	:	-	:	36	45	28	I
Bir		Live Born.	(8)	209	69	22	39	83	22	00	21	18	6	25	CI	11	16	21	1028	1028	779	l
	Estimated Civilian	Population 31st Dec. 1945.	(2)	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200			2,296,600	
		TOWNS.	(1) GLASGOW.	2. EDINBURGH,	3. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK,	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY, .							16. PERTH,		week Sept. 7, 1946	ending (Sept. 15, 1945)	1 1 2

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistic Street, Edinburgh 2

#### WEEKLY RETURN OF THE REGISTRAR-GENERAL

Scotland

RTHS, DEATHS AND **MARRIAGES** LIBRARY

Registered in sixteen of the Principal Towns

Veek ended Saturday, 21st September 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 21st September 1946 the births of 1082 living children and of 29 still-born children, 584 marriages and 491 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 21.8 per thousand of the population, the marriage-rate 11.7 and the death-rate 10.8. The number of still-births corresponds to a rate of 26 per thousand total births registered (including still-born).

The birth-rate of the week is 1.1 more than in the previous week and 4.5 above the five years' average. The marriage rate is 0.2 more than in the previous week and 1.6 above the pre-war average. The death-rate is 1.5 less than in the previous week

and 1.5 below the average.

The weekly death-rates in the individual towns ranged from 18.7 in Perth and 15.9 in Clydebank to 7:7 in Ayr and 6:4 in Greenock. Relatively high death-rates occurred in Coatbridge 13.4 and in Paisley 13.0. In Glasgow the rate was 10.3 and in Edin-

burgh 11.9.

Deaths from the principal epidemic diseases numbered 5 and are 1 fewer than in the previous week. They include 2 from whooping-cough, 1 from diphtheria and 2 from influenza. Compared with the number in the previous week deaths from whooping cough are the same, from diphtheria 1 fewer and from influenza 2 more. In the previous week 2 deaths were registered from cerebro-spinal fever.

Deaths from all forms of tuberculosis numbered 42, of which 38 were from tuberculosis of the respiratory system. The former are 7 more than in the previous week and the

latter 10 more.

Deaths from respiratory diseases (other than tubercular) numbered 33 and equalled an annual death-rate from these causes of 0.7 per thousand. This death-rate is 0.2 less than in the previous week and 0.3 below the average.

Deaths of children aged less than one year numbered 57, being 4 more than in the previous week. Of these 31 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 237 and are 37 fewer than in the previous week.

Deaths attributed to violent causes numbered 20 and are 1 more than in the

previous week.

The mean temperature for the towns from which returns were received was 52.6°, being 1.3° below that for the previous week but 0.5° above the average for the corresponding week in the period 1901-30. The mean rainfall was 1:17 inch and the mean sunshine 27.2 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H. M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price Id. net Annual Subscription 8s. 8d. post free.

TURN OVER

No. 38

usual residence if by transfer to place of Weekly means: corrected Numbers of Births and Deaths (including death rates) have been provisionally Weekly extremes

Including Service Deaths,

in Scotland.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2

#### WEEKLY RETURN REGISTRAR-GENERAL

Scotland

IRTHS, DEATHS AND **MARRIAGES** 

Registered in sixteen of the Principal Towns

Week ended Saturday, 28th September 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 28th September 1946 the births of 1081 living children and of 46 still-born children, 675 marriages and 573 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 21.7 per thousand of the population, the marriage-rate 13.6 and the death-rate The number of still-births corresponds to a rate of 41 per thousand total births registered (including still-born).

The birth-rate of the week is 0.1 less than in the previous week but 4.0 above the five years' average. The marriage rate is 1.9 more than in the previous week and 1.4 above the pre-war average. The death-rate is 1.8 more than in the previous week

and 0.6 above the average.

The weekly death-rates in the individual towns ranged from 20.7 in Hamilton and 18.7 in Perth to 4.8 in Motherwell and Wishaw and 3.6 in Kirkcaldy. Relatively high death-rates occurred in Ayr 15.3, in Edinburgh 14.1 and in Dundee 13.5. In Glasgow the rate was 13.1.

Deaths from the principal epidemic diseases numbered 5 and are the same as in the previous week. They include 2 from cerebro-spinal fever, 1 from diphtheria, 1 from influenza and 1 from measles. Compared with the number in the previous week deaths from cerebro-spinal fever are 2 more, from diphtheria the same, from influenza 1 fewer and from measles 1 more. In the previous week 2 deaths were registered from whooping-

Deaths from all forms of tuberculosis numbered 47, of which 38 were from tuberculosis of the respiratory system. The former are 5 more than in the previous week but the

latter are the same.

Deaths from respiratory diseases (other than tubercular) numbered 44 and equalled an annual death-rate from these causes of 1.0 per thousand. This death-rate is 0.3 more than in the previous week and 0.1 above the average.

Deaths of children aged less than one year numbered 56, being 1 fewer than in the previous week. Of these 33 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 269 and are 32 more than in the previous week.

Deaths attributed to violent causes numbered 14 and are 6 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 56.7° being 4.2° above that for the previous week and 4.2° above the average for the corresponding week in the period 1901-30. The mean rainfall was 0.39 inch and the mean sunshine 27.0 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net. Annual Subscription 8s. 8d. post free. No. 39

		No.	(31)	2.	က	4.	5.	6.	1	00	တ်	10.	11.	12.	13.	14.	15.	16.				
H	ours of 1	Bright Sunshine.	(30)	41.2	29-1	32.7	24.8	24.0		:	II.	:	23.0	;	:	:	24.9	22.7	27.08	58 1.098 27.78	:	
	Rainfa	ll in Inches.	(29)	0.15	0.10			89.0	***	:	;		0.49	:	:	:	0.57	0.50	78 0.398 27	1.098	53.18 0.328	ı
re.		Temperature (averall observations).	(28)	57.1	0.99	0	00	2.99	:	:	:	:	1.19	:	:	:	0.19	6.99	84.99	52.58	53.18	hs
Temperature.		solute Lowest.	45 5	46 5	40 5	45	47 5	48	*	.:	:		47	:	:	:	16	46	404	39+	35+	Including Service Deaths
Tem	A.b	solute Highest.	(26)	99	89	89	89	99	:	i	:	:	10	:	:	:	71	70	72+	64+	£19	Aarvio
		Violence.	(25)	4	~	:	:	~	:	:	:	:	:	:	:	:	;	:	14	20	19	dino 8
	Diarrh	cea (under 2 years of age)	(24)		:	:	:	;	-	:	:	:	:	:	:	:	:	:	5	10	25	
		piratory Diseases than Tubercular).	(23)	20	;	:	හ	ಣ	C4	_	_	_	2	4	_	,	:	~	44	33	33	+
	r. is.	Respiratory System.	(22)	10		C1	~	2	:	:	:	-	:	-	:	:	:	:	38	38	35	Southand
u u	Tuber- culosis.	All Forms.	(21)	9	_	01	7	67	:	;	:	2	:	7	:	:	:	:	47	42	42	1 .
Deaths from		Measles.	(20)	:	:	:	:	:	:	:	:	:	:	:	:	:	:		-	:	-	nocidence if
Deatl	Principal Epidemic Diseases.	Influenza.	(61)	:	:	:	;	:	:	:	:	:	:	:	:	:	:	-	1~1	2	٦,	noside
	ic Dis	Diphtheria.	(18)	;	:	:	:	hand	:	;	;	:	:	:	:	:	:	:		-	:	lottott
	oidem	Whooping-cough.	(41)	:	:	:	;	:	:	:	:	:	:	:	:	;	;	:	:	27	:	1
	al Er	Scarlet Fever.	(16)	:	:	:	:	:	:	:	;	:	:	:	:	:	:	:	:	:	:	to place
	rincir	Cerebro-spinal Fever.	(11)	2	:	:	:	:	:	;	:	:	:	;	` : 	:	:	:	63	:		twomerfor
	Pı	Typhoid and Para- typhoid Fevers.	(14)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		:	:	har trans
-	Pers	ons aged 65 Years and over.	(13)	69	25	12	11	2		4	2	4	4	9	20	යෙ	5	2	269	237	247	
Deaths of	one Age.	Under One Month.	(12)	57		:	<del>-</del> -1	6 8 8	-1	;	:	:	:	:		:	:	က	333	31	30	00000
à	Infants under One Year of Age.	Total.	11)	9	-	:	-	<del></del> (-	ಣ	:	:	г	:	2		:	:	4	56	57	29	owo!!
	Rate	per 1000 of Estima- ivilian Population.	(10)	14.1	13.5	80	13.0	3.5	4.8	11.2	9.8	13.4	10.7	20.7	15.3	13.4	1113	18.7	12.6	10.8	9.11	notice) being been promise confined as
	Net:	Number (Civilian).	(9)	119	45	27	22	13	9	2	¢3	11	00	15	12	6	03	130	573	165	510	o hoon
Deaths	7	ransferred In.	(8)	-1	Н	;	50	:	2	2	7	2	-	فر	-	:	_	_	43	49	47	of los
H	Tr	ansferred Out.†	£ 15	35	2	1-	4	4	;	:	귷	2	;	2	2	2	П	ಣ	96	98	96	To not
	Nu	mber Registered.	(6)	147	43	34	2]	17	4	2	ಣ	11	7	12	13	11	0	15	979	528	559	- done
	M	arriages.	(3)	901	36	47	27	21	15	10	11	6	17	12	7	6.	II	14	675	584	713	J. Colonia
Births,*		Still Born.	€ 5	17	2	2	27	:		2	П	Н	:	-	2	:	2	:	46	29	27	ha (
Birt		Live Born.	(3)	205	74	64	36	83	30	II	23	23	20	18	25	12	19	18	1081	1082	818	Door
	Estimated	Olynian Population 31st Dec. 1945.	(2)	441.000	162,100	169,000	88,100	73,600	. 64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	* Numbers of Rinths and Deaths (including
		TOWNS.	(I)	2. EDINBURGH.	3. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK,	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY,	10. COATBRIDGE, .	11. KILMARNOCK, .	12. HAMILTON, .	13. AYR,	14. FALKIRK,	15 DUNFERMLINE,.	16. PERTH,	Total, (Sept. 28, 1946	6 Towns Sept. 21, 1946	week ending (Sept. 29, 1945	* Name of the stat

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street. Edinburgh 2

#### WEEKLY RETURN THE REGISTRAR-GENERAL

Scotland

BIRTHS, DEATHS AND **MARRIAGES** 

Registered in sixteen of the Principal Towns

Veek ended Saturday, 5th October 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 5th October 1946 the births of 1114 living children and of 33 still-born children, 656 marriages and 538 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 22.4 per thousand of the population, the marriage-rate 13.2 and the death-rate The number of still-births corresponds to a rate of 29 per thousand total births registered (including still-born).

The birth-rate of the week is 0.7 more than in the previous week and 3.3 above the five years' average. The marriage-rate is 0.4 less than in the previous week but 0.9 above the pre-war average. The death-rate is 0.8 less than in the previous week

and 0.6 below the average.

The weekly death-rates in the individual towns ranged from 22.6 in Kirkcaldy and 16.4 in Falkirk to 4.8 in Clydebank and 4.3 in Perth. Relatively high death-rates occurred in Coatbridge 14.6, in Aberdeen 13.9 and in Greenock 12.7. In Glasgow the

rate was 12.3 and in Edinburgh 12.1.

Deaths from the principal epidemic diseases numbered 3 and are 2 fewer than in the previous week. They include 1 from typhoid fever, 1 from whooping-cough and 1 from influenza. Compared with the number in the previous week deaths from typhoid fever are 1 more, from whooping-cough 1 more and from influenza the same. In the previous week 2 deaths were registered from cerebro-spinal fever, 1 from diphtheria and 1 from

Deaths from all forms of tuberculosis numbered 42, of which 35 were from tuberculosis of the respiratory system. The former are 5 fewer than in the previous week and the

latter 3 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 28 and equalled an annual death-rate from these causes of 0.6 per thousand. This death-rate is 0.4

less than in the previous week and 0.3 below the average.

Deaths of children aged less than one year numbered 55, being 1 fewer than in the previous week. Of these 31 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 268 and are 1 fewer than in the previous week.

Deaths attributed to violent causes numbered 24 and are 10 more than in the

previous week.

The mean temperature for the towns from which returns were received was 54.0°, being 2.7° below that for the previous week but 2.7° above the average for the corresponding week in the period 1901-30. The mean rainfall was 0.34 inch and the mean sunshine 10.5 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Annual Subscription 8s. 8d. post free.

TURN OVER

No. 40

§ Weekly means.

† Including Service Deaths.

		No.	(31)	2	e5	4.	5.	6.	7.	∞	6	10.	11.	12.	13.	14.	15.	16.			
н	ours of	Bright Sunshine.	(30)	8.6	10.7	6.5	2.8	6.8	:	:	1:	:	27.5	:	:	:	7.6	1.4	10.58	27 ·0\$	
	Rainfa	all in Inches.	(29)	0.26	0.37	0.53	0.37	0.47	:	:	1	:	0.47	:	:	:	60.0	0.18	54.080.348	56.78 0.398 27	0.048
re.	Mean age o	Temperature (aver-	(28)	52.9	53.2	53.1	1.99	55.3	:	:	;	:	55.9	:	:	:	53.3	54.1	54.08	81.99	54.88
Temperature.	Al	osolute Lowest.	(27)		39	96	. 50	20	:	:	:	:	49	:	:	:	45	45	39+	40‡	
Tem	A.b	solute Highest.	(26)	09	63	69	62	62	:	:	:	:	65	:	;	:	63	63	± 99	727	71‡
		Violence.	(25)	က	,	4	2	:	:	:	-	1	;	:		1	• :	:	24	14	26
	Diarri	nea (under 2 years of age).	(24)	-	:	:	П	;	:	:	:	2	:	:	:	:	:	:	∞	5	18
		piratory Diseases than Tubercular).	(23)	7	ଷ	6.1	П	:	:	:	2	:	:	:	_	:	:	:	8%	44	32
	er. sis.	Respirator <b>y</b> System.	(22)	4	2	-	2	-	:	-	:	භ	;	:		:	:	:	35	38	25
я	Tuber- culosis.	All Forms.	(21)	20	2	_	22	_	:	7	:	4	:	:	_	2	:	:	42	47	35
Deaths from		Measles.	(20)	:	:	:	:	:	:	:	;	:	÷	:	:	:	:	<b>,</b> :	;	Н	:
Deat	Principal Epidemic Diseases	Influenza.	(19)	:	;	:	:	;	:	:	:	:	:	:	:	:	:	. :	-	7	4
1,1	ie Dis	Diphtheria.	(31)	;	:	:	:	:	:	:	;	:	:	:	:	:	:	:	:	-	:
1.0	oidem	Whooping-cough.	(17)	:	:	:	:	:	:	:	:	;	:	:	:	:	:	:	7	:	:
1	al Er	Scarlet Fever.	(16)	;	:	:	:	:	:	:	:	:	:	;	;	:	:	:	:	:	:
	rincir	Cerebro-spinal Fever.	(15)	:	:	:	:	:	:	:	:	:	:	;	:	:	:	:	:	2	:
	Ь	Typhoid and Paratyphoid Fevers.	(14)	:	:	:	:	_	:	;	:	:	÷	:	:	:	:	:		:	:
of	Perso	ons aged 65 Years and over.	(13)	61	10	26	6	6	4	_	10	5	rc)	හ	5	4	4	2	268	269	250
Deaths of	nts One f Age.	Under One	(12)	က	4	_	<b>:</b>	-	:	. ;	:	:	ï		:	C.	2	:	31	33	22
Q	Infants under One Year of Age.	Total.	11)	00	ಸರ		_	က	;	:	÷	2	:	_	:	CI	2	:	55	26	99
	Rate	per 1000 of Estima- vilian Population.	(10)	12.1	<b>Q</b>	13.9	10.1	12.7	9.9	4.8	22.6	14.6	10.7	6.9	11.5	16.4	10.0	4.3	11.8	12.6	11.8
*	Netl	Number (Civilian).	(9)	102	29	45	17	18	∞	ಲಾ	19	12	00	20	6	11	∞	භ	538	573	518
Deaths.	T	ransferred In.	(8)	4	4	က	Н	2	4	_	5	20	÷	H	2	:	_	-	47	43	45
	Tra	insferred Out.†	22	22	10	00	က	:	:	:	:	:	:	:	:	2	ಣ	C)	72	96	95
	Nur	aber Registered.	(6)	120	35	20	19	16	4	2	14	7	00	4	1	13	10	4	563	979	568
	Ma	rriages.	(5) 321	94	45	51	17	13	05	11	13	15	70	00	11	∞	12	12	929	929	626
hs.*		Still Born.	€ 17	4	1	4	:	7	:	:	:	;	:	2	;	2	-	7	33 (	46 6	29
Births.		Live Born:	(8)	221	106	83	49	37	30	6	10	25	22	20	16	10	91	14	1114	1081	914
	Estimated Civilian	Population 31st Dec. 1945.	(2)	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	87,700	40,800	35,000	41,700	36,200	2,369,100	_	2,296,600
		TOWNS.	(1) 1. GLASGOW,	2. EDINBURGH, .	3. DUNDEE,		5. PAISLEY,	6. GREENOCK,	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY,	10. COATBRIDGE, .		12. HAMILTON,	13. AYR,	14. FALKIRK,	15 DUNFERMLINE,.	16. PERTH,	_	. 28,	ending (Oct. 6, 1945

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2

LIBRARY

#### WEEKLY RETURN No. 41 REGISTRAR-GENERAL

### Scotland DEATHS AND RTHS, **MARRIAGES**

Registered in sixteen of the Principal Towns

Week ended Saturday, 12th October 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 12th October 1946 the births of 1160 living children and of 31 still-born children, 493 marriages and 507 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 23.3 per thousand of the population, the marriage-rate 9.9 and the death-rate The number of still-births corresponds to a rate of 26 per thousand total births registered (including still-born).

The birth-rate of the week is 0.9 more than in the previous week and 4.2 above the five years' average. The marriage-rate is 3.3 less than in the previous week but 2.2 above the pre-war average. The death-rate is 0.6 less than in the previous week

and 1.5 below the average.

. The weekly death-rates in the individual towns ranged from 15.9 in Clydebank and 15.8 in Perth to 7.1 in Kirkcaldy and 6.0 in Falkirk. Relatively high death-rates occurred in Hamilton 15.2, in Greenock 14.2 and in Paisley 13.6. In Glasgow the rate

was 11.1 and in Edinburgh 11.0.

Deaths from the principal epidemic diseases numbered 3 and are the same as in the previous week. They include 1 from whooping-cough, 1 from diphtheria and 1 from influenza. Compared with the number in the previous week deaths from whoopingcough are the same, from diphtheria 1 more and from influenza the same. In the previous week 1 death was registered from typhoid fever.

Deaths from all forms of tuberculosis numbered 47, of which 37 were from tuberculosis of the respiratory system. The former are 5 more than in the previous week and the

latter 2 more.

Deaths from respiratory diseases (other than tubercular) numbered 34 and equalled an annual death-rate from these causes of 0.7 per thousand. This death-rate is 0.1 more than in the previous week but 0.5 below the average.

Deaths of children aged less than one year numbered 59, being 4 more than in the previous week. Of these 34 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 240 and are 28 fewer than in the previous week.

Deaths attributed to violent causes numbered 11 and are 13 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 47.7°, being 6.3° below that for the previous week and 1.3° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.00 inch and the mean sunshine was 39.3 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/47 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Annual Subscription 8s. 8d. post free.

TURN OVER

1		No	(31)	2	8	4.	5.	6.	7.	တ	6	10.	11.	12.	13.	14.	15.	16.				Ì
н	ours of	Bright Sunshine.	(30)	40.9	36.9	33.9	33.9	42.9	- i	:	:	:	44.2	:	:	:	43.9	28.7	39.38	89.01	:	l
	Rainta	all in Inches.	(29)		00.0	00 0	00.0	0.00	:	:	:	:	00.0	:	:	;	00.0	0.00	.78 0.008 39.38	54.08 0.348 10.58	\$60.1	
re.	Mean	Temperature (aver-	(28)		46.8	48.6	47.9	0.09	:	:	:	:	0.8	:	;	:	47.9	45.6	47.78	54·08	50.181.038	18.
Temperature.		osolute Lowest.	(27)	· 4	30 4	35 4	34 4	40 5	:	:	:	:	34 4	:	:	:	33 4	26 4	26+ 4	39+ 5	30+	Deatl
Temp	A.b	solute Highest.	26)	55	62	22	58	09	:	:	:	;	09	:	:	:	58	61	62+	£99	£89	Including Service Deaths.
		Violence.	(25)	4	I e	:	:	1	:	:	:	:	:	-	:	:	:	:	11	24	28	ding 8
	Diarri	ncea (under 2 years of age).	(24)		-	:	:	:	:	:	:	:	:	,—(	:	;	:	:	00	00	23	
		piratory Diseases than Tubercular).	(23)	70	ಣ		Н	2	H		_	:	-	:	:	;	П	г	34	28	33	+
	r IS.	Respiratory System.	(22)	4	2	:	တ	2	:	_	1		:	7	:	:	:	:	37	35	30	tland.
8	Tuber- culosis.	All Forms.	(21)	. 69	ଚା		හ	හ	:		7	_	:	2	;	:	:	:	47	42	37	usual residence if in Scotland.
Deaths from		Measles.	(20)	:	;	;	:	:	:	:	:	:	:	:	:	:	:	:	:	;	_	ence i
Deat	Principal Epidemic Diseases.	Influenza.	(19)	:	;	:		;	:	1	:	:	:	;	:	:	:	:	-	-	:	resid
	nic Di	Diphtheria.	(18)	;	. :	:	:	:	:	:	:	:	:	:	:	:	:	:	-	:	-	usual
	pidem	Whooping-cough.	(17)	:	:	:	:	;	:	:	:	:	:	:	:	:	:	:	9-4	_	:	tce of
	pal E	Scarlet Fever.	(16)	;	:	:	:	:	:	:	:	:	:	;	:	:	:	:	:	:	:	to pla
	rinci	Cerebro-spinal Fever.	(15)	:	:	:	:	:	:	;	:		:	:		:	:	:	:	:	<del>}(</del>	nsfer
		Typhoid and Paratyphoid Fevers.	(14)	:	:	:	:	:	:	:,	:	:	:	:	:	:	:	:	:	1	:	y tra
Jo	Perso	ons aged 65 Years and over.	(13)	52	15	20	10	7	7	60	4	ගෙ	rcs	2	<del></del> (	හෙ	4	10	240	268	253	sted b
Deaths of	nts One f Age.	Under One Month.	(12)	ಣ	ಲಾ		2	-	:		:	:	:		prod	;	:		34	31	21	corre
Q a	Infants under One Year of Age	Total.	(11)	1	9	_	22	හ	2	-	:	:	:	ଦୀ	-	:	_	္	59	55	52	ionally
		per 1000 of Estima- ivilian Population.	(10)	11.0	10.6	6.6	13.6	14.2	8.9	15.9	7.1	80	19.4	15.2	10.2	0.9	12.5	15.8	11.2	11.8	12.2	death rates) have been provisionally corrected by transfer to place of
vi.	Netl	Number (Civilian).	(9)	98	93	35	23	20	11	10	9	1-	10	11	00	4	10	=	507	538	539	ve been
Deaths	Т	ransferred In.	(S) C1	2	2	~	ಣ	4	:	ಣ	:	2	27	ගෙ .		7	:	į	34	47	43	es) ha
	Tra	ansferred Out.†	(7)	14	1	6	9		:	:	:	;	22	Н	64	2	:	4	02	27	115	th rat
	Nur	nber Registered.	(6)	105	80	40	26	17	11	2	9	10	10	0	6	5	10	12	543	5.63	611	
	Ma	rriages.	(E)	88	43	42	11	10	C.	9	11	ಣ	ಬ	10	10	2	6	00	493	929	495	neludi
Births.*		Still Born.	(4)	4	2	4	;	Н	glow(	:	m	į	Н	-	:	:	<b>—</b>	7	31	93	23	hs (ir
Bird		Live Born.	(3)	218	80	22	45	31	32	22	26	19	10	15	16	19	23	15	1160	1114	869	1 Deat
	Estimated	Population 31st Dec. 1945.	(2)	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	Numbers of Births and Deaths (including
		TO WNS.	(1) GLASGOW,	2. EDINBURGH,	3. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK,	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY,	10. COATBRIDGE, .	11. KILMARNOCK, .	12. HAMILTON,	13. AYR,	14. FALKIRK,	15 DUNFERMLINE,.	16. PERTH,		16 Towns   Oct. 5, 1946	ending (Oct. 13, 1945)	* Number

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street. Edinburgh 2

#### WEEKLY RETURN

No. 42 THE REGISTRAR-GENERAL

# Scotland

RTHS, DEATHS AND **MARRIAGES** 

Registered in sixteen of the Principal Towns

Week ended Saturday, 19th October 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 19th October 1946 the births of 1118 living children and of 36 still-born children, 424 marriages and 542 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 22.5 per thousand of the population, the marriage-rate 8.5 and the death-rate 11.9. The number of still-births corresponds to a rate of 31 per thousand total births registered (including still-born).

The birth-rate of the week is 0.8 less than in the previous week but 5.0 above the five years' average. The marriage-rate is 1.4 less than in the previous week but 2.2 above the pre-war average. The death-rate is 0.7 more than in the previous week

but 0.9 below the average.

The weekly death-rates in the individual towns ranged from 17.7 in Motherwell and Wishaw and 14.9 in Falkirk to 9.3 in Aberdeen and 5.3 in Kilmarnock. Relatively high death-rates occurred in Paisley 13.0 and in Clydebank 12.8. In Glasgow the rate was 12.1 and in Edinburgh 12.7.

Three deaths occurred in the principal epidemic diseases group, the cause being diphtheria. In the previous week there were also three deaths in the group, I from

whooping-cough, I from diphtheria and I from influenza.

Deaths from all forms of tuberculosis numbered 49, of which 44 were from tuberculosis of the respiratory system. The former are 2 more than in the previous week and the latter 7 more.

Deaths from respiratory diseases (other than tubercular) numbered 42 and equalled an annual death-rate from these causes of 0.9 per thousand. This death-rate is 0.2

more than in the previous week but 0.3 below the average.

Deaths of children aged less than one year numbered 45, being 14 fewer than in the previous week. Of these 25 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 253 and are 13 more than in the previous week.

Deaths attributed to violent causes numbered 27 and are 16 more than in the

The mean temperature for the towns from which returns were received was 46.5°, being 1.2° below that for the previous week and 1.2° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.11 inch and the mean sunshine was 1.8 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H. M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net Annual Subscription 8s. 8d. post free.

FURN OVER

		No.	(31)	-i 0	i e	2 4	5	6.	7	œ		10.	=======================================	12	133	14.	75	16.				
	Hours	of Bright Sunshine.	(30)	1.2	0. 0. 0. 7.	0.0	0.3	6.0	:	-			2.5	:			0.4	0.2	1.88	20.02	%	
	Rai	nfall in Inches.	(59)	0.25	01.0	00 0	0.24	0.10	:				80.0	:			0.14	0.04	0.118	800.0	0.168	
re.	Me	an Temperature (aver-		45.9		9.24	8.2	0.4	:	:	. :	:	17.5	:	:	:	46.1	45.2	46.58 0.118	47.78 0.008 20.98	49.88	bs.
Temperature.	Fahr.	Absolute Lowest.	(27)	41				41	:	:		. :	43	:	:		40		29+			e Deat
Tem	0.	Absolute Highest.	(26)	. S	54	53	53	53	:	:	:	:	99	:	:	:	52	55	29€	+69	70±	Including Service Deaths.
		Violence.	(25)	14	4 6	i က	-	:	:	1	_	:	:	H		:		:	26	=	26	ding
	Dia	crhcea (under 2 years of age).	(24)	9 -	4			:	:		:	:	:	:	:	:		:	9	000	16	
		espiratory Diseases ner than Tubercular).	(23)	14	7. T	1	5	2	:	;	1	2	:	:	:	ಣ	_	П	49	34	52	+
	-10	Respiratory System.	(22)	23	9 67	-	:	4	-	:	:	;	;	:	:	Ħ	,	:	44	37	31	usual residence if in Scotland
	Tuber-	All Forms.	(21)	32	- 6	_	:	4	-	:	:	:	:	:	:	-	7	:	49	47	38	in Sec
Deaths from		Measles.	(20)	:	: :	:	:	:	:	:	:	:	:	:	:	:	:	1			-	ence if
Deat	808808	Influenza,	(61)	:	: :	:	:	:	:	:	:	:	:	:	:	:	:	:	:	-	-	reside
	Principal Epidemic Diseases.	Diphtheria.	(18)	٥	: :	:	:	:	:	:	:	:	:	:	:	:	:	:	က	~	:	usual
	piden	Whooping-cough.	(11)	:	: :	:	:	:	:	:	:	:	:	:	:	7:	;	:	:		:	0
	pal E	Scarlet Fever.	(16)	: :	:	:	:	:	:	:	:	<u>, :</u>	:	;	:	•	:	:	:	_:	:	by transfer to place
	rinci	Gerebro-spinal Fever.	(15)	:	: :	:	:	:	:	:	:	:	:	:	:	:	:	:		:	:	nsfer
		Typhoid and Paratyphoid Fevers.	(14)	: :	: :	:	;	:	: :	:	:	:	:	:	:	:	:	:	:	:	:	y tra
of	Per	sons aged 65 Years and over.	(13)	62	12	14	12	4	12	22	10	4	.2	4	4	9	ಘ	eo	253	240	256	cted b
Deaths of	nts One	Under One Month.	(12)	7 10	. 61	22	:	:	:	-	:	:	:	63	:	;	_	:	25	34	22	corre
Q	Infants under One	Total.	(E)	# 00 1	4	2	<b>–</b>	,	:	Г	:	-	:	©1	:	:	_	:	45	59	25	ionally
	Rate	e per 1000 of Estima- Civilian Population.	(10)	12.7	10.9	6.6	13.0	6.6	17.7	12.8	11.9	12.2	5.3	11.1	11.5	14.9	11.3	11.5	11.9	11.2	12.1	a provisionally corrected
20	Net	Number (Civilian).	(9)	107	34	30	22	14	22	∞	10	10	4	00	6	10	6	00	542	202	535	) have been
Deaths		Transferred In.	(8)	2	ග	:	ಣ	:	00	ಣ	4	හ	1	07	:	2	:	-	52	34	53	es) ha
	I	ransferred Out.†	(4)	29	9	1	4	-	:	:	2	;	2	;	က	-	2	4	84	20	88	death rates) have
	N	ımber Registered.	(9)	131	37	37	23	15	14	20	∞	7	2	9	12	63	11	11	574	543	570	
	7	[arriages.	(5)	72	32	43	11	<u>5</u>	10	∞	9	7	9	9	9	4	9	∞	424	493	503	neludi
Births.*		Still Born.	€ 8	S 60	-		_	:	5	:	;	_	:	"	7	:	7	-	36	31	23	chs (ir
Birt		Live Born.	(3)	174	108	62	32	43	29	11	16	20	11	19	13	13	56	16	1118	1160	713	i Deat
	Estimated	Givilian Population 31st Dec. 1945.	(2)	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	87,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	* Numbers of Births and Deaths (including
		TOWNS.	(1) 1. GLASGOW	2. EDINBURGH.	3. DUNDEE,	4. ABERDEEN,			7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,							15 DUNFERMLINE, .	16. PERTH,	Total, (Oct. 19, 1946	16 Towns   Oct. 12, 1946	ending (Oct. 20, 1945	* Number

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street. Edinburgh 2

## WEEKLY RETURN No. 43 THE REGISTRAR-GENERAL Scotland RTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 26th October 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 26th October 1946 the births of 1097 living children and of 26 still-born children, 452 marriages and 591 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 22.1 per thousand of the population, the marriage-rate 9.1 and the death-rate 13.0. The number of still-births corresponds to a rate of 23 per thousand total births registered (including still-born).

The birth-rate of the week is 0.4 less than in the previous week but 4.2 above the five years' average. The marriage-rate is 0.6 more than in the previous week and 2.4 above the pre-war average. The death-rate is 1.1 more than in the previous week

and 0.7 above the average.

The weekly death-rates in the individual towns ranged from 19.2 in Ayr and 16.3 in Greenock to 8.7 in Dundee and 4.8 in Clydebank. Relatively high death-rates occurred in Coatbridge 15.8 and in Paisley 15.4. In Glasgow the rate was 13.3 and in Edinburgh 14.5.

Deaths from the principal epidemic diseases numbered 4 and are 1 more than in the previous week. They include I from diphtheria, 2 from influenza and 1 from measles. Compared with the number in the previous week deaths from diphtheria are 2 fewer,

from influenza 2 more and from measles 1 more.

Deaths from all forms of tuberculosis numbered 55, of which 48 were from tuberculosis of the respiratory system. The former are 6 more than in the previous week and the latter 4 more.

Deaths from respiratory diseases (other than tubercular) numbered 60 and equalled an annual death-rate from these causes of 1.3. per thousand. This death-rate is 0.4

more than in the previous week and 0.2 above the average.

Deaths of children aged less than one year numbered 59, being 14 more than in the previous week. Of these 33 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 280 and are 27 more than in the previous week.

Deaths attributed to violent causes numbered 26 and are 1 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 46.7°, being 0.2° above that for the previous week and 0.9° above the average for the corresponding week in the period 1901-30. The mean rainfall was 0.15 inch and the mean sunshine 9.9 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H. M. STATIONERY OFFICE at the following addresses

13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;

39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;

80 Chichester Street, Belfast;

or through any bookseller

Price 1d. net Annual Subscription 8s. 8d. post free.

Wt. 70012/2

		No.	(31)	<u>-i</u>	22	3	4	5	6	7	.00	6	10	1	12	13	14	15	16.				
В	lours of	Bright Sunshine.	(30)	16.0	11.0	4.1	2.0	7.2	11.9	:		:	:	17.3				13.2	9.9	86.6		1 .	
	Rainf	all in Inches.	(29)	80.0	0.46	90.0	0.19	0.10	0.15	:	:	:	:	0.04	:			0.19	90.0	46.78 0.158	0.118	2.818	
Ire.		Temperature (aver- f all observations).	(28)	1.91	15.1	16.1	18.2	2.4	17.2	:	:	:	:	17.7	:	:	:	7.9	45.8	46.78	46.58	50.18	ı
Temperature.	A	bsolute Lowest.	(27)	31	32	34	40	33	35	:	:	:	:	25	:			37	-	30+	29+		ı
Tem	A.1	osolute Highest.	(26)	54	52	54	53	54	54	:	:	:	:	500	:	:	:	53	53	58	56+	624	
		Violence.	(25)	6	10	1	2	-	:	7	:	:	:	77	:	-			+	26	27	21	
	Diarri	hœa (under 2 years of age).	(24)	7	4	:		:	:	:	:	;	:	:	:	4			:	12	9	19	
	Res (other	piratory Diseases r than Tubercular).	(23)	27	00	2	70	9	හ	-	;	:		တ	:	-			2	09	42	45	
	is.	Respiratory System.	(22)	31	7	2	_	:	2	-	1	:	22	:		:	- :		:	48	44	38	
E	Tuber-	All Forms.	(21)	34	00	ရာ		:	2	-	-	:	2	7	61	:	:	÷	:	55	49	45	
Deaths from	-	Measles.	(20)	:	:	-	:	:	:	:	:	;	:	:	:	:	:	:	`:	r~1	:	:	
Deat	Principal Epidemic Diseases.	Influenza.	5	2	:	;	:	:	:	:	:	:	:	:	:	:	:	:	: .	2	:	4	
	aic Di	Diphtheria.	(18)	:	_	:	:	:	:	:	:	:	:	:	:	:	:	:	:		<u>භ</u>		
	piden	Whooping-cough.	(11)	:	:	• :	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
	pal E	Scarlet Fever.	(16)	:	;	:	:	:	:	:	:	:	:	:	;	:	:	:	:	-	:	:	1
1 :	Princi	Cerebro-spinal Fever.	(15)	: —	:	:	:	:	-	:	;	:	:	:	;	:	:	:	:	-:		_	
-		Typhoid and Paratyphoid Fevers.	(14)	:	:	:	:		:	:	:	:	:	:	:	:	;	:	:		:	:	.
₩ ₩		ons aged 65 Years and over.	(13)	102	7	=		15	13		2	9	_	ಣ	TC3	9	5		ବଦ	280	253	265	
Deaths of	unts r One of Age.	Under One Month.	(12)	20	4	7	. 23	:	1		:	:	~	:	:				.;	33	25	22	
	Infants under One Year of Age.	Total.	E S	က က	7	ಣ	60	62	භ	H	÷	7		~	;	77	7	7	<del></del>	59	45	48	
	Rate j	per 1000 of Estima- vilian Population.	(10)	13.3	14.5	8.7	11.7	15.4	16.3	12.1	4.8	9.2	15.8	10.7	12.4	19.2	10.4	10.0	11.5	13.0	11.9	12.6	1
	Netl	Vumber (Civilian).	(6)	760	123	27	38	26	23	15	ಣ	00	5	00	6	15	7	00	00	591	542	222	
Deaths.	Т	ransfersed In.	8	=	11	2	က	4	:	00	:	-	27	හ	2	:	2	.–	:	20	52	52	ı
-	Tra	insferred Out.	£ 9	20 20 20	20	2	<i>ක</i>	20	က	:	:	Н	:	:	_	2	50	4	9	93	84	28	
	Nun	nber Registered.	(9)	787	132	30	38	27	26	7	ရာ	00	11	22	90	17	10	11	14	334	574	583	۱
	Ма	rriages.	(5)	196	78	27	42	22	12	11	00	10	2	6	4	9	20	7	13	452	424	542	1
Births.*		Still Born.	€;	16	¢Ί		1	:	:			:	٦	:	က	:	:	:	:	97	36	33	1
Birt		Live Born.	(8)	511	200	88	22	37	12	24	16	18	23	12	16	18	17	14	14	1097	1118	826	l
	Estimated	Population 31st Dec. 1945.	(2)	1,020,800	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	
		TOWNS.	(1)		2. EDINBURGH,	3. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK,	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,		10. COATBRIDGE, .		12. HAMILTON,	13. AYR,	14. FALKIRK,	15 DUNFERMLINE,.	16. PERTH,	_	6 Towns   Oct. 19, 1946	ending (Oct. 27, 1945	

By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2 29/10/46. J.S.&Co. LTO. Group 171 (1940).

# WEEKLY RETURN OF THE REGISTRAR-GENERAL Scotland BIRTHS, DEATHS A **MARRIAGES**

Registered in sixteen of the Principal Towns

Week ended Saturday, 2nd November 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 2nd November 1946 the births of 1060 living children and of 45 still-born children, 472 marriages and 620 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 21.3 per thousand of the population, the marriage-rate 9.5 and the death-rate 13.6. The number of still-births corresponds to a rate of 41 per thousand total births registered (including still-born).

The birth-rate of the week is 0.8 less than in the previous week but 4.3 above the five years' average. The marriage rate is 0.4 more than in the previous week and 0.8 above the pre-war average. The death-rate is 0.6 more than in the previous week

and 0.3 above the average.

The weekly death-rates in the individual towns ranged from 19.1 in Clydebank and 17.9 in Kirkcaldy and in Ayr to 9.7 in Hamilton and 6.7 in Kilmarnock. Relatively high death-rates occurred in Perth 15.8, in Edinburgh 14.0, in Glasgow 13.9, and in Aberdeen 13:9.

Deaths from the principal epidemic diseases numbered 4 and are the same as in the previous week. They include 1 from whooping cough, 1 from diphtheria, and 2 from influenza. Compared with the number in the previous week, deaths from whoopingcough are 1 more, from diphtheria the same, and from influenza the same. In the previous week 1 death was registered from measles.

Deaths from all forms of tuberculosis numbered 47, of which 43 were from tuberculosis of the respiratory system. The former are 8 fewer than in the previous week and the

Deaths from respiratory diseases (other than tubercular) numbered 49 and equalled an annual death-rate from these causes of 1.1 per thousand. This death-rate is 0.2 less than in the previous week and 0.3 below the average.

Deaths of children aged less than one year numbered 60, being 1 more than in the previous week. Of these 35 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 318 and are 38 more than in the previous week.

Deaths attributed to violent causes numbered 28 and are 2 more than in the

previous week.

The mean temperature for the towns from which returns were received was 42.0°, being 4.7° below that for the previous week and 3.1° below the average for the correponding week in the period 1901-30. The mean rainfall was 0.21 inch and the mean sunshine 19.6 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net 100 Control of the control of th

		No.	(31)	1.	2.	က	4.	5.	6.	7.	∞.	9.	10.	11.	12.	13.	14.	15.	16.	400	100		
He	ours of l	Bright Sunshine.	(30)	15.2	26.2	25.0	16.8	13.5	17.2	*:	<i>;</i> :	:	:	24.7	:	:	:	20.9	16.7	\$9.61	86.6	:	
	Rainfa	ll in Inches.	(58)	0.16	0.10	98.0	0.51	0.18	0.18	:	:.	:	;	0.11	:	:	÷	0.21	0.59	42.08 0.218 19.68	46.78 0.158	1.448	
° °		Temperature (aver-	_	0.3	12.9	12.4	44.2 (	12.5	15.6	:	:	:	:	6.04	:	:	:	15.1	9.07	42.08	46.78	51.98	chs,
Temperature. Fahr.		osolute Lowest.	_	30 4	35 4	31 4	31 4	30 4	36 4	:	:	:	:	25	:	:	:	53	25	25 <sup>+</sup>	30‡	36+	e Deat
Temp	A.b	solute Highest.	(56)	20	20	22	53	20	20	:	:	:	:	52	:	:	:	53	53	57‡	584	±09	Including Service Deaths.
		Violence.	(25)	10	20	ಞ	4	:	C1	Н	:	;	:	;	;	23	:			28	26	29	uding
	Diarri	ncea (under 2 years of age)	(24)	4	2	:	:	:	:	:	:	:	-	:	:	-	:	:	:	00	12	21	† Incl
	Res	piratory Diseases than Tubercular).	(23)	56	10	က	4	2	:	:	:	:	_	1	:	:	7	:	:	49	09	49	
	A- 0.500000	Respiratory System.	(22)	25	4	ಣ	2	က	i	-	2	67	:	:	:	:	:	:	~	43	48	33	otland
	Tuber-	All Forms.	(21)	27	9	65	2	63	:		2	23	:	:	;	:	:	:	_	47	55	33	transfer to place of usual residence if in Scotland.
Deaths from	-	Measles.	(50)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	П	:	lence i
Deatl	Principal Epidemic Diseases.	Influenza.	(61)	2	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	2	2	:	l resid
	ic Dis	Diphtheria.	(18)	:	:	:	:	:	:	:		;	:	:	:	:	:	:	:	7	_	<u>භ</u>	l usua
	idem	Whooping-cough.	(11)	had	:	:	:	:	:	:	:	:	;	:	:	:	:	;	<u>:</u>	_	:	:	ace of
	sal Er	Scarlet Fever.	(16)	:	•	:	:	:	:	:	:	:	-:	:	:	:	<u>:</u>	:	:	<u>:</u>	:	:	to pl
	rincip	Cerebro-spinal Fever.	(15)	:	:	:	:	:	:	:	:	:	:	:		:	:	:	:	:	:		nsfer
	- A	Typhoid and Paratyphoid Fevers.	(14)	:	:	:	;	:	:	:	:	:	:	:	:	:	:	:	:		:	:	by tra
of	Pers	ons aged 65 Years and over.	(13)	131	62	24	26	9	13	7	9	1	70	70	10	9	-1	4	. 4	318	280	318	ected
Death's c	onts One Age.	Under One Month.	(31)	17	9	_	4	හ	7	:	7	:	:	:	:	_	:	;		35	33	25	y corr
Ã	Infants under One Year of Age.	Total.	11)	28	13	2	4	1	<b>⊢</b> 1.	:	7	:		;	:	2	:	:	_	09	59	19	sionall
	Rate	per 1000 of Estima- ivilian Population.	(10)	13.9	14.0	12.5	13.9	13.6	13.5	12.1	19.1	17.9	10.9	2.9	2.6	17.9	11.9	10.0	15.8	13.6	13.0	13.5	death rates) have been provisionally corrected by
	Net	Number (Civilian).	(6)	272	118	39	45	23	19	15	12	15	6	2	7	14	00	00	11	620	169	595	ve been
Deaths.	7	Transferred In.	(8)	9	?7	2	_	2	7	ಣ	9	ಣ	_	1	:	7	<del>, -</del>	:	က	33	50	48	es) ha
A	Tr	ansferred Out.†	(7)	41	20	9	10	2	-	:	:		:	ಣ	П	:	4	2	2	93	93	111	th rat
	Nu	mber Registered.	(9)	307	136	43	54	23	19	12	9	13	00	1-	00	13	П	10	10	089	634	658	ng dea
	M	arriages.	(3)	208	78	28	45	22	00	11	1	1-	9	4	11	12	<sub>∞</sub>	00	6	472	452	299	neludi
***		Still Born.	3		11	೧೧	CI	-	G]	:	:	2	2	. :	7	7	:		က	45	26	29	ths (i
Births.		Live Born.	(3)	436	210	93	80	31	24	30	12	23	13	19	16	15	15	17	20	1060	1097	800	d Dea
	Estimated	Civilian Population 31st Dec. 1945.	(8)	1,020,800	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	Numbers of Births and Deaths (including
-	Ŕ	P. S.																					bers
	er.	TOWNS.	(3)	GLASGOW, .	EDINBURGH, .	DUNDEE,	ABERDEEN,	PAISLEY.	GREENOCK, .	MOTHERWELL AND WISHAW,	CLYDEBANK,.	KIRKCALDY, .	COATBRIDGE,	KILMARNOCK,	HAMILTON, .	AYR,	FALKIRK,	DUNFERMLINE,.	PERTH,	(Nov. 2, 1946	s Oct. 26, 1946	Nov. 3, 1945	* Num
		F		1. GLA	2. EDI	3. DUI	4. ABE	5. PAI	6. GRE	7. MOJ AN	8. CLY	9. KIR	10. COA		12. HAI	13. AYI	14. FAL	15 DUI	16. PER	Total.	16 Towns	week	

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street. Edinburgh 2 5/11/46. J.S.&Co. L. Group 171 (1840).

.IBRARY

#### WEEKLY RETURN No. 45 OF THE REGISTRAR-GENERAL

# Scotland

# BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 9th November 1946

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 9th November 1946 the births of 1120 living children and of 45 still-born children, 378 marriages and 643 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 22.5 per thousand of the population, the marriage-rate 7.6 and the death-rate 14.2. The number of still-births corresponds to a rate of 39 per thousand total births registered (including still-born).

The birth-rate of the week is 1.2 more than in the previous week and 5.9 above the five years' average. The marriage rate is 1.9 less than in the previous week but 0.8 above the pre-war average. The death-rate is 0.6 more than in the previous week

and 0.8 above the average.

The weekly death-rates in the individual towns ranged from 18·2 in Edinburgh and 17·9 in Kirkcaldy, to 7·2 in Perth and 6·3 in Dunfermline. Relatively high death-rates occurred in Clydebank 17·5, in Kilmarnock 17·4 and in Dundee 16·1. In Glasgow the rate was 13·1.

Deaths from the principal epidemic diseases numbered 7 and are 3 more than in the previous week. They include 2 from whooping cough, 1 from diphtheria, and 4 from influenza. Compared with the number in the previous week, deaths from whooping cough are 1 more, from diphtheria the same, and from influenza 2 more.

Deaths from all forms of tuberculosis numbered 42, of which 28 were from tuberculosis of the respiratory system. The former are 5 fewer than in the previous week and the

latter 15 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 67 and equalled an annual death-rate from these causes of 1.5 per thousand. This death-rate is 0.4 more than in the previous week but is the same as the average.

Deaths of children aged less than one year numbered 78, being 18 more than in the previous week. Of these 40 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 336 and are 18 more than in the previous week.

Deaths attributed to violent causes numbered 18 and are 10 fewer than in the

previous week.

The mean temperature for the towns from which returns were received was 49.8° being 7.8° above that for the previous week and 7.3° above the average for the corresponding week in the period 1901–30. The mean rainfall was 0.43 inch and the mean sunshine 13.9 hours.

Crown Copyright Reserved
EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses
13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;
39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;
80 Chichester Street, Belfast;
or through any bookseller

Price Id. net
Annual Subscription 8s. 8d. post free.

t. Including Service Deaths.

		No.	(31)	2.	in	4	5.	6.	7.	∞	9.	10.	11.	12.	13.	14.	15.	16.			
н	ours of	Bright Sunshine.	(30)	12.8	11.3	8.9	12.5	16.1	:	•:	:	:	9.61	:	:	:	15.8	14.4	49.88 0.438 13.98	42.08 0.218 19.68	:
	Rainfa	all in Inches.	(29)	0.11	0.51	08.0	69-0	08.0	.:	:	:	;	0.38	:	:	:	0.29	0.19	0.438	0.218	\$60.0
.00	Mean	Temperature (aver-	(28)		18.4	2.61	6.09	20.4	:	:	:	:	0.09	:	:	:	1.64	9.64	\$8.6	42.08	48.68
Temperature.		bsolute Lowest.	(27)	87.0	7.	31 4	36 5	36 5	:	:	:	:	31 6	:	:	:	33	30	30+	254	
Temr	Al	solute Highest.	(26)	67	09	62	19	09	:	:	:	:	09	:	:	:	65	63	₹19.	574	‡6g
		Violence.	(25)	4	-	ಞ	:	1	:	-	;	:	-	;	p-1	:	:	:	18	28	18
	Diarri	nca (under 2 years of age).	(24)	ر ا	:	:	:	:	:	:	:	:	:	:	:	:	:	:	2	00	9
	Res	piratory Diseases than Tubercular).	(23)	19	-	20	1-	က	-	-	:	_	П	_	:	:	:	CI	29	49	26
	Turning Made	Respiratory System.	16	7	2	:	:	:	-	:	<del></del> 1	:	:	:		:	:	:	28	43	56
	Tuber.	All Forms.	(21)	00	က	7	2	:	01	:	7		:	:		:	-	:	42	47	36
from		Measles.	(20)		;	;	:		:	:	:	_		:	:	:	:	:	:	-	
Deaths from	RSes.	Influenza.	(19)			:	:	:	:	:	-	:	:	:	:	:	:	:	4	2	
Ω	Dises	Diphtheria.	(18)		:	;	:	;	:	:	:	:	:	:	:	:	:	:	7	-	ಣ
	Principal Epidemic Diseases.	Whooping-cough.	(17)	:	:	:	:	:	:	:	;	:	:	:	:	;	;	:	23	1	1
	1 Epic	Scarlet Fever.	(16)	;	:	:	:	:	:	:	:	:	:	;	;	:	:	:	:	:	:
	ncipa	Cerebro-spinal Fever.	(16)	:	:	:	:	:	:	:	:	:	:	;	:	:	:	:	:	:	-
	Pri	Typhoid and Paratyphoid Fevers.	(14)	;	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
10	Perso	ons aged 65 Years and over.	(18)	94	56	24	13	10	9	20	12	က	_	4	20	9	က	2	336	318	265
Deaths of	one Age.	Under One Month.	(12)	41	ಣ	7	-	7	:	က	:	:	_	:	:	_	:	_	40	35	20
ã	Infants under One Year of Age.	Total.	11)	17	4	ಳಾ	63	4	г	က	÷	-	2	;	:	_	:	-	78	09	49
	Rate	per 1000 of Estima- vilian Population.	(10)	18.2	16.1	11.4	14.8	13.5	13.7	17.5	17.9	12.5	17.4	2.6	12.8	13.4	6.3	7.5	14.2	13.6	12.1
	NetN	Tumber (Civilian).	(9)	154	20	37	25	19	17	11	15	10	13	1-	10	0	20	70	643	620	535
Deaths.	T	ransferred In.	(8)	က	_	:	63	2	4	00	က	4	_	:	:	:	က	-	43	33	44
	Tra	nsferred Out.†	(4)	32	ಣ	9	2	7	:	;	72	;	-	:	က	20	4	4	100	93	83
	Nun	nber Registered.	(6)	183	52	43	24	10	13	ಣ	14	9	13	_	13	14	9	00	700	089	574
	Ma	rriages.	(5) 150	84	26	28	2	00	9	9	10	6	9	9	o .	က	12	∞	378	472	485
Births.*		Still Born.	£ 22	7	က	<u></u>	~	Н	4	-	:	_	-	:	:	7	г	7	45	45	29
Birt		Live Born.	(3)	197	92	16	46	42	32	14	20	15	14	13	22	12	15	10	1120	1060	764
	Estimated Civilian	Population 31st Dec. 1945.	(2)	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600
		SNM OL	(1) (1. GLASGOW,	2. EDINBURGH, .	ကဲ	4,	5.	6	7. MOTHERWELL AND WISHAW,	∞°	6	10.	11	12.	13,	14.	15	16. PERTH,			ending (Nov. 10, 1945

By J. Skinner & Co., Ltd., Thistie Street. Edinburgh 2



#### WEEKLY RETURN No. 46 THE REGISTRAR-GENERAL

# Scotland

# BIRTHS, DEATHS AND **MARRIAGES**

Registered in sixteen of the Principal Towns

Week ended Saturday, 16th November 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 16th November 1946 the births of 1091 living children and of 40 still-born children, 369 marriages and 627 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 21.9 per thousand of the population, the marriage-rate 7.4 and the death-rate The number of still-births corresponds to a rate of 35 per thousand total births registered (including still-born).

The birth-rate of the week is 0.6 less than in the previous week but 5.6 above the five years' average. The marriage rate is 0.2 less than in the previous week but 1.9 above the pre-war average. The death-rate is 0.4 less than in the previous week

and 0.5 below the average.

The weekly death-rates in the individual towns ranged from 18.7 in Perth and 18.2 in Coatbridge to 8.9 in Motherwell and Wishaw and 5.3 in Kilmarnock. Relatively high death-rates occurred in Falkirk 17.9, in Clydebank 17.5 and in Dundee 16.4.

In Glasgow the rate was 14.1 and in Edinburgh 14.4.

Deaths from the principal epidemic diseases numbered 6 and are 1 fewer than in the previous week. They include 3 from cerebro-spinal fever, 2 from influenza and 1 from measles. Compared with the number in the previous week deaths from cerebro-spinal fever are 3 more, from influenza 2 fewer and from measles 1 more. In the previous week 2 deaths were registered from whooping-cough and 1 from diphtheria.

Deaths from all forms of tuberculosis numbered 37, of which 31 were from tuberculosis of the respiratory system. The former are 5 fewer than in the previous week but the

latter 3 more.

Deaths from respiratory diseases (other than tubercular) numbered 64 and equalled an annual death-rate from these causes of 1.4 per thousand. This death-rate is 0.1

less than in the previous week and 0.1 less than the average.

Deaths of children aged less than one year numbered 72, being 6 fewer than in the previous week. Of these 43 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 312 and are 24 fewer than in the previous week.

Deaths attributed to violent causes numbered 18 and are the same as in the

previous week.

The mean temperature for the towns from which returns were received was 40.6°, being 9.2° below that for the previous week and 1.0° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.56 inch and the mean sunshine 17.3 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Annual Subscription 8s. 8d. post free.

		No.	(31)	. 2.	က်	4.	5.	6.	7.	ೲ	9	10.	11.	12.	13.	14.	15.	16.	000	c/s	_	ı
H	ours of l	Bright Sunshine.	(30)	15.4	27.1	16.8	13.0	9.21	:.	:	:	:	2.11	:	:	:	12.9	23.1	0.568 17.38	3 13.9	:	
	Rainfa	ll in Inches.	(29)	0.50	0.30	0.91	22.0	26.0	:	:	:	:	0.72	:	;	:	0.56	0.30	99.0	49.88 0.438 13.98	8 0-11	ı
re.	Mean age of	Temperature (averall observations).	(28)	41.7	40.8	41.4	41.5	42.2	:	:	:	:	39.1	:	:	:	39.2	39.6	40.68	49.8	40.18	ths.
Temperature.	Al	osolute Lowest.	(27)		28	30	30	32	:	:	:	:	27	:	:	:	30	22	22	30+	24,	ce Des
Temj	A.b	solute Highest.	(26)	52	54	54	51	52	:	:	:	:	51	:	:	:	52	57	57	67,	51‡	Including Service Deaths
		Violence.	(25)	0 7	-	-	П	П	1:	:	အ	7	;	_	į	:	.:	:	18	18	28	uding
	Diarrh	ncea (under 2 years of age).	(24)	- 2	:	:	:	:	I	:	:	:	:	:	:	:	:	:	10	1	16	† Incl
	Resi (other	piratory Diseases than Tubercular).	(23)	60	9		-	-	က	:	:	:	:	:		2	:	1	64	67	51	١.
	.r. I8.	Respiratory System.	(22)	4	က	:	2	:		1	_	_	:	:	-	:	:	:	31	28	39	otland
	Tuber-	All Forms.	(12)	5 70	ಣ	:	2	7	C)	<b>-</b>	7	1	:	_	-	:	:	:	37	42	49	f in Sc
Deaths from		Measles.	(20)	: :	:	;	:	:	:	:	:	;	:	:	:	:	-	:		:	:	ence i
Death	eases.	Influenza.	(19)	· :	:	:	:	:	:	:	:	-	:	:	:	:	:	:	23	4	2	resid
	Principal Epidemic Diseases.	Diphtheria.	(18)	: :	:	:	:	1	:	:	;	:	:	:	:	:	:	:	:	7	2	usual
	idem	Whooping-cough.	(11)	: :	:	:	:	:	:	:	:	:	:	:	:	:	;	:	:	2	;	ace of
	al Er	Scarlet Fever.	(16)	: ;	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	to pl
	rincir	Cerebro-spinal Fever.		: :	:	:	2	:	:	:	:	:	:	: —	:	:	:			:		nasfer
	P4	Typhoid and Para- typhoid Fevers.	(14)	: :	.:	:	:	:	:	:	:	:	:	:	:	:	<u>:</u>	:	:	:	:	by tra
₩.	Perso	ons aged 65 Years and over.	(18)	75	26	19	6	10	භ	20	22	13	24	4	2	6	4	9	312	336	283	ected
Deaths of	one Age.	Under One Month.	(12)	2 2	4	;	:	20	7		_	:	:	:	-		:	_	43	40	22	y corr
ã	Infants under One Fear of Age	Total.	11)	7 1	10		_	20	4	1	2	:	:	7	_	_	:	<del>, - (</del>	72	78	49	ionall
	Rate ted C	per 1000 of Estima- ivilian Population.	(10)	14.4	16.4	6.6	11.2	14.2	6.00	2.21	14.3	.18.2	5.3	15.2	11.5	17.9	10.0	18.7	13.8	14.2	12.7	death rates) have been provisionally corrected by transfer to place of usual residence if in Scotland
	Net	Number (Civilian).	(9)	122	51	35	19	20	11	11	12	15	4	11	6	12	00	133	627	643	260	ve be
Deaths	Т	ransferred In.	(8)	2	23	:	:	:	ಣ	က	22	2	_	က	7	П	c1	:	35	43	88	ses) ha
	Tr	ansferred Out.†	(7)	26	9	6	-	2	:	:	<del>,</del>	;	:	:	:	4	2	4	93	100	74	th rat
	Nu	mber Registered.	(9)	143	70	41	20	22	00	20	11	13	ಣ	00	00	15	H	17	685	200	596	1 ×
	Ma	arriages.	(5)	105	21	41	11	12	1	7	1	œ	9	2	9	0.	10	11	369	878	455	nelud
hs.*		Still Born.	€ 8	23 63	-	2	2	3ml.	2	;	:	٢	2	:	_	-		:	40	45	30	ths (i
Births.		Live Born.	(e)	200	17	94	40	27	31	12	18	18	13	27	14	23	20	15	1001	1120	982	nd Der
	Estimated	Civilian Population 31st Dec. 1945.	(2)	1,020,800	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	87,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	* Numbers of Births and Deaths (includin
		TOWNS	(1)	2. EDINBURGH.		4. ABERDEEN,	5. PAISLEY,	6. GREENOCK,	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY, .	10. COATBRIDGE, .	11. KILMARNOCK, .	12. HAMILTON,	13. AYR,	14. FALKIRK,	15 DUNFERMLINE,.	16. PERTH,	Total. (Nov. 16, 1946	16 Towns Nov. 9, 1946	week ending (Nov. 17, 1945)	* Number



#### WEEKLY RETURN No. 47 THE REGISTRAR-GENERAL

# Scotland

BIRTHS, DEATHS AND **MARRIAGES** 

Registered in sixteen of the Principal Towns

Week ended Saturday, 23rd November 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 23rd November 1946 the births of 1134 living children and of 48 still-born children, 375 marriages and 632 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 22.8 per thousand of the population, the marriage-rate 7.5 and the death-rate The number of still-births corresponds to a rate of 41 per thousand total births registered (including still-born).

The birth-rate of the week is 0.9 more than in the previous week and 6.3 above the five years' average. The marriage rate is 0.1 more than in the previous week and 1.5 above the pre-war average. The death-rate is 0.1 more than in the previous week

but 1.1 below the average.

The weekly death-rates in the individual towns ranged from 21.6 in Perth and 19.2 in Ayr to 9.7 in Motherwell and Wishaw and 4.0 in Kilmarnock. Relatively high

death-rates occurred in Clydebank 19.1, in Falkirk 17.9 and in Paisley 17.8.

Deaths from the principal epidemic diseases numbered 3 and are 3 fewer than in the previous week. They include 1 from cerebro-spinal fever, 1 from diphtheria and 1 from measles. Compared with the number in the previous week deaths from cerebro-spinal fever are 2 fewer, from diphtheria 1 more and from measles the same. In the previous week 2 deaths were registered from influenza.

Deaths from all forms of tuberculosis numbered 47, of which 34 were from tuberculosis of the respiratory system. The former are 10 more than in the previous week and the

Deaths from respiratory diseases (other than tubercular) numbered 69 and equalled an annual death-rate from these causes of 1.5 per thousand. This death-rate is 0.1 more than in the previous week but 0.3 below the average.

Deaths of children aged less than one year numbered 71, being 1 fewer than in the previous week. Of these 36 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 321 and are 9 more than in the previous week.

Deaths attributed to violent causes numbered 28 are and 10 more than in the previous

week.

The mean temperature for the towns from which returns were received was 43.1°, being 2.5° above that for the previous week and 2.8° above the average for the corresponding week in the period 1901-30. The mean rainfall was 2.38 inches and the mean sunshine 2.8 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H. M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net Annual Subscription 8s. 8d. post free.

		No.	(31)	2.	ಣ	4.	5.	6	7.	. තේ	9.	10.	11.	12.	35.	14.	5.	16.				
H	ours of	Bright Sunshine.	(30)	3.2	2.5	4.1	2.8	2.7	:	,:	:	;	9.7	:	:	:	2.3	6.J 60	2.88		- :	
	Rainfa	all in Inches.	(29)	1-09	3.82	2.46	2.32	2.42		:	:	:	2.21	:	:	:	2.35	2.03	43.18 2.388	40.68 0.568	0.128	
re.		Temperature (aver- f all observations).	(28)	13.2	6.11	44.2	43.6	44.4	:	:	:	:	43.3	;	:	:	12.7	42.7	43.18	40.68	45.18	he.
Temperature.	A	bsolute Lowest.	(27)		31	32	34	35	:	:	:	:		:	:	;	31	53	29+	22+		Including Service Deaths
Tem	A.t	osolute Highest.	(26)	54	46	20	53	54	:	:	:	:	53	:	:	:	53	53	54.	1 4/5	524	Servic
		Violence.	(25)	101	gene	:	:	:	:	:	:	:	:	•	:	2	:	:	28	00	21	ding
	Diarri	ncea (under 2 years of age).	(24)	4	က	:	:	_	-	:	:	:	:	:	:	:	:	:	14	10	11	
	Res (other	piratory Diseases than Tubercular).	(23)	14	60	7		2	ಣ	:			:	٦	(	7	:	ಎ	69	64	99	+
	- v.	Respiratory System.	(22)	Ø	i	:	က	:	:	-	1	_	:	:	:	:	-	:	34	3]	27	tland
	Tuber-	All Forms.	(21)	2	-4	:	10	_		61	-	_	:	-	:	:	7	:	47	37	35	in Seo
Deaths from		Measles.	(20)	:	-	- ;	:	:	:	:	:	:	:	:	:	:	;	:	7	_	:	by transfer to place of usual residence if in Scotland
Death	ases.	Influenza.	(61)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	: '	:	2	-	esider
	c Dise	Diphtheria.	(18)	;	;	:	:	:	:	;	;	;	:	:	:	;	:	:	1	:	-	sual r
	Principal Epidemic Diseases.	Whooping-cough.	(11)	:	•	:	:	:	:	:	:	:	:	:	:	:	;	:	:	:	_	Ce of 1
	al Ep	Scarlet Fever.	(16)	;	:	:	:	:	:	:	:	:	:	:	;	:	;	:	:	. :	:	o pla
	rincip	Cerebro-spinal Fever.	(15)	:	:	:	:	;	:	:	:	:	:	;	:	:	:	:	-	හෙ	.:	Stert
	P	Typhoid and Para- typhoid Fevers.	(14)	:	:	• :	:	4	:	1	:	:	:	;	:	:	:	:	:	:	:	v trar
jc	Perso	ons aged 65 Years and over.	(18)	98	21	22	11	9	70	4	9	∞	П	co	10	00	7	11	321	312	290	cted b
Deaths of	one One Age.	Under One Month.	(12)	9	Ġ	:	<del>-</del>	72	n.‡	:	_		.:	63	- :	. :	:	_	36	43	23	corre
ā	Infants under One Year of Age.	Total.	11)	11	70	:	-	4	7		-	7	:	4	-	-	;	H	71	72	47.	onally
	Rate 1	per 1000 of Estima- vilian Population.	(10)	15.6	12.9	6.6	17.8	9.01	2.6	19.1	11.9	12.5	4.0	12.4	19.2	17.9	12.5	21.6	13.9	13.8	13.7	been provisionally corrected
	NetN	Tumber (Civilian).	(9) 275	132	40	32	30	15	12	12	ο̃Ι	10	ಣ	6	15	12	10	15	632	627	909	ve beer
Deaths.	T	ransferred In.	(8)	2	,;	;	-	:	<u></u>	4	_	:	;	27	;	:	62	C1	26	35	26	death rates) have
П	Tra	nsferred Out.	(T)	26	:	9	1	-	; `	:	:	;	:	:	7	က	2.7	70	122	93	86	h rate
	Nun	nber Registered.	(e) 288	921	40	00 60	36	16	I	သ	03	10	က	<u></u>	17	15	6	18	681	685	547	
	Ma	rriages.	(5) 164	89	37	26	<u>-</u>	9	0	4	П	ಣ	10	ಸ್	6	4	4	7	375 6	369	480 (	cludin
hs.*		Still Born.	(4)	3	4	ಣ	4	27	Н	:	-1	-	Н	:	:	:	F	H	48.3	40 3	23 4	hs (in
Births.*		Live Born.	(3)	188	98	22	40	40	32	18	25	24	11	18	19	14	11	23	1134	1001	748	Deat
	Estimated Civilian	Population 31st Dec. 1945.	(2)	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	* Numbers of Births and Deaths (including
	managa da managa da managa da managa da managa da managa da managa da managa da managa da managa da managa da m	TOWNS.	(1) GLASGOW,	EDINBURGH,	DUNDEE,	ABERDEEN,	PAISLEY,	GREENOCK,	MOTHERWELL AND WISHAW, }	CLYDEBANK,	KIRKCALDY,	COATBRIDGE, .	KILMARNOCK, .	HAMILTON,	AYR,	FALKIRK,	DUNFERMLINE, .	PERTH,		ns Nov. 16, 1946	Nov. 24, 1945	* Number
			1. G		3. D		5. PA	6. GI	7. MG									16. PE	Total,	16 Towns	ending	

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street. Edinburgh 2

# WEEKLY RETURN OF THE REGISTRAR-GENERAL

## Scotland

# BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 30th November 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 30th November 1946 the births of 1139 living children and of 39 still-born children, 395 marriages and 662 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 22.9 per thousand of the population, the marriage-rate 7.9 and the death-rate 14.6. The number of still-births corresponds to a rate of 33 per thousand total births registered (including still-born).

The birth-rate of the week is 0.1 more than in the previous week and 6.0 above the five years' average. The marriage-rate is 0.4 more than in the previous week and 0.5 above the pre-war average. The death-rate is 0.7 more than in the previous week

but 0.8 below the average.

The weekly death-rates in the individual towns ranged from 24.5 in Perth and 19.3 in Falkirk to 8.5 in Greenock and 4.8 in Clydebank. Relatively high death-rates occurred in Kilmarnock 18.7, in Hamilton 18.0 and in Kirkcaldy 17.9. In Glasgow the

rate was 13.9 and in Edinburgh 15.1.

Deaths from the principal epidemic diseases numbered 3 and are the same as in the previous week. They include I from typhoid fever, 1 from cerebro-spinal fever and 1 from whooping-cough. Compared with the number in the previous week deaths from typhoid fever are 1 more, from cerebro-spinal fever the same and from whooping-cough 1 more. In the previous week 1 death was registered from diphtheria and 1 from measles.

Deaths from all forms of tuberculosis numbered 52, of which 44 were from tuberculosis of the respiratory system. The former are 5 more than in the previous week and the

latter 10 more.

Deaths from respiratory diseases (other than tubercular) numbered 67 and equalled an annual death-rate from these causes of 1.5 per thousand. This death-rate is the same as in the previous week but 0.5 below the average.

Deaths of children aged less than one year numbered 80, being 9 more than in the previous week. Of these 51 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 346 and are 25 more than in the previous week.

Deaths attributed to violent causes numbered 27 and are 1 fewer than in the previous

week.

The mean temperature for the towns from which returns were received was 43.8°, being 0.7° above that for the previous week and 2.7° above the average for the corresponding week in the period 1901-30. The mean rainfall was 1.99 inches and the mean sunshine 2.9 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

Crown Copyright Reserved
EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses
13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;
39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;
80 Chichester Street, Belfast;
or through any bookseller

Price 1d. net
Annual Subscription 8s. 8d. post free.

No. 48

		No.	(31)	7	. 2	8	4	5	6.	7.	00	6	10.	Ξ	12	135	14	15.	16.				
н	ours of	Bright Sunshine.	(30)	1.9	2.7	3.0	5.6	2.9	2.3		:	:		6.0	:			4.9	5.0	2.98		:	
	Raint	all in Inches.	(58)	2.17	1.65	1.91	2.08	2.26	2.25		:			2.09	:			1.93	1.60	1.998	43-18-9-388	0.188	
ıre.		Temperature (aver- f all observations).	(28)	43.1	44.4	43.1	42.9	45.4	44.8	:	:	:	:	44.8	:	:		43.0	42.3	43.83	43.18	44.58	
Temperature.	A	bsolute Lowest.	(27)	37	300	35		30	40	*	:			56	:			30	93	30+	29+	284	
Tem	Alt	osolute Highest.	(56)	22	53	52	52	53	52	:	:	:		53	:	:		20	51	53	54+	624	
		Violence.	(25)	0	9	10	:	:	<b>j</b> —4	.—	:	ଦା		-	_	:	,		:	2.2	28	27.	
	Diarri	nœa (under 2 years of age)	(24)	, 21	7		2	:	:	2	:	:		:	:	:	-		:	6.	14	14	
		piratory Diseases than Tubercular).	(23)	33	l'=	70	9	හ	2	-		1		2	4	:	2	2	:	67	69	69	
	er-	Respiratory System.	(22)	25	20	က		70	FH	-	:	:	ಣ	:	:	:	:	:	:	44	34	38	
g	Tuber- culosis.	All Forms.	(21)	29	70	က	2	5	2	,(	:	:	ಣ	:	:	:		-	:	52	47	44	
Deaths from		Measles.	(20)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	7	7	
Deat	Diseases	Influenza.	(61)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	. _:	:	p	
	ie Di	Diphtheria.	(18)	;	:	:	:	:	:	:	:	:	:	:	:	:	:	:	: `	:	7	:	
	pidem	Whooping-cough.	(11)	:	:	:	:	:	:	:	:	• :		:	:	:	:	;	:	H	:	22	
	pal E	Scarlet Fever.	(16)	:	:	:	:	:	:	:	:	:	:	:	:	;	:	:	:	:	:	:	
	Principal Epidemic	Cerebro-spinal Fever.	(15)	7	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	-	~	63	1
	ы	Typhoid and Paratyphoid Fevers.	(14)		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		:	:	
J.C	Perso	ons aged 65 Years and over.	(13)	132	82	30	29	11	4	2		10	9	7	1	ಣ	9	5	11	346	321	298	Act of L
Deaths of	one Age.	Under One Month.	(12)	21	9	4	2	20	7	÷.	:	_	61	:	-	က	2	_	23	51	36	25	
Ã	Infants under One Year of Age	Total.	11)	31	10	9	9	20	1	හ	:	2	က	2	ော	ಬ	2	_	67	80	7.1	54	110-01
	Rate p	per 1000 of Estima- vilian Population.	(10)	13.9	15.1	15.8	9.21	9.91	8.5	0.00 0.00	4.8	17.9	15.8	18.7	18.0	8.0	19.3	12.5	24.5	14.6	13.9	13.9	doeth notice home been also all the
	NetN	Jumber (Civilian).	(6)	272	128	49	22	28	12	11	က	15	13	14	13	1	13	10	17	862	632	613	Joseph of
Deaths	T	ransferred In.	(8)	ಣ	7	03	:	4	П	4	2	4	N	2	4	pred	:	;	_	31	26	33	od la
н	Tra	nsferred Out.†	(2)	20	31	9	11	2	П	:	:	:	;	က	:	_	7	9	ಣ	119	22	66	th not
	Nun	nber Registered.	9	319	158	53	89	53	12	7	-	11	11	15	6	1	15	16	19	750	681	629	oc doe
	Ma	rriages.	(2)	176	22	28	39	12	6	10	:	10	00	9	က	<u></u>	9	10	4	395	375	514	soludi.
Births.*		Still Born.	€	18	4	4	-	,—	7	:	:	2	p-4	П		1	2	_	1	39	48	29	ha (iv
Birt		Live Born.	(3)	496	198	90	22	37	30	31	14	21	17	23	31	24	21	91	13	1139	1134	808	Dant
	Estimated	Population 31st Dec. 1945.	(3)	1,020,800	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	_	2,369,100	2,296,600	* Numbers of Births and Dasths (including
		TOWNS.	(1)	1. GLASGOW,		3. DUNDEE,	4. ABERDEEN,	5. PAISLEY,	6. GREENOCK,	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY,	10. COATBRIDGE, .			13. AYR,	14. FALKIRK,		16. PERTH,		23,	ending (Dec. 1, 1945	* Number



#### WEEKLY RETURN THE REGISTRAR-GENERAL

No. 49

# Scotland

# BIRTHS, DEATHS AND **MARRIAGES**

Registered in sixteen of the Principal Towns

Week ended Saturday, 7th December 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 7th December 1946 the births of 1158 living children and of 65 still-born children, 449 marriages and 621 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 23.3 per thousand of the population, the marriage-rate 9.0 and the death-rate 13.7. The number of still-births corresponds to a rate of 53 per thousand total births registered (including still-born).

The birth-rate of the week is 0.4 more than in the previous week and 6.4 above the five years' average. The marriage-rate is 1.1 more than in the previous week and 1.3 above the pre-war average. The death-rate is 0.9 less than in the previous week

and 1.2 below the average.

The weekly death-rates in the individual towns ranged from 18.5 in Motherwell and Wishaw and 180 in Hamilton to 86 in Perth and 50 in Dunfermline. Relatively high death-rates occurred in Dundee 16·1, in Paisley 16·0 and in Kilmarnock 14·7. In Glasgow the rate was 13·8 and in Edinburgh 13·1.

Deaths from the principal epidemic diseases numbered 7 and are 4 more than in the previous week. They include 3 from whooping-cough, 1 from diphtheria and 3 from influenza. Compared with the number in the previous week deaths from whoopingcough are 2 more, from diphtheria 1 more and from influenza 3 more. In the previous week 1 death was registered from typhoid fever and 1 from cerebro-spinal fever.

Deaths from all forms of tuberculosis numbered 46, of which 42 were from tuberculosis of the respiratory system. The former are 6 fewer than in the previous week and the

latter 2 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 61 and equalled an annual death-rate from these causes of 1.3 per thousand. This death-rate is 0.2

less than in the previous week and 0.8 below the average.

Deaths of children aged less than one year numbered 67, being 13 fewer than in the previous week. Of these 28 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 324 and are 22 fewer than in the previous week.

Deaths attributed to violent causes numbered 20 and are 7 fewer than in the previous

The mean temperature for the towns from which returns were received was 37.7°, being 6.1° below that for the previous week and 2.9° below the average for the corresponding week in the period 1901-30. The mean rainfall was 1.06 inches and the mean sunshine 14.2 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OFFICE at the following addresses

13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2;

39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff;

80 Chichester Street, Belfast;

or through any bookseller

Price 1d. net

Annual Subscription 8s. 8d. post free.

		, N	(31)	. 6	i თ	4.	5.	6.	7	00	6	10	= =	19	3 2	17	1 1	16.					
E	Hours of	Bright Sunshine.	(30)	16.4	16.3	16.2	13.3	8.0	:				× 6		:	:	17.9	15.8	000	-	2.98	∞ ∞	
	Rainf	all in Inches.	(29)	0.77	1.22	1.00	1.07	1.47	:				0.95		:	:	16.0	1.14	000.1	\$7. \$1 Son T 81.	43.88 1.998	1.018	
re.	Mean age o	Temperature (aver- f all observations).	(28)		9.98	38.1	28.2	39.8	:		:	:	7.73				87.9	35.7	02.00	3/ /3	43.88	39.18	chs.
Temperature.	A	bsolute Lowest.	(27)				28	32	;				25	1	:	:			÷ 66	23.	30‡	25‡	e Des
Tem	A.l	osolute Highest.	(26)	46	44	45	48	49	:		:	:	400				46	46	404	+0+	53+	544	Including Service Deaths.
		Violence.	(25)	2 61	၊ က	m	y4	:						,-	1	-			00	07	27	19	nding
	Diarri	ncea (under 2 years of age).	(24)	1 20	:	4	:	_	:	:	:	:				:		:	2	FT .	ග	10	† Incl
	Res (other	piratory Diseases than Tubercular).	(23)	20	4	2	4	7	4	:	:	-	2	2		2	1		6	70	67	80	
	er.	Respiratory System.	(22)	5	က	ಣ	ī	p=t	4	:	:	:	:		:			7	AC.	47	44	25	transfer to place of usual residence if in Scotland
B	Tuber-	All Forms.	(21)	20	5	က	7	П	4	:	:	i	;	_	:	:	:	-	AB	OF !	52	29	in Se
Deaths from		Measles.	(20)	:	:	;	:	:	:	:	:	:	:	:	:	:	;	:		:	:	:	ence i
Deat	Diseases.	Influenza.	(19)	:	:	. :	:	:	:	:	~	:	;	:	:		:	:	6	5	:	-	resid
	ie Die	Diphtheria.	(18)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	-	7	:	က	usual
	oidem	Whooping-cough.	(12)	:	:	:	:	:	<del>,</del> (	-	:	:	:	:	:	:	;	:	C.	> 7	-	-	ce of
	al E	Scarlet Fever.	(16)	÷	:	:	:	:	:	:	:	:	:	:	:	:	:	:		:	:	:	sld o
	Principal Epidemic	Cerebro-spinal Fever.	(15)	:	:	:	:	:	:	:	:	:	:	;	:	:	:	:			<b>-</b>	:	ısfer t
	Ъ	Typhoid and Paratyphoid Fevers.	(14)	;	:	:	:		:	:	:	:	:	;	:	:	:	:		,		1	by trans
of	Perso	ons aged 65 Years and over.	(13)	64	30	28	15	13	6	4	7	20	4	4	1	භ	, \$10	4	39.4	7 7 6	340	331	
Deaths of	one One Age.	Under One Month.	(12)	က	2	_	-	<b>—</b>	-	:	;	:	ଷ	. :	:	_	;	:	28	1	10	22	corrected
D	Infants under One Year of Age.	Total.	11)	7	က	1	_	01	တ		:	2	2	П	:	ಖ	i	:	67	, 0	200	44	onally
	Rate 1	per 1000 of Estima- vilian Population.	(10)	13.1	16.1	13.3	16.0	14.2	18.5	9.6	11.9	12.2	14.7	18.0	11.5	10.4	2.0	9.8	13.7	14.0		14.5	death rates) have been provisionally
20	NetN	umber (Civilian).	(9)	111	20	43	27	20	23	9	10	10	11	13	ာ	7	4	9	621	688	700	633	es) have been prov
Deaths	T	ransferred In.	(8)	:	2	_	ന (	22	2	7	:	П	4	00	:	:	:	:	40	2 6	10	34	es) ha
	Tra	nsferred Out.†	(7)	36	1	10	<b>-</b> 1	-	:	:	2	2	က	:	<del>,</del> 1	2	က	က	108	110	211	112	th rat
	Nun	iber Registered.	(6)	147	22	52	25	13	16	5	12	11	10	2	10	6	-1	6	689	750	00.1	717	ng des
	Ma	riages.	(5)	22	37	32	14	16	10	ಯ	13	1	2	7	12	9	2	2	449	308	000	480	leludi
Births.*	-	Still Born.	( <del>(</del> )	00	4	4	2	9	73	:	7	:	Н	:	:	:	7	:	65	1 1 2	_	77.	hs (ir
Bird		Live Born.	(8)	206	68	06	46	41	21	16	17	27	16	13	20	22	17	00	1158	1130	2010	803	Deat
	Estimated Civilian	Population 31st Dec. 1946.	(2)	441,000	162,100	169,000	88,100	78,600	64,700	32,700	43,800	42,900	39,000	87,700	40,800	35,000	41,700	36,200	2,369,100	2.369.100		7,230,000	* Numbers of Births and Deaths (including
		TOWNS.	(1) 1. GLASGOW,					7 MOTHERWEIT										16. PERTH,	Total, (Dec. 7, 1946	16 Towns Nov. 30, 1946		o,	* Number

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2



#### WEEKLY RETURN THE REGISTRAR-GENERAL

No. 50

# Scotland

# BIRTHS, DEATHS AND MARRIAGES

Registered in sixteen of the Principal Towns

Week ended Saturday, 14th December 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 14th December 1946 the births of 1102 living children and of 39 still-born children, 443 marriages and 649 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 22.2 per thousand of the population, the marriage-rate 8.9 and the death-rate The number of still-births corresponds to a rate of 34 per thousand total births registered (including still-born).

The birth-rate of the week is 1.1 less than in the previous week but 5.5 above the five years' average. The marriage-rate is 0.1 less than in the previous week but 2.1 above the pre-war average. The death-rate is 0.6 more than in the previous week

but 1.2 below the average.

The weekly death-rates in the individual towns ranged from 21.7 in Ayr and 19.4 in Hamilton to 9.7 in Coatbridge and 7.1 in Kirkcaldy. Relatively high death-rates occurred in Dundee 19.0, in Edinburgh 18.1 and in Kilmarnock 16.0. In Glasgow the rate was 12.6.

Deaths from the principal epidemic diseases numbered 9 and are 2 more than in the previous week. They include 1 from whooping-cough, 3 from diphtheria, 2 from influenza and 3 from measles. Compared with the number in the previous week deaths from whooping-cough are 2 fewer, from diphtheria 2 more, from influenza 1 fewer and from measles 3 more.

Deaths from all forms of tuberculosis numbered 53, of which 49 were from tuberculosis of the respiratory system. The former are 7 more than in the previous week and the

latter 7 more.

Deaths from respiratory diseases (other than tubercular) numbered 76 and equalled an annual death-rate from these causes of 1.7 per thousand. This death-rate is 0.4 more than in the previous week but 0.3 below the average.

Deaths of children aged less than one year numbered 69, being 2 more than in the previous week. Of these 42 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 319 and are 5 fewer than in the previous week.

Deaths attributed to violent causes numbered 29 and are 9 more than in the previous

week.

The mean temperature for the towns from which returns were received was 36.5°, being 1.2° below that for the previous week and 2.9° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.95 inch and the mean sunshine 5.6 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H. M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net Annual Subscription 8s. 8d. post free.

N ON			(31	. 2.	က	4	5.	6.	7.	00	6	10	=	12	13	14	15	16		400		
Hours of Bright Sunshine.			(30)	1.1	8.4	0.4	3.0	1.9	. :	* :	:	:	8.2	:		:	0.1	10.1	9.9	14.28	5.8	
	Rainfall in Inches.			0.47	.19	41	98.0	94-1	:		:	:	99.0	:	;	:	99.0	0.83	36.089.988	1.068	40.08 0.398	ı
e e	Mean		37.1	36.6	40.0	36.3	37.7	·:	:	:	:	8.92	:	:	:	35.4	34.0	36.58	37.78 1	40.08	hs.	
peratur Fahr.	age of		32 3		27 4	29 3	29   3	:	;	:	:	25 3	;	:	:	24 8	23	23+	23‡	23‡	Deat	
age of all observations).  Absolute Lowest.  Absolute Highest.			41	43	46	43	44	:	:	:	:.	45	:	:	٠;	43	43	46+	49+	±45	ervice	
-	Violence.			01	G)	-	1	4	:	:	;			2		:	:	:	59	20	34	ling 8
Diarrhœa (under 2 years			-	× 01		2	7.	:	· :	:	:	:		• ;	:	:	:	-	14	1.9	00	Including Service Deaths.
	Resi	of age).		12	7		_	හ	2	:	67	-		5	2	:	1	:	92	61	II.	-
	(other	than Tubercular).		23 4	ಣ	7	4	2	-	:			:	-	-	1	:	_	49	42	60	and.
	Tuber-	Respiratory System.				2	4	2		•	•	_										Seoti
· mo	Tu	All Forms.	- 50	07	17.0	67	9	64		:	:					:	•		53	46	- 39	it in
Deaths from	on l	Measles.	(20)	: :	က	.:	:	.:	:	•	:	:	:	• :	:	:	. :	•	es .	:	:	dence
Dea	Principal Epidemic Diseases.	Influenza.	(19)		:	:	:	:	:	:	-	:	:	:	:	-	:	4	C4	දර	- 2	al resi
	nie Di	Diphtheria.	(18)	7	:	;		:	•	:		:	:		:		•		63	~ ~	64	of usu
	piden	Whooping-cough.	(17)	٠ ;	:	:	•	:	:	:	-	-	<u>:</u>		:	:	1	:	_			lace o
	pal E	Scarlet Fever.	(16)	: :			:	:	:	:	:		:	:	:	:	:	:	-	:		r to p
	Princi	Cerebro-spinal Fever.	(12)	: :			•	:	:	•	-	-							:		-:	ansfe
_	Typhoid and Paratyphoid Fevers.		(13) (14)	: :	:		:	:	6	30	20	4	7	5	6	9	э <u>;</u>	9	:	4	:	by tr
. JQ	Perso	Persons aged 65 Years and over.		90	88	24	1.4	10			44.9	7							31	324	372	ected
Deaths of	nts One Age.	Under One Month.	(12)	2 70	70	4	-	***		,—	:		-	:		1-4·		:	42	28	67	y cort
ũ	Infants under One Year of Age	Total.	11)	00	L~	10	-	-	<del>-</del>	7—1	1	m'	22	:	7	7	-	7	69	29	49	ionall
	Rate per 1000 of Estimated Civilian Population.		(10)	18.1	19.0	15.4	10.1	12.0	11.3	11.2	7.1	2.6	16.0	19.4	21.7	13.4	10.0	15.8	14.3	13.7	15.2	ng death rates) have been provisionally corrected by transfer to place of usual residence if in Scotland
	Netl	Number (Civilian).	(6)	153	59	20	17	17	14	7	9	œ	12	14	17	G.	00	11	649	621	684	ve bee
Deaths.	Т	ransferred In.	(8)	2 ~	හ	07	;	_	:	62	_	-	4	20	-	:	:	; .	31	40	49	es) ha
A .	Tra	ensferred Out.†	£	29	10	6	63	41	;	:	.:	:	2	7	. 2	4	3	00 -	113	108	116	th rat
	Nur	nber Registered.	(9)	181	61	22	19	20	14	4	5	7	10	10	00	13	11	19	731	689	751	ng dea
	Marriages.			185 84	24	54	16	12	11	-4	1-	4	4	<i>r</i> 0	10	7	1	12	443	449	511	
***	* Still Born.			30	2	2	-	1	2	;	:	1	:	À	:	2	:	;	39	65	65	chs (ir
Births.		Live Born.		182	92	85	19	37	32	11	17	27	20	23	14	11	22	20	1102	1158	824	1 Deal
Estimated Givilian Population Sist Dec. 1945.				1,020,800	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	37,700	40,800	35,000	41,700	36,200	2,369,100	2,369,100	2,296,600	Numbers of Births and Deaths (includi
	TOWNS			2. EDINBURGH.		4. ABERDEEN,	5. PAISLEY,	6. GREENOCK,	7. MOTHERWELL AND WISHAW,	8. CLYDEBANK,	9. KIRKCALDY,	10. COATBRIDGE, .	11. KILMARNOCK, .	12. HAMILTON,	13. AYR,	14. FALKIRK,	15 DUNFERMLINE,.	16. PERTH,	Total, (Dec. 14, 1946	16 Towns Dec. 7, 1946	week ending (Dec. 15, 1945	* Number

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2

#### WEEKLY RETURN No. 51 OF THE REGISTRAR-GENERAL

Scotland

# BIRTHS, DEATHS AND **MARRIAGES**

Registered in sixteen of the Principal Towns

Week ended Saturday, 21st December 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 21st December 1946 the births of 1137 living children and of 35 still-born children, 457 marriages and 721 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 22.9 per thousand of the population, the marriage-rate 9.2 and the death-rate 15.9. The number of still-births corresponds to a rate of 30 per thousand total births registered (including still-born).

The birth-rate of the week is 0.7 more than in the previous week and 6.5 above the five years' average. The marriage-rate is 0.3 more than in the previous week and 1.3 above the pre-war average. The death-rate is 1.6 more than in the previous week

and 0.8 above the average.

The weekly death-rates in the individual towns ranged from 23.0 in Perth and 20.0 in Dunfermline to 12.0 in Aberdeen and 10.7 in Kilmarnock. Relatively high deathrates occurred in Dundee 19.3, in Greenock 18.4 and in Paisley 17.2. In Glasgow

the rate was 16.7 and in Edinburgh 14.0.

Deaths from the principal epidemic diseases numbered 14 and are 5 more than in the previous week. They include 3 from cerebro-spinal fever, 4 from whooping-cough, 1 from diphtheria, 4 from influenza and 2 from measles. Compared with the number in the previous week deaths from cerebro-spinal fever are 3 more, from whooping-cough 3 more, from diphtheria 2 fewer, from influenza 2 more and from measles 1 fewer.

Deaths from all forms of tuberculosis numbered 56, of which 48 were from tuberculosis of the respiratory system. The former are 3 more than in the previous week but the

latter 1 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 106 and equalled an annual death-rate from these causes of 2.3 per thousand. This death-rate is 0.6 more than in the previous week and 0.3 above the average.

Deaths of children aged less than one year numbered 96, being 27 more than in the previous week. Of these 47 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 353 and are 34 more than in the previous week.

Deaths attributed to violent causes numbered 26 and are 3 fewer than in the previous

The mean temperature for the towns from which returns were received was 34.9°, being 1.6° below that for the previous week and 4.3° below the average for the corresponding week in the period 1901-30. The mean rainfall was 0.21 inch and the mean sunshine 2.1 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1.5t Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net Annual Subscription 8s. 8d. post free.

TURN OVER

† Including Service Deaths. Numbers of Births and Deaths (including death rates) have been provisionally corrected by transfer to place of usual residence if in Scotland Weekly means. t Weekly extremes.



#### WEEKLY RETURN THE REGISTRAR-GENERAL

Scotland

# BIRTHS, DEATHS AND **MARRIAGES**

Registered in sixteen of the Principal Towns

Week ended Saturday, 28th December 1946

In the Sixteen Principal Towns of Scotland, being those burghs which at the date of the 1931 Census had populations of over 30,000, there were registered during the week ended 28th December 1946 the births of 1127 living children and of 38 still-born children, 745 marriages and 758 civilian deaths. In the case of births and deaths the numbers are corrected for residential transfers. The equivalent annual birth-rate (living children only) is 22.7 per thousand of the population, the marriage-rate 15.0 and the death-rate 16.7. The number of still-births corresponds to a rate of 33 per thousand total births registered (including still-born).

The birth-rate of the week is 0.2 less than in the previous week but 6.3 above the five years' average. The marriage-rate is 5.8 more than in the previous week but 3.6 below the pre-war average. The death-rate is 0.8 more than in the previous week

and 1.7 above the average.

The weekly death-rates in the individual towns ranged from 30.2 in Perth and 26.3 in Dunfermline to 11.7 in Aberdeen and 11.5 in Ayr. Relatively high death-rates occurred in Motherwell and Wishaw 25.8, in Clydebank 20.7 and in Kirkcaldy 19.0.

In Glasgow the rate was 17.6 and in Edinburgh 16.6.

Deaths from the principal epidemic diseases numbered 9 and are 5 fewer than in the previous week. They include 1 from diphtheria, 6 from influenza and 2 from measles. Compared with the number in the previous week deaths from diphtheria are the same, from influenza 2 more and from measles the same. In the previous week 3 deaths were registered from cerebro-spinal meningitis and 4 from whooping-cough.

Deaths from all forms of tuberculosis numbered 39, of which 35 were from tuberculosis of the respiratory system. The former are 17 fewer than in the previous week and the

latter 13 fewer.

Deaths from respiratory diseases (other than tubercular) numbered 126 and equalled an annual death-rate from these causes of 2.8 per thousand. This death-rate is 0.5 more than in the previous week and 1.0 above the average.

Deaths of children aged less than one year numbered 83, being 13 fewer than in the previous week. Of these 38 were of infants aged under one month. Deaths of persons aged sixty-five years and over numbered 393 and are 40 more than in the previous week.

Deaths attributed to violent causes numbered 29 and are 3 more than in the previous

The mean temperature for the towns from which returns were received was 40.0°, being 5.1° above that for the previous week and 1.1° above the average for the corresponding week in the period 1901-30. The mean rainfall was 1.07 inches and the mean sunshine 8.5 hours.

NOTE.—The averages used for comparison are, except where otherwise stated, the mean of the same rates in the corresponding week of the five preceding years.

> Crown Copyright Reserved EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE To be purchased directly from H.M. STATIONERY OFFICE at the following addresses 13A Castle Street, Edinburgh 2; York House, Kingsway, London, W.C. 2; 39/41 King Street, Manchester 2; 1 St Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net Annual Subscription 8s. 8d. post free.

[TURN OVER

No			(31)	2.	00	4.	5.	9	7	00	6	10.	11.	12.	13.	14.	15.	16.		100	10	
Hours of Bright Sunshine.			(30)	13.0	10.9	12.6	3.9	8.8	7:		-	:	2.9	:	:	1:	10.5	9.8	8.58	2.18		
Rainfall in Inches.			(29)	0.20	0.54	91.0	1.67	5.82	:	1	:	:	1.52	-	:	:	08.0	98.0	\$10.08	34.98 0.218	1.368	
re.	Mean age of	(28)	9.01	89.9	40.1	9.01	9.11	:	:	:	:	0.0	***	:	:	98.9	38.4	\$0.08	34.98	41.68	hs.	
Temperature.	Al	(27)	30 4	28 8	30 4	26	30	:	:	:	:	23	:	. :	:	24	22	22	20¢	28‡	Including Service Deaths.	
Temp	A.b	(26)	20	20	20	20	20	1:	:	i	:	20	:	:	:	50	20	50+	49+	524	Servic	
Violence.			(25)	20	2	:	:	:	:	:	-	:	:	-	-	:	2	-	29	26	21	ding 8
Diarrhœa (under 2 years of age).			(24) (7	60	:	-	:	00	н	:	:	:	:	:	:	:	:	:	15	11	w.	Inclu
	Resp	piratory Diseases than Tubercular).	(23)	21	9	9	1	-	70	ෙ	-	2	2	60	:	20	:	20	126	106	64	1
	Respiratory		(22)	10	හ	2	:	1	-	1	:	13	:	1	:	:	:		35	48	39	tland.
	Tuber- culosis.	All Forms.	(21)	10	60	2	:	1	-	Н	:	:	:	-	:	:	:	-	39	99	52	in Sec
Deaths from		Measles.	(20)	7	-	:	1	1	1		;	1	1	:	:	:	- :	1	2	2	2	nce if
Death	asses.	Influenza.	(19)	-	:	:	13	::	:	-	:	:	1:	-	0:	:	-	1	9	4	20	reside
of the	c Dise	Diphtheria.	(18)	:	:	:	:	:	1:	:		:	:			***				1	9	usual
Parl State	idemi	Whooping-cough.	(11)	:	:		:	:	:	:	:	:		***	*	1	4):	***	:	4	-	ce of
	al Ep	Scarlet Fever.	(16)	:	:	:	:	:	. :	:	:	:	:	:	:	:	9:	:	1:	:	1	to pla
	Principal Epidemic Diseases	Cerebro-spinal Fever.	(15)	:	1	:	:	:	:	:	:	:		:	:	:	1		-:	60	-:	nsfer
	Ь	Typhoid and Para- typhoid Fevers.	(14)	.:	:		:	:	:	:	:	:	1:	:	:	:	1:		:	:		y tra
J.C	Perso	ons aged 65 Years and over.	(18)	79	25	19	13	2	10	4	12	1	7	4	9	3	13	14	393	353	337	ected b
Deaths of	one Age.	Under One Month.	(12)	7	7	2	T	1	2 4 2 2 2	60	-	i	-			2	-	1	88	47	22	corre
De	Infants under One Year of Age.	Total.	(11)	n	60	10	9	00	9	හෙ			T	1		2	I	2	83	96	51	ionally
	Rate per 1000 of Estimated Civilian Population.		(10)	16.6	14.8	11.7	13.0	12.0	25.8	20.7	0.61	13.4	12.0	13.8	11.5	11.9	26.3	30.2	16.7	15.9	9.91	death rates) have been provisionally corrected by transfer to place of usual residence if in Scotland
	NetN	(9)	140	46	388	22	17	32	13	16	11	6	10	6	00	21	21	758	721	989	ve beer	
Deaths	T	(%) 11	-	2	-	Н	**	4	4	63	7	-	67	:	-	-	П.	34	31	43	ss) har	
a	Tra	(7)	24	20	12	-1	1	П	.:	1	1	63	7	1	9	3	4	107	88	115	th rat	
3 -1	Nun	(6)	163	49	49	22	18	29	6	15	10	11	6	16	13	23	24	831	811	758	ng dea	
321	Marriages.			114	48	.51	28	25	56	15	16	10	15	10	15	11	14	16	745	457	813	eludi
Still Born.  Live Born.		(4) (b) 18 331	7		9	27	T	-	:	2	:	:	-	2	:		-	38	35	36	chs (ir	
Live Born.		(3)	191	78	79	53	21	36	23	24	26	14	15	23	17	27	18	1127	1137	787	d Dea	
Estimated Ofvillan Population 31st Dec. 1946.			(2)	441,000	162,100	169,000	88,100	73,600	64,700	32,700	43,800	42,900	39,000	87,700	40,800	35,000	41,700	36,200	-	2,369,100	2,296,600	Numbers of Births and Deaths (including
TOWNS.							10	1	L }	No. of		1		10		N. N.	田,	7.11	1946	1946	1945	Tumbe
			v , v	RGH,		N.	*	)K,	MOTHERWELL AND WISHAW,	INK,	DY,	DGE,	VOCE	N.			MEIN		Dec. 28,	21,	29,	*
			(1) SGOV	EDINBURGH	DEE	RDE	LEY	ENOC	HER D W1	CLYDEBANK	KIRKCALDY,	LBRI	TARI	HIT		KIRK	FER	rH,		-	Dec.	1
			(1) GLASGOW,	EDIL	DUNDEE,	ABERDEEN	PAISLEY,	GREENOCK,	MOT	CLYI	KIR	COATBRIDGE,	KILMARNOCK	HAMILTON	AYR, .	FALKIRK	DUNFERMLINE,	PERTH,	Total,	6 Iowns	ing	
	1550	H	2.	63	4	5.	.9	7.	oö		10.		12.	13.	14.	15	16.	Tot	16 I OW	ending		
			A STATE OF THE PARTY OF					Contract of	D. Ever		100	1			-							

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE By J. Skinner & Co., Ltd., Thistle Street, Edinburgh 2